If-else-if or elif:-

When we have multiple conditions to check,then we can use elif conditional statement.

practice1.py

```python
bill_amt = 100

if bill_amt > 100 and bill_amt <= 200:
    print("disc percent is 10%")

elif bill_amt > 200 and bill_amt <= 500:
    print("disc percent is 20%")

elif bill_amt > 500:
    print("disc percent is 30%")

else:
    print("No disc allowed")
```

```
PS D:\Edutainer_Internship-main\Python Essentials and Libraries for Data Science\Module 2> python practice1.py
No disc allowed
PS D:\Edutainer_Internship-main\Python Essentials and Libraries for Data Science\Module 2>
```

practice2.py

```python
amount = int(input("Enter amount: "))
age = int(input("Enter age: "))

if amount > 10000:
    if age <= 40:
        print("Interest rate is 5 percent")
    else:
        print("Interest rate is 6 percent")
else:
    print("Interest rate is 2 percent")
```

```
PS D:\Edutainer_Internship-main\Python Essentials and Libraries for Data Science\Module 2> python practice2.py
Enter amount: 40000
Enter age: 23
Interest rate is 5 percent
PS D:\Edutainer_Internship-main\Python Essentials and Libraries for Data Science\Module 2>
```

Logical operators in python:-

Logical operators are used to combine conditional statements and return a Boolean result (True or False).

Python has three logical operators:

1. and
2. or
3. not

and Operator:-The and operator returns True only if both conditions are True.

or Operator:-The or operator returns True if at least one condition is True.

not Operator:-The not operator reverses the result of a condition.

Loops in python:-

A loop is used to execute a block of code repeatedly.Instead of writing the same code many times, a loop automatically repeats it.

When should we use loops:-(Also covers types of loops)

1.When we know how many times the loop should run.(for loop)

2.The loop runs until a condition becomes false.(while loop)

Examples(for loop):-

1. Generate number from 1 to 10



2. Display sum of numbers from 1 to 10



3. Display numbers from 1 to 100 with step 4



While loop example:-



Scenario question 1:-

A bank accepts deposits and provides loans up to the amount deposited.A customer can take loans multiple times, but the program stops when the total loan amount exceeds the deposited amount.The program should display appropriate messages.