**Break statement:-**

The break statement is used to stop or terminate a loop immediately when a certain condition is met. When break is executed, the program exits the current loop and continues executing the next statement after the loop.

**Scenario:-**Write a Python program to demonstrate the search operation using a list and loops. Accept 10 numbers from the user, store them in a list, and ask the user to enter a number to search.If the number is found, display "Number Found" and stop the loop using the break keyword. Otherwise, display "Number Not Found".




**output:-**

```
PS D:\Edutainer_Internship-main\Python Essentials and Libraries for Data Science\Module 3> python practice1.py
Enter 10 numbers:
Enter number: 10
Enter number: 20
Enter number: 30
Enter number: 40
Enter number: 50
Enter number: 60
Enter number: 70
Enter number: 80
Enter number: 90
Enter number: 100
Enter the number to search: 40
Number found in the list
PS D:\Edutainer_Internship-main\Python Essentials and Libraries for Data Science\Module 3> python practice1.py
Enter 10 numbers:
Enter number: 50
Enter number: 79
Enter number: 87
Enter number: 29
Enter number: 04
Enter number: 72
Enter number: 84
Enter number: 38
Enter number: 78
Enter number: 44
Enter the number to search: 64
Number not found in the list
PS D:\Edutainer_Internship-main\Python Essentials and Libraries for Data Science\Module 3>
```

**Continue statement:-**

The continue statement is used to skip the current iteration of a loop and move to the next iteration. When the continue statement is executed, the remaining code inside the loop for that iteration is skipped.

**Scenario:-**Write a Python program to demonstrate the continue keyword.A user gets 5 chances to enter a number and the program should calculate the cube of the number.If the user enters a negative number, the program should ignore that number using continue and move to the next iteration.

```python
# Program to demonstrate continue keyword

count = 0
while count < 5:
    num = int(input("Enter a number: "))
    if num < 0:
        print("Negative number entered. Skipping...")
        continue
    cube = num ** 3
    print("Cube of", num, "is", cube)
    count += 1
```

```
PS D:\Edutainer_Internship-main\Python Essentials and Libraries for Data Science\Module 3> python practice2.py
Enter a number: 5
Cube of 5 is 125
Enter a number:
```




**Scenario:-**Write a Python program using nested loops to demonstrate the break statement.
The outer loop should run from 0 to 9 and the inner loop should also run from 0 to 9.
If the value of j becomes 5, terminate the inner loop using break and display the values of j and i accordingly.




Python list and dictionary- 2







**Scenario:-**Write a Python program using a dictionary to store the details of an item such as Item Name, Price, and Model.
Display the information in the following format:
The Item Name is Hard disc
The Price is 2300
The Model is AY78

practice6.py

```python
# Dictionary storing item details
items = {"Item Name": "Hard disc", "Price": 2300, "Model": "AY78"}

# Displaying the values
print("The Item Name is", items["Item Name"])
print("The Price is", items["Price"])
print("The Model is", items["Model"])
```

Terminal

```
PS D:\Edutainer_Internship-main\Python Essentials and Libraries for Data Science\Module 3> python practice6.py
The Item Name is Hard disc
The Price is 2300
The Model is AY78
PS D:\Edutainer_Internship-main\Python Essentials and Libraries for Data Science\Module 3>
```