React Cards : -
A card is just a rectangular container that usually contains:

1.Image
2.Title
3. Description
4. Button or action

Sample code for cards:-

```
function Card(props) {
  return (
    <div className="card">
      <img src={props.image} alt="" />
      <h3>{props.title}</h3>
      <p>{props.description}</p>
      <button>{props.buttonText}</button>
    </div>
  );
}
```

Why do we need to react?

Because React is component-based.

Instead of writing the same HTML again and again, we:

=>Create one Card component

=>Pass different data using props

=>Render it dynamically using .map()

Promote.jsx

```
import { useState } from "react";


function Promote() {


  const [staff] = useState([
```

```
    {
      id: 1,
      name: 'John Doe',
      position: 'Software Engineer',
      department: 'IT',
      experience: 5,
      desc: 'John is a skilled software engineer with 5 years of
experience in developing web applications.'
    },
    {
      id: 2,
      name: 'Vamshi',
      position: 'Data Analyst',
      department: 'Data Science',
      experience: 3,
      desc: 'Vamshi is a talented data analyst with 3 years of experience
in analyzing complex datasets.'
    },
    {
      id: 3,
      name: 'Anu',
      position: 'Project Manager',
      department: 'Management',
      experience: 7,
```

```
      desc: 'Anu is an experienced project manager with 7 years of
experience leading teams.'
    }
  ]);

  const promoteEmp = (name) => {
    alert(`${name} promoted successfully 🚀`);
  };

  return (
    <div className="bg-light min-vh-100 py-5">

      <div className="container">

        {/* Heading Full Width */}
        <div className="text-center mb-5">
          <h1 className="fw-bold display-5">
            Employee Promotion Dashboard
          </h1>
          <p className="text-muted">
            Manage and promote employees efficiently
          </p>
        </div>
```

```
        {/* Cards */}
        <div className="row g-4 justify-content-center">
          {staff.map((emp) => (
            <div key={emp.id} className="col-12 col-sm-6 col-md-4
col-lg-3">
              <div className="card h-100 shadow border-0">


                <img

src="https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcSXeNnSAv43GutjK
q2JVa85w9WVOoQBqBTFpA&s"
                  className="card-img-top"
                  alt="Employee"
                />


                <div className="card-body d-flex flex-column">
                  <h5 className="card-title">{emp.name}</h5>
                  <p className="text-muted mb-2">{emp.position}</p>


                  <p className="mb-1">
                    <strong>Department:</strong> {emp.department}
                  </p>


                  <p className="mb-1">
```

```
                <strong>Experience:</strong> {emp.experience} years
              </p>

              <p className="small text-muted">
                {emp.desc}
              </p>

              <button
                onClick={() => promoteEmp(emp.name)}
                className="btn btn-primary mt-auto"
              >
                Promote
              </button>

            </div>
          </div>
        </div>
      ))}
    </div>

  </div>
</div>
);
```

```
}


export default Promote;
```