Value Added Problems Problem 1:

Problem 1: Print all values in the BST within a given range

Approach:

Use DFS traversal (in-order) and prune branches using BST properties:

- If node value is greater than low, explore left subtree
- If node value is within range, include it
- If node value is less than high, explore right subtree

```
#include <stdio.h>

#include <stdlib.h>


struct Node {

   int data;

   struct Node* left;

   struct Node* right;

};


struct Node* createNode(int val) {

   struct Node* node = (struct Node*)malloc(sizeof(struct Node));

   node->data = val;

   node->left = node->right = NULL;

   return node;

}


void rangeQuery(struct Node* root, int low, int high) {

   if (root == NULL) return;
```

```c
    if (root->data > low)
        rangeQuery(root->left, low, high);

    if (root->data >= low && root->data <= high)
        printf("%d ", root->data);

    if (root->data < high)
        rangeQuery(root->right, low, high);
}

int main() {
    printf("Name: Vansh Gaikwad\n");
    printf("PRN: 25070521088\n");
    printf("Batch: B1\n\n");

    struct Node* root = createNode(10);
    root->left = createNode(5);
    root->right = createNode(15);
    root->left->left = createNode(3);
    root->left->right = createNode(7);
    root->right->right = createNode(18);

    int low = 7, high = 15;

    printf("Nodes in range: ");
    rangeQuery(root, low, high);

    printf("\n");
```

```
    return 0;
}
```

```
Output                                                    Clear
Name: Vansh Gaikwad
PRN: 25070521088
Batch: B1

Nodes in range: 7 10 15


=== Code Execution Successful ===
```

Problem 2: Check if expression is balanced

Approach:

Use a stack:

- Push opening brackets
- On closing bracket, check top of stack
- If mismatch or empty → not balanced
- At end, stack must be empty

Problem 2: Balanced Brackets (C)

```
#include <stdio.h>

#include <string.h>


#define MAX 1000000
```

```
char stack[MAX];
int top = -1;

void push(char c) {
   stack[++top] = c;
}

char pop() {
   return stack[top--];
}

int isEmpty() {
   return top == -1;
}

int isBalanced(char* s) {
   for (int i = 0; s[i] != '\0'; i++) {
      char c = s[i];

      if (c == '(' || c == '{' || c == '[')
         push(c);
      else {
         if (isEmpty()) return 0;
```

```
        char t = pop();

        if ((c == ')' && t != '(') ||
            (c == '}' && t != '{') ||
            (c == ']' && t != '['))
            return 0;
      }
    }

    return isEmpty();
}

int main() {
    char s[] = "{[()]}";

    printf("Name: Vansh Gaikwad\n");
    printf("PRN: 25070521088\n");
    printf("Batch: B1\n\n");

    if (isBalanced(s))
        printf("Balanced\n");
    else
        printf("Not Balanced\n");

    return 0;
```

```
}
```

Output Clear

```
Name: Vansh Gaikwad
PRN: 25070521088
Batch: B1

Balanced


=== Code Execution Successful ===
```