Assignment 4

Consider the following table: Table: CLASS

ID	Name
1	Bravo
2	Alex
4	Cheng

Give the output of the following SQL script:

- **INSERT INTO class VALUES (5,'Rahul');**
- **COMMIT;**
- **UPDATE class SET name = 'Abhijeet' WHERE id= '5';**
- **SAVEPOINT A;**
- **INSERT INTO class VALUES (6, 'Chris');**
- **SAVEPOINT B;**
- **INSERT INTO class VALUES (7, 'Bravo');**
- **SAVEPOINT C**
- **SELECT * FROM class;**
- **ROLLBACK TO B;**
- **SELECT * FROM class;**
- **ROLLBACK TO A;**

```
DROP TABLE IF EXISTS CLASS;

CREATE TABLE CLASS (
   ID INT PRIMARY KEY,
   Name VARCHAR(50)
) ENGINE=InnoDB;

INSERT INTO CLASS VALUES
```

```
(1,'Bravo'),
(2,'Alex'),
(4,'Cheng');

SET autocommit = 0;

INSERT INTO CLASS VALUES (5,'Rahul');

COMMIT;

UPDATE CLASS
SET Name = 'Abhijeet'
WHERE ID = 5;

SAVEPOINT A;

INSERT INTO CLASS VALUES (6,'Chris');

SAVEPOINT B;

INSERT INTO CLASS VALUES (7,'Bravo');

SAVEPOINT C;

SELECT * FROM CLASS;
```



ID	Name
1	Bravo
2	Alex
4	Cheng
5	Abhijeet
6	Chris
7	Bravo
NULL	NULL

ROLLBACK TO B;

SELECT * FROM CLASS;

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

ID	Name
1	Bravo
2	Alex
4	Cheng
5	Abhijeet
6	Chris
NULL	NULL

ROLLBACK TO A;

SELECT * FROM CLASS;

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

ID	Name
1	Bravo
2	Alex
4	Cheng
5	Abhijeet
NULL	NULL