

DMT & Payout API Documentation

Complete Integration Guide for Developers

Version 1.0 | WebsiteName | 2025

Quick Reference

Base URL	WebsiteName
Method	POST (all endpoints)
Format	application/json
Auth	Token ID (IP-bound)
Token URL	WebsiteName/API/Home/TokenSetting

NOTE: Register server IP at Token URL above to generate Token ID. Pass it as 'Tokenid' in every API.

Integration Flow

Step	Action
1	Check Remitter → API 1
2	Register Remitter → API 2
3	Verify OTP → API 3
4	Get Bank List → API 4
5	Register Beneficiary → API 5
6	Verify Account → API 7
8	Transfer Funds → API 8

API Endpoints Summary

#	API Name	Endpoint	Method
1	Remitter Details	WebsiteName/DMT/Remitter_details	POST
2	Remitter Registration	WebsiteName/DMT/Remitter_Registration	POST
3	Remitter OTP Verification	WebsiteName/DMT/Remitter_Otp_Verify	POST
4	Bank List	WebsiteName/DMT/Bank_name	POST
5	Beneficiary Registration	WebsiteName/DMT/Beneficiary_Registration	POST
6	Beneficiary Delete	WebsiteName/DMT/Beneficiary_delete	POST
7	Account Verification	WebsiteName/DMT/Beneficiary_AccountVerification	POST
8	Fund Transfer	WebsiteName/DMT/Fund_transfer	POST

API Reference

API 1	POST	Remitter Details	API 2	POST	Remitter Registration
URL		WebsiteName/DMT/Remitter_details	URL		WebsiteName/DMT/Remitter_Registration
Request Body			Request Body		
<pre>{ "Senderno" : "Sender Mobile No", "Tokenid" : "Your Token ID", "Userid" : "Registered Email" }</pre>			<pre>{ "Senderno" : "Sender Mobile No", "Tokenid" : "Your Token ID", "Userid" : "Registered Email", "SenderName" : "Full Name of Sender" }</pre>		
Response			Response		
<pre>{ "status": "Success", "response": { "statuscode": "NUMBEROTP", "status": "User does not exists", "data": [] } }</pre>			<pre>{ "status": "Success", "response": { "statuscode": "TXN", "status": "User does not exists", "data": { "beneficiary": [] } } }</pre>		
■ If statuscode='NUMBEROTP' & user not found → call API 2 to register.			■ OTP is sent to sender's mobile after registration. Use API 3 to verify.		
■ If user exists, save the 'id' from response as Remiterid for API 8.					

API 3	POST	Remitter OTP Verification	API 4	POST	Bank List
URL		WebsiteName/DMT/Remitter_Otp_Verify	URL		WebsiteName/DMT/Bank_name
Request Body			Request Body		
<pre>{ "Senderno" : "Sender Mobile No", "Tokenid" : "Your Token ID", "Userid" : "Registered Email", "Senderno" : "Sender Mobile No", "otp" : "4-digit OTP", "benid" : "ID from API 2 response" }</pre>			<pre>{ "Tokenid" : "Your Token ID", "Userid" : "Registered Email" }</pre>		
Response			Response		
<pre>{ "status": "Success", "response": { "statuscode": "TXN", "status": "OTP Verified", "data": { "beneficiary": [] } } }</pre>			<pre>{ "id" : 1405, "bank_name" : "STATE BANK OF INDIA", "imps_enabled" : "1", "aeaps_enabled" : "1", "branch_ifsc" : "SBIN0000001", "is_down" : "0" }</pre>		
■ 'benid' must be taken from API 2 response.			■ Use 'branch_ifsc' as 'originalifsc' in API 5 & API 7.		
■ OTP expires quickly — resend if timeout occurs.			■ Use exact 'bank_name' value in Fund Transfer API 8 as 'BankName'.		
			■ 'is_down': '1' means bank unavailable — skip it.		

API 5	POST	Beneficiary Registration	API 6	POST	Beneficiary Delete
URL	WebsiteName/DMT/Beneficiary_Registration		URL	WebsiteName/DMT/Beneficiary_delete	
Request Body			Request Body		
<pre>{ "benname" : "Beneficiary Name", "Tokenid" : "Your Token ID", "Userid" : "Registered Email", "Senderno" : "Remitter Mobile No", "ifsc" : "Branch IFSC", "accountno" : "Account Number", "originalifsc" : "Root IFSC from API 4" }</pre>			<pre>{ "benid" : "Beneficiary ID (API 5)", "Tokenid" : "Your Token ID", "Userid" : "Registered Email", "Remiterid" : "Remitter ID (API 5)", "Senderno" : "Remitter Mobile No" }</pre>		
Response			Response		
<pre>{ "status": "Success", "response": { "statusCode": "TXN", "status": "Transaction Successful", "data": { "remitter" : { "id": "5551b186-...-5fe0a6db66d8" }, "beneficiary" : { "status":"0", "id":"5551b186-...-5fe0a6db66d8" } } } }</pre>			<pre>{ "status": "Success", "response": { "statusCode": "TXN", "status": "Beneficiary Delete Successfully", "data": { "otp": "0" } } }</pre>		
■ SAVE remitter.id → use as 'Remiterid' in API 8 (Fund Transfer).			■ 'benid' = beneficiary.id from API 5 response.		
■ SAVE beneficiary.id → use as 'benid' in API 6 (Delete).			■ 'Remiterid' = remitter.id from API 5 response.		
■ 'originalifsc' = 'branch_ifsc' from API 4 Bank List.					

API 7	POST	Account Verification	API 8	POST	Fund Transfer
URL		WebsiteName/DMT/Beneficiary_AccountVerification	URL		WebsiteName/DMT/Fund_transfer
Request Body			Request Body		
<pre>{ "accountno" : "Account Number", "Tokenid" : "Your Token ID", "Userid" : "Registered Email", "ifsccode" : "Branch IFSC", "Senderno" : "Remitter Mobile No", "Transid" : "Unique Transaction ID", "originalifsccode" : "Root IFSC from API 4" }</pre>			<pre>{ "Tokenid" : "Your Token ID", "Userid" : "Registered Email", "Senderno" : "Remitter Mobile No", "amount" : "Min 100 (INR)", "Mode" : "IMPS or NEFT", "Transid" : "Unique Transaction ID", "accountno" : "Account Number", "ifsccode" : "Branch IFSC", "BankName" : "Exact name from API 4" }</pre>		
Response			Response		
<pre>{ "statuscode" : "TXN", "status" : "Transaction Successful", "data": { "benename" : "Manoj", "ipay_id" : "W260327170355ZDYU", "verification_status" : "VERIFIED", "charged_amt" : 0.0 } }</pre>			<pre>{ "Status" : "Success / Failed / Pending", "orderId" : "654654641222111", "Amount" : "100", "Message" : "Transaction Successful", "Remainbal" : "91.00" }</pre>		
■ Proceed to Fund Transfer ONLY if verification_status = 'VERIFIED'.			■ Min amount = Rs. 100. Lower amounts will be rejected.		
■ 'benename' is the bank-registered account holder name — verify identity.			■ 'Mode' must be uppercase: 'IMPS' (instant) or 'NEFT' (batch).		
■ 'Transid' must be unique per call — generate UUID or timestamp-based ID.			■ 'BankName' must exactly match API 4 value (e.g., 'STATE BANK OF INDIA').		
			■ If Status='Pending', poll status API for final result. Store 'orderId'.		

Response Codes & Status Values

Code	Status Value	Meaning / Action
TXN	Transaction Successful	API call successful.
NUMBEROTP	User does not exists	Remitter not found → call API 2 to register.
TXN	OTP Verified	Remitter OTP verified successfully.
TXN	Beneficiary Delete Successfully	Beneficiary deleted from the system.
VERIFIED	verification_status = VERIFIED	Account is valid and active — safe to transfer.
Success	Fund Transfer Status	Transfer completed. Save 'orderId'.
Failed	Fund Transfer Status	Transfer failed. Check 'Message' field for reason.
Pending	Fund Transfer Status	Transfer processing — poll status later.

For technical support or API access, contact: WebsiteName | This document is confidential — for authorized developers only.