LETTER OF AGREEMENT

between

vACC Germany	**and**	vACC Germany
EDYY UAC		**EDWW ACC**

Effective: March 19, 2026 (AIRAC 2603)

1 General.

1.1 Purpose.

The purpose of this Letter of Agreement is to define the coordination to be applied between EDYY and EDWW when providing ATS to air traffic (IFR/VFR) on the VATSIM network.

All information and procedures described in this Letter of Agreement shall not be used for real world purposes.

1.2 Operational Status.

All operational significant information and procedures contained in this Letter of Agreement shall be distributed to all concerned controllers by appropriate means. This Letter of Agreement itself constitutes public information.

1.3 Validity.

This Letter of Agreement becomes effective on March 19, 2026 (AIRAC 2603) and supersedes the previous version, dated October 30, 2025, of the Letter of Agreement between Maastricht UAC and Bremen ACC.

1.4 Revision control.

Revision	Date	Author
1.0	23.03.2023	Hannes Altmann, Chris Gutierrez
1.1	07.09.2023	Leon Kleinschmidt
1.2	25.01.2024	Hannes Altmann
1.3	13.06.2024	Hannes Altmann
1.4	23.01.2025	Hannes Altmann
1.5	20.01.2025	Hannes Altmann
2.0	20.03.2025	Hannes Altmann, Phil Hauf
2.1	30.10.2025	Hannes Altmann, Phil Hauf
2.2	19.03.2026	Hannes Altmann

2 Areas of Responsibility and Sectorization.

2.1 Areas of Responsibility.

The lateral and vertical limits of the respective areas of responsibility are as follows:

2.1.1 Maastricht UAC.

Lateral limits: Hannover UIR as described in AIP Germany
Amsterdam FIR as described in AIP Netherlands
Vertical limits: FL245 – FL660

2.1.2 Bremen ACC.

Lateral limits: Bremen FIR as described in AIP Germany
Vertical limits: GND – FL245 (below Hannover UIR)
GND – FL285 (below and within Rhein UIR)

2.2 Sectorization.

Refer to GNG and Vatsim Germany Knowledgebase.

2.3 Delegation of the Responsibility for the Provision of ATS.

Not applicable.

3 Procedures for Coordination.

3.1 Definitions.

A release is an authorization for the accepting ATS unit to climb, descend and/or turn (by no more than 45°) a specific aircraft before the transfer of control point. The transferring ATS unit remains responsible for separation within its Area of Responsibility unless otherwise agreed.

Wherever VATSIM callsigns are used to describe the terms of a certain procedure, this procedure is also applicable for all higher stations that take over the responsibilities of said station. E.g., procedures for an APP-stations are also applicable for the respective CTR station fulfilling the duties of said APP station.

The use of VATSIM callsigns in this document includes any variation of said callsign. E.g., any procedure applicable for EDWW_CTR may also be used by EDWW_A_CTR or EDWW_1_CTR.

3.2 Abbreviations.

ACC	Area Control Center
AD	Aerodrome
ADEP	Aerodrome of Departure
ADES	Aerodrome of Destination
AoR	Area of Responsibility
APP	Approach Facility
ATS	Air Traffic Services
COP	Coordination Point
CTR	Center/Enroute Facility
FIR	Flight Information Region
FIS	Flight Information Service
FL	Flight Level
GND	Ground
GNG	Global Nav Generator (gng.aero-nav.com)
kts	Knots
LoA	Letter of Agreement
LoR	Line of Responsibility
MUAC	Maastricht UAC
NM	Nautical Mile
NVFR	Night Visual Flight Rules
RFL	Requested Flight Level
Rlsd	Released
SSR	Secondary Surveillance Radar
TMA	Terminal Manoeuvring Area
UAC	Upper Area Control Center
VFR	Visual Flight Rules
WEF	With Effect From

3.3 General Conditions.

If a traffic situation is not covered herein or closely matching a covered one, individual coordination between the concerned sectors shall be made.

3.4 IFR flights from EDYY UAC to EDWW ACC.

Flights transferred by Maastricht UAC to Bremen ACC sectors ALR, EID, EMS, HEI and HRZ shall reach FL250 latest at the COP, unless otherwise stated in the agreements below. Any DCT clearance beyond the COP is subject to verbal coordination. Aircraft transferred from Maastricht UAC to Bremen ACC, are released for turn once passing the division level.

Bremen ACC shall ensure that respective flights pass FL240 or below within 15 NM after the COP or agreed lateral transfer conditions. If Bremen ACC is unable to comply with this, coordination is required with the affected MUAC sectors.

Overflights to Bremen ACC sectors BOR, MAR or MRZ shall be generally transferred at odd flight levels.

Arrival AD	COP	Level Allocation	Special Conditions	From Sector	To Sector
EDDH, EDHI, EDHL	GASTU	FL250	-	JEV	EID
	ROCZO		-		
EDXW, EDXF	SUQIF		-		
	JUIST		-		
EKBI, EKSP, EKEB, EKVD, EKVJ	IQITA		-		
EHGG, EHLE	AFPIN		(*1)		
	ROCZO				
EKOD, EKPB, EKSB, ETMN			(*2)		
EDDW, ETND, ETMN	PABCO		(*3)		
EDDH, EDHI, EDHL, EDHK, EDXR	REVLA		(*4)		ALR
EDDW	IPMOG		-		EMS
EDXW, EDXF	ABFAD		-	HOL	EID
	BADOS		-		
EKBI, EKEB, EKOD, EKSP, EKVD, EKVJ			-		
	PIZID		-		
EKPB, EKSB	OMWEG		-		
EDWE, EDWI, EDWF, EHGG, EHLE	OMEPA		-		ALR
EDDW, ETND, EDXF	ELSOB		-		
EDDV, EDVE, ETNW			-		
	RAMAR		-		HEI
ETMN	AMLUH		-		
EDVE	RAMAR		-		
EDVE, EDXF	HAM		-		

ETNL, EDBN, EDBH, EDAH	BERIM	FL250	-	HOL	MRZ
EDXW, EDHK, EDXF, EDXR	PIXUR		-	MNS	EMS
EDDH, EDHI, EDHL, ETMN	BASUM		-		
EDDG, EDLW, EDLA, EDLS, EHTE, EHTW	HABFU		-		
EDVK	OSNAD		(*5)		
EDDW, EDWE, EDWI, EDWF, ETND	EXPUH		-		
EDDV, ETNW			(*6)		
	ATPAQ		(*7)		
EDDL			-		
EDDH, EDHI, EDHL, EDHK, ETMN, EDXR	SAS		(*8)	CEL	HEI
EDDH, EDHI, EDHL, ETMN	DIRBO		(*9)		
EDHK, ETMN			-		
EDBC, EDBM	HLZ		-		
EDVE	ROBEG		-		EMS
EDDG, EDLW, EDLA, EHTW, EHLE			-		
EDVK, EDLI			-		
EDLP, EDFQ	PIROT		-		HRZ
EDVK, EDFQ, EDLP	SAS		-		
EDBC, EDBM			-		
ETNL	GARLU	FL270	-		MAR
EDDP, EDBC, EDBM	BUMIL		-		
EDDB, EDAE, EDAV, EDAY, EDAZ, EDBW, EDON		FL250	(*10)		
EDDB	BATEL				
EDDP		FL270	-		
EDDW, EDWE, EDWI, EDWF, ETND	NORTA	FL250	-	SOL	HRZ
EDAC	POVEL		-		
EDFH, EDDR, EDRZ, EDFM, EDRY, EDFV, EDGS, ETAR	WRB		(*11)		
EDDP, EDDE	NORTA		(*12)		

EDLP	NORTA	FL250	-	SOL	HRZ
EDAE, EDAV, EDAY, EDAZ, EDBW, EDON	POVEL		-		BOR

(*1) Note: Unless otherwise coordinated, Maastricht may clear EHGG and EHLE arrivals direct KUBAT, provided that these flights remain west of ED-R (TRA) 201C/301C, regardless of activity.

(*2) Note: Unless otherwise coordinated, Maastricht shall clear arrivals to EKPB, EKSB and EKOD to cross 25 NM after ROCZO at FL250.

(*3) Note: Unless otherwise coordinated, Maastricht UAC shall clear arrivals to EDDW/ETND/ETMN via PABCO to cross 15 NM after PABCO at FL250 or below.

(*4) Note: Unless otherwise coordinated, this traffic when on course to REVLA is released for turns, provided that a distance of 2,5 NM to the boundary of ED-R (TRA) 301C/302A is maintained, regardless of activity. Traffic cleared on a coordinated direct to a point beyond the COP is released for turns within the confines of the transferring sector.

(*5) Note: Unless otherwise coordinated, Maastricht UAC shall clear arrivals EDVK via OSNAD to cross 10 NM prior OSNAD at FL250.

(*6) Note: Unless otherwise coordinated, Maastricht UAC shall clear arrivals EDDV and ETNW via DOMEG/RKN to cross 20 NM prior EXPUH at FL250.

(*7) Note: Unless otherwise coordinated, Maastricht UAC shall clear arrivals EDDV and ETNW via ATPAQ to cross FUWUG at FL250.

(*8) Note: Unless otherwise coordinated, Maastricht UAC may clear EDDH, EDHI, EDHL and EDHK arrivals to cross DUDCA at FL250. This traffic may be cleared direct DUDCA.

(*9) Note: Unless otherwise coordinated, Maastricht UAC may clear EDDH, EDHI and EDHL arrivals direct RARUP.

(*10) Note: Arrivals EDDB
Arrivals to EDDB shall be handed over to Bremen Sector MAR FL270 or below, descending FL250. In the case of east landings in EDDB, Maastricht UAC will endeavor to hand over traffic as low as possible in the circumstances. Furthermore, ARR EDDB may be sent direct OGBER by sector CEL, whenever the new flight path stays north of BATEL.

Bremen ACC sector MAR shall notify the change of runway direction at EDDB to Maastricht UAC sector CEL.

(*11) Note: Unless otherwise coordinated, Maastricht UAC shall clear these flights to cross 15 NM prior WRB at FL250.

(*12) Note: Unless otherwise coordinated, Maastricht UAC may clear EDDP direct KOJEC, clear of Bremen ACC sector BOR.

3.5 IFR flights from EDWW ACC to EDYY UAC.

The receiving MUAC sector shall make sure that FL240 is vacated expeditiously. If unable to comply with this restriction, the accepting MUAC sector shall notify the appropriate transferring sector as soon as possible. Any tactical clearance beyond the COP, which leads to a deviation of more than 5 NM from the FPL route, shall be subject of coordination with the respective MUAC sector(s).

Unless otherwise stated below, aircraft transferred from Bremen ACC to Maastricht UAC, are not released for turns until passing the division level or lateral boundary between both ATS units.

Overflights from Bremen ACC sectors BOR, MAR or MRZ shall be generally transferred at even flight levels.

Departure AD	COP	Level Allocation	Special Conditions	From Sector	To Sector
EDDH, EDHI	MIZUH	FL240	-	ALR	JEV
EDWE, EDWI, EDWF, EHGG	OPWOT		-		
EDXW, EDXF	ELSOB				HOL
EDHK			-		
EDDW, ETND	MUBZI				
EDHL, ETNW	ESTAD		-		
EDDB	HLZ	EVEN FLs	(*1)	BOR	CEL
	POVEL				SOL
	ABGUS				
EDDE, EDDP, ETSH, EDAC	POVEL	FL260	-		
ETSH	RISOK	FL280	-		
EDDH, EDHI, EDHL	EXNEL	FL240	-	EID	HOL
EDDH, EDHI	BADOS				
EDXW			-		
EDXW, EDXF	EKERN		-		
EKSB, EKSP	OGFON		-		JEV
EDDH, EDHI			-		
EDDW	SOFED		-		
	ONTAZ		-		
EDXW, EDXF	ROCZO		-		
	OGFON		-		
	ABFAD		-		
EHGG	ROCZO		-		
	IFTOC		-		

EDDH, EDHI, EDHL	WIMCI	FL240	-	EMS	MNS
EDDG, EDLW, EDLA	BASUM		-		
EDWE, EDWI, EHGG	ATPAQ		-		
EDDW, ETND	MAWEQ		-		
EDDV, ETNW			-		
	EDWOC		-		
EDDH, EDHI, EDHL	NIE		(*3)		CEL
EDLP, EDFQ, EDLI, EDVK	ROBEG		-		
EDDG, EDLW, EDLA			-		
EDDW, ETND	SAS		-	HRZ	
	PIROT		-		
EDVE	DLE		-		
	NORTA		-		SOL
EDLP, EDVK, EDFQ			-		
EDDV	WERRA		(*2)		
EDBC, EDBM	POVEL		-		
EDLW	WRB		-		
EDDH, EDHI	LUGEG		-	HEI	HOL
EDHK	HAM		-		
	RAMAR		-		
EDDH, EDHI, EDHL	DENIX		(*3)		CEL
EDDW, ETND	RIDNI		(*4)		
EDDV, EDVE, ETNW	IRKIS		-		
EDHL			(*3)		
EDHK			-		
EDBC, EDBM	BUMIL	FL260	-	MAR	
EDBH, ETNL, EDBN	GARLU		-		
ETNL	LUWIL		-		
	WISMA		-	MRZ	HOL
EDAH, EDBH, EDBN, ETNL	BERIM		-		

(*1) Note: If not otherwise requested by Maastricht UAC, departures EDDB may be cleared direct to DENOL or APEBE for EDDL and EDLV arrivals and PODER for EDDK arrivals.

(*2) Note: Harz sector shall ensure that these flights climb above Langen ACC or otherwise perform the necessary coordination with Langen ACC.

(*3) Note: Unless otherwise specified by MUAC, any flight level issued by sector CEL or MNS shall include the approval to cross the sector Holstein.

Sectors EMS and HEI may clear departing traffic from EDDH, EDHI and EDHL direct to BOMBI, SWALM, BERXO, WRB, RIMET, ZUCKA, PODER and LARBU without coordination.

(*4) Note: Only for flights with RFL at or above FL290 and not for flights with a destination within the Bremen FIR.

4 Special Procedures.

4.1 Directs from EDWW Sector Börde.

Sector Börde may clear flights direct NVO/ABAMI/WRB without coordination.

If not otherwise requested by Maastricht UAC, flights via Z20-MAG-L986 with destination EDDL and EDLV may be cleared after SUBIX direct to DENOL or ABEPE. EDDK may be cleared after SUBIX direct to PODER.

5 Transfer of Control and Transfer of Communication.

5.1 Transfer of Control.

Transfer of Control shall take place at the AoR boundary.

If the downstream sector in EuroScope is set to >.break<, the procedure 5.4 is suspended and transfer of communication can only take place after the downstream sector has assumed the flight via the appropriate function of the radar client.

If it becomes necessary to reduce or suspend transfers, a 5-minute prior notification is required.

When transfers are suspended, the hand-off procedure (5.4) is suspended.

5.2 Silent transfer of control.

For successive traffic on the same route and at the same flight level, the transferring controller shall establish lateral separation of 10 NM or more, remaining constant or increasing.

5.3 Transfer of Communications.

Transfer of Communications shall take place no later than Transfer of Control.

5.4 Hand-Off procedure.

Unless otherwise agreed between stations online, the following hand-off procedure shall apply:

1. The upstream sector sends the aircraft to the frequency of the downstream sector by voice or text.
2. The upstream sector initiates a transfer via the appropriate function of the radar client.
3. Upon initial call the downstream sector assumes the flight via the appropriate function of the radar client.

5.5 SSR Code Assignment.

Both ATS units shall transfer flights on verified discrete SSR codes. Any change of SSR code by the accepting ATS unit may only take place after the transfer of control point.