



LETTER OF AGREEMENT

between

vACC Germany
EDGG/UU/YY

and

vACC Belux
EBBU/EDYY

Effective: 09.07.2026 (AIRAC 2607)

1 General.

1.1 Purpose.

The purpose of this Letter of Agreement is to define the coordination to be applied between vACC Germany and vACC Belux and all their respective FIR and UIR sectors when providing ATS to air traffic (IFR/VFR) on the VATSIM network.

All information and procedures described in this Letter of Agreement shall not be used for real world purposes.

1.2 Operational Status.

All operational significant information and procedures contained in this Letter of Agreement shall be distributed to all concerned controllers by appropriate means. This Letter of Agreement itself constitutes public information.

1.3 Validity.

This Letter of Agreement becomes effective on 11.06.2026 and supersedes any previous version of the Letter of Agreement between EDGG and EBBU.

1.4 Revision control.

Revision	Date	Author
3.3	02.11.2023	Erik Wachters, Leon Kleinschmidt
3.4	21.03.2024	Erik Wachters, Leon Kleinschmidt
3.5	16.05.2024	Erik Wachters, David Dürr
3.6	26.12.2024	Erik Wachters, David Dürr
3.7	22.01.2026	Jan Willem Oomes, Konstantin Eierhoff
3.8	19.02.2026	Jan Willem Oomes, Sergej Singer
3.9	14.05.2026	Jan Willem Oomes, Sergej Singer
3.9.1	20.05.2026	Jan Willem Oomes, Sergej Singer
3.9.2	11.06.2026	Jan Willem Oomes, Sergej Singer
3.10	09.07.2026	Jan Willem Oomes, Sergej Singer

2 Areas of Responsibility and Sectorization.

2.1 Areas of Responsibility.

The lateral and vertical limits of the respective areas of responsibility are as follows:

2.1.1 vACC Germany.

2.1.1.1 Langen ACC.

Lateral limits: Langen FIR as described in AIP Germany
Vertical limits: GND – FL245

2.1.1.2 Karlsruhe UAC.

Lateral limits: Rhein UIR as described in AIP Germany
Vertical limits: FL245 – FL660

2.1.1.3 Maastricht UAC.

Lateral limits: Hannover UIR as described in AIP Germany
Vertical limits: FL245 – FL660

2.1.2 vACC Belux.

2.1.2.1 Brussels ACC.

Lateral limits: Brussels FIR as described in AIP Belgium and Luxembourg
Vertical limits: GND – FL245

2.1.2.2 Maastricht UAC.

Lateral limits: Maastricht UIR as described in AIP Belgium and Luxembourg
Vertical limits: FL245 – FL660

2.2 Sectorization.

2.2.1 vACC Germany.

Sector	Vertical Limits	Sector Identifier	Responsible ATS unit
EIFEL	GND - FL165	EIF	1. EDFH{EIF}_APP 2. EDDR_PFA_APP 3. EDGG_RUD_CTR 4. EDGG_RUH_CTR 5. EDGG_C_CTR 6. EDGG_CA_CTR 7. EDGG_CH_CTR 8. EDGG_CS_CTR 9. EDGG_CSH_CTR
PFALZ	GND - FL245	PFA	1. EDDR_PFA_APP 2. EDGG_RUD_CTR 3. EDGG_RUH_CTR 4. EDGG_C_CTR 5. EDGG_CA_CTR 6. EDGG_CH_CTR 7. EDGG_CS_CTR 8. EDGG_CSH_CTR
RÜDESHEIM	FL165 - FL245	RUD	1. EDGG_RUD_CTR 2. EDGG_KIR_CTR 3. EDGG_RUH_CTR 4. EDGG_C_CTR 5. EDGG_CA_CTR 6. EDGG_CH_CTR 7. EDGG_CS_CTR 8. EDGG_CSH_CTR
KIRN	FL165 - FL245	KIR	1. EDGG_KIR_CTR 2. EDGG_RUD_CTR 3. EDGG_RUH_CTR 4. EDGG_C_CTR 5. EDGG_CA_CTR 6. EDGG_CH_CTR 7. EDGG_CS_CTR 8. EDGG_CSH_CTR
BOTTROP	GND - FL245	BOT	1. EDDL_BOT_APP 2. EDDL_DEP 3. EDDL_APP 4. EDDL_F_APP 5. EDGG_KL_CTR 6. EDGG_N_CTR 7. EDGG_NH_CTR
KÖLN APPROACH	GND - FL195	DKA	1. EDDK_APP 2. EDDK_NOR_APP 3. EDDK_F_APP 4. EDGG_KL_APP 5. EDGG_N_CTR 6. EDGG_NH_CTR
NÖRVENICH	FL105 - FL245	NOR	1. EDDK_NOR_APP 2. EDGG_KL_APP 3. EDGG_N_CTR 4. EDGG_NH_CTR
SPANGDAHLEM GCA	GND – 5000ft	TADA	1. ETAD_APP

RUHR LOW (Maastricht)	FL245 – FL355	RHRL	1. EDYY_RL_CTR 2. EDYY_RH_CTR 3. EDYY_ML_CTR 4. EDYY_MH_CTR 5. EDGG_NH_CTR
RUHR HIGH (Maastricht)	FL355 – FL660	RHRH	1. EDYY_RH_CTR 2. EDYY_MH_CTR 3. EDYY_RL_CTR 4. EDYY_ML_CTR 5. EDGG_NH_CTR
NATTENHEIM (Rhein)	FL245 - FL660	NTM	1. EDUU_NTM_CTR 2. EDUU_FUL_CTR 3. EDUU_W_CTR 4. EDUU_CW_CTR 5. EDGG_RUH_CTR 6. EDGG_CH_CTR

For detailed sectorizations of Langen sectors refer to <https://vats.im/edgg>, <https://vats.im/edyy>, and <https://vats.im/eduu>.

2.2.2 vACC Belux.

Sector	Vertical Limits	Sector Identifier	Responsible ATS unit
Brussels ACC	GND - FL245	ELS	1. EBBU_E_CTR 2. EBBU_H_CTR 3. EBBU_L_CTR 4. EBBU_W_CTR 5. EBBU_LOW_CTR
Brussels ACC	GND - FL245	LUS	1. EBBU_L_CTR 2. EBBU_H_CTR 3. EBBU_E_CTR 4. EBBU_W_CTR 5. EBBU_LOW_CTR
Luxembourg APP	TMA		1. ELLX_APP 2. EBBU_L_CTR 3. EBBU_H_CTR 4. EBBU_E_CTR 5. EBBU_W_CTR 6. EBBU_LOW_CTR
LUX (Maastricht)	FL245 - FL660	LUX	1. EDYY_L_CTR 2. EDYY_O_CTR 3. EDYY_BRU_CTR 4. EBBU_E_CTR 5. EBBU_W_CTR
OLNO (Maastricht)	FL245 - FL660	OLNO	1. EDYY_O_CTR 2. EDYY_BRU_CTR 3. EBBU_E_CTR 4. EBBU_W_CTR

For detailed sectorizations of Brussels sectors refer to the BeLux eAIP:
https://ops.skeyes.be/html/belgocontrol_static/eaip/eAIP_Main/html/index-en-GB.html

2.3 Delegation of the Responsibility for the Provision of ATS.

2.3.1 Boundary between AoR of Langen ACC and Brussels ACC.

For the provision of Radar Control, the boundary between the two areas of responsibility will coincide with the line linking following points as depicted on the picture in the appendix A:

Vertical limits: GND - FL 095.

1. • 504515 N 060116 E
2. • 504500 N 060200 E
3. • 503853 N 060931 E
4. • 503611 N 061250 E
5. • 503507 N 061319 E
6. • 502956 N 061544 E
7. • 502445 N 062303 E
8. • 502003 N 062034 E
9. • 501539 N 061325 E
10. • 501531 N 061324 E
11. • 501053 N 061305 E
12. • 500748 N 061252 E
13. • 500149 N 061228 E
23. • 495106 N 063222 E
24. • 495032 N 063325 E
25. • 494708 N 063341 E
26. • 493856 N 063419 E
27. • 493820 N 063424 E
28. • 493212 N 063453 E
21. • 492340 N 063534 E
22. • 492340 N 063325 E

Vertical limits: FL 095 - FL 165.

1. • 504515 N 060116 E
2. • 504500 N 060200 E
3. • 503853 N 060931 E
4. • 503611 N 061250 E
5. • 503507 N 061319 E
6. • 502956 N 061544 E
7. • 502445 N 062303 E
8. • 502003 N 062034 E
9. • 501539 N 061325 E
10. • 501531 N 061324 E
11. • 501053 N 061305 E
12. • 500748 N 061252 E
13. • 500149 N 061228 E
14. • 495608 N 061204 E
15. • 495228 N 062026 E
16. • 494833 N 063010 E
17. • 493808 N 062539 E
18. • 493039 N 063055 E
19. • 492717 N 063304 E
21. • 492340 N 063534 E
22. • 492340 N 063325 E

Vertical limits: FL165 - FL 245.

1. • 504515 N 060116 E
2. • 504500 N 060200 E
3. • 503853 N 060931 E
4. • 503611 N 061250 E
5. • 503507 N 061319 E
6. • 502956 N 061544 E
7. • 502445 N 062303 E
8. • 502003 N 062034 E
9. • 501539 N 061325 E
10. • 501531 N 061324 E
11. • 501053 N 061305 E
12. • 500748 N 061252 E
13. • 500149 N 061228 E
14. • 495608 N 061204 E
15. • 495228 N 062026 E
16. • 494833 N 063010 E
17. • 493808 N 062539 E
18. • 493039 N 063055 E
19. • 492717 N 063304 E
20. • 492717 N 062854 E

2.3.2 Delegation of ATS from Langen ACC to Brussels ACC.

With the Langen FIR the responsibility for the provision of ATS in accordance with the airspace classification has been delegated from Langen ACC to Brussels ACC within the following areas:

2.3.2.1 Maskirchen B Area

Lateral limits: The part of the Langen FIR as depicted on the picture in the appendix B.

Vertical limits: FL095 - FL 245.

Remarks: Vertical limits do not correspond with the "Maskirchen B Area" as described in the AIP IFR Germany ENR 2.2

2.3.2.2 Vaals B Area

Lateral limits: The part of the Langen FIR as depicted on the picture in the appendix B.

Vertical limits: FL 095 - FL 195.

2.3.3 Delegation of ATS from Amsterdam ACC to Brussels ACC.

With the Amsterdam FIR the responsibility for the provision of ATS in accordance with the airspace classification has been delegated from Amsterdam ACC to Brussels ACC within the following areas:

2.3.3.1 Maastricht Area

Lateral limits: The part of the Amsterdam FIR as depicted on the picture in the appendix B.
Vertical limits: FL195 - FL 245.

2.3.3.2 L179 Area

Lateral limits: The part of the Amsterdam FIR as depicted on the picture in the appendix B.
Vertical limits: FL 095 - FL 195.

2.3.3.3 Maastricht TMA 2

Lateral limits: The part of the Amsterdam FIR as depicted on the picture in the appendix B.
Vertical limits: FL 095 - FL 195.

3 Procedures for Coordination.

3.1 Definitions.

A release is an authorization for the accepting ATS unit to climb, descend and/or turn (by no more than 45°) a specific aircraft before the transfer of control point. The transferring ATS unit remains responsible for separation within its AoR unless otherwise agreed.

Wherever VATSIM callsigns are used to describe the terms of a certain procedure, this procedure is also applicable for all higher stations that take over the responsibilities of said station. E.g., procedures for an APP-stations are also applicable for the respective CTR station fulfilling the duties of said APP station.

The use of VATSIM callsigns in this document includes any variation of said callsign. E.g., any procedure applicable for EDGG_KIR_CTR may also be used by EDGG_R_CTR or 1_CTR.

3.2 Abbreviations.

ACC	Area Control Center	kts	Knots
AD	Aerodrome	LoA	Letter of Agreement
ADEP	Aerodrome of Departure	LoR	Line of Responsibility
ADES	Aerodrome of Destination	NM	Nautical Mile
AoR	Area of Responsibility	NVFR	Night Visual Flight Rules
APP	Approach Facility	RFL	Requested Flight Level
ATS	Air Traffic Services	Rlsd	Released
COP	Coordination Point	SSR	Secondary Surveillance
CTR	Center/Enroute Facility	Radar	
FIR	Flight Information Region	TMA	Terminal Manoeuvring Area
FIS	Flight Information Service	UAC	Upper Area Control Center
FL	Flight Level	VFR	Visual Flight Rules
GND	Ground	WEF	With Effect From
GNG	Global Nav Generator (gng.aero-nav.com)		

3.3 General Conditions.

Coordination of flights shall take place via the agreed coordination points (COP).

Coordinated flights shall be handed off via a valid COP. Any deviation shall be coordinated verbally, by text or by Euroscope inter-sector coordination.

Traffic shall be handed off at the levels, defined in the regulations below. If a specified level restriction cannot be met due to a lower RFL, traffic shall be handed off at RFL, if this does not cause a conflict with any other traffic. Otherwise, traffic shall be coordinated.

If a traffic situation is not covered herein or closely matching a covered one, individual coordination between the concerned sectors shall be made.

After Transfer of communications, traffic is NOT released for climb, descent or turns until Transfer of control or otherwise specified in this Letter of Agreement.

↓FLxxx / ↑FLxxx means „descending / climbing to a specified FL“, without any further restriction. Any required crossing/speed restriction shall be added separately. At level means that the aircraft shall be in level flight on a published flight level and in accordance with east/west odd/even policy.

FLxxxA means “climbing and above specified FL”, FLxxxB means “descending and below specified FL”.

3.4 IFR flights from EDGG/EDUU to EBBU/EDYY.

3.4.1 SF 01 - DUS, BOT.

Arrival AD	COP	Level Allocation	Special Conditions	From Sector	To Sector
EBAW	ROMIN via L179 (*1)	FL120		BOT	EBBU ELS

Departure AD	COP	Level Allocation	Special Conditions	From Sector	To Sector
EDLN	MODRU, NETEX (*1)	FL100	↑→	BOT	EBBU ELS
EDDL, EDLV		FL210 if able, else ↑FL180			

(*1) Note: NETEX–ROMIN–L179 only available at night between 2200LT and 0600LT and during weekends and holidays due to military airspace in the north of the EBBU FIR. Information about the activation of the military areas can be obtained from the EBBU controller.

3.4.2 SF 05 - EIF, PFA, RUD, KIR.

Arrival AD	COP	Level Allocation	Special Conditions	From Sector	To Sector
EBBR, EBMB, EBAW, EBCV, EBCI, EBLG, EHBK, EHEH	Z104-TIPUT-GESLO	FL220	TIPUT at level ↓→	KIR	EBBU LUS
	Y180/Y181 BITBU		BITBU at level ↓→		
	ADENU-LIRSU-BATTY		LIRSU at level	RUD	EBBU ELS
ELLX	AGBUL-BITBU-BETEX-STAR	↓FL70	ELLX RWY 24 (*1)	EIF	ELLX APP
		↓FL100	ELLX RWY 06 (*1)		
	AGBUL-BITBU-DIK	FL120			
	EXCOS via Q763	FL90	(*1)	PFA	

Departure AD	COP	Level Allocation	Special Conditions	From Sector	To Sector
EDFH	BITBU	↑FL180	released for climb	KIR	EBBU LUS
	BITBU-Y180/Y181	FL120	↑ to FL160	EIF	ELLX APP
Transit flights	Z104-TIPUT-GESLO	Even cleared FL			
	BITBU-Y180/Y181/Z110				
EDDR, EDRZ, ETAR	SID-TOMPI-EXCOS-LUX	FL90	ADES ELLX (*1)	PFA	

Arrivals shall stay clear of EDYY sectors.

All traffic to Luxembourg APP shall be transferred at least 5 nm before reaching COP.

Luxembourg APP will coordinate the arrival runway with EIF and PFA.

Note: ↓→ flights are released for descent and right turn
 (*1) Note: released for descent and turn on contact providing that Luxembourg APP will stay clear of sector EIF/PFA if no approval request has been obtained

3.4.3 SF 07 - DKA, NOR.

Arrival AD	COP	Level Allocation	Special Conditions	From Sector	To Sector
EBBR, EBMB, EBCI, EBAW, ELLX, EHEH, EHGR	AGENI	↓FL160 out of FL180	↓ to FL110	NOR	EBBU ELS
	GEBSO	FL220	↓↔ to FL200		
EBLG	AGENI	FL120	↓ to FL110		

Departure AD	COP	Level Allocation	Special Conditions	From Sector	To Sector
EDDK	KENUM, NAVAK	↑FL200	↑→	NOR	EBBU ELS
EDLW			↑→ (*1)		

Arrivals shall stay clear of EDYY sectors.

Note: ↑→ flights are released for climb and right turn
 (*1) Note: for flights with RFL245+ a higher level request can be done with EDYY OLNO

3.4.4 EDUU.

Departure AD	COP	Level Allocation	Special Conditions	From Sector	To Sector
EDDF, EDFE, EDFM	BITBU	max FL300 (*1)	released for climb	NTM	LUX

(*1) Note: flight shall be handed over at any even FL at level, maximum FL300

3.4.5 Tactical Directs.

Karlsruhe UAC may clear flights direct to following waypoints without prior coordination

Waypoint	Special Conditions
BUB, DENUT	Flight path shall remain between ADKUV and NOSPA not applicable for traffic ADEP EDDF, EDFE, EDFZ, ETOU
IDOSA	Only for traffic flight planned via NOSPA, BETEX and LIMGO, provided the flight plan remains between BITBU and SUTAL
COA, KOZUF	Traffic shall be kept inside the lateral boundaries of the Belux vACC EDYY and EDUU sectors.

3.5 IFR flights from EBBU/EDYY to EDGG/EDUU.

3.5.1 From EBBU.

Arrival AD	COP	Level Allocation	Special Conditions	From Sector	To Sector	
EDDK, EDKB, EDGS, EDKL	IBESA	FL190	↓ to FL130 (*1)	EBBU ELS	DKA	
	DENOV, (KOGES), (PODAT), (PODEN)	FL180	↓← to FL130 (*1)			
EDDL, EDLN, EDLV	IBESA, PODEN, (DENOV), (KOGES), (PODAT)	FL230 or below (*2)	←	EBBU ELS	NOR	
	ROMIN (*3)	FL130-FL230 (*2)		EBBU ELS	DUS	
EDFH	SUXIM	FL150	↓ to FL140	EBBU ELS	EIF	
	BETEX-BITBU	↓FL130 out of FL140	↓↔ to FL100 (*6)	ELLX APP		
ETAR	EXCOS via Q763	FL80	ADEP ELLX		PFA	
EDDR, EDRZ	EXCOS-TOMPI-STAR	max. FL80				TADA
ETAD	BETEX-SPA	FL60	5 NM prior BETEX at level (*7)			
EDDF, EDFE, EDFZ, ETOU	TOBOP T180 UNOKO (*4)	FL230	TOBOP at level	EBBU LUS	RUD	
	BETEX Z110 RASVO		BETEX at level		KIR	
EDFE, EDFM	PITES	FL230	PITES at level	EBBU LUS		

Departure AD	COP	Level Allocation	Special Conditions	From Sector	To Sector
EBBR, EBMB, EBAW, EBCV, ELLX	KENUM, DENOV	max. FL210	↑	EBBU ELS	NOR
EBLG		↑FL150	↑←		
EBLG, EHBK	SUXIM via L607	FL230 (*2)	(*5)	EBBU ELS	RUD
ELLX	SID-ASMOX	↑FL140	↑↔ boundary at FL080 or above	ELLX APP	EIF
Transit flights	LIMGO- BETEX -BITBU DIK- PITES -LADAT-GEFDA-KRH	Odd cleared FL			

Departing traffic shall stay clear of EDYY sectors.

All traffic from Luxembourg APP shall be transferred at least 5 nm before reaching COP.

- (*1) Note: Flights have to stay clear of EBR04 TSA/TRA. EBBU is responsible for informing Langen about the activation of the area. The area can be active up to FL175.
- (*2) Note: Odd levels
- (*3) Note: Only used by EBBU when TRA/TSA north not active
- (*4) Note: Max FL230 for traffic ADEP EBBR
- (*5) Note: EBBU is responsible for converging traffic with EDFH arrivals
- (*6) Note: EIF will stay clear of sector PFA if no approval request has been obtained and is responsible for separation between EDFH arrivals and ELLX arrivals via BETEX and EXCOS. Luxembourg APP is responsible for the separation between ELLX Departures via ASMOX and EDFH Arrivals via BETEX.
- (*7) Note: Luxembourg APP shall ensure that Langen ACC receives Flight Plan details on each Arrival to ETAD. Traffic is released for descend when passing BETEX.

3.5.2 From EDYY.

Arrival AD	COP	Level Allocation	Special Conditions	From Sector	To Sector
EDDG, EDLP, EDLW	PODEN, LENDO	FL250	25NM prior NVO level at	EDYY OLNO	NOR
	DEPOK	FL270			
EDDL, EDLN, EDLV	IBESA, PODEN, (DENOV), (KOGES), (PODAT)	FL250, FL260	25NM prior NVO level at released DCT NVO		RUD
EDDF, EDFE, EDFZ, ETOU	NIVNU		NIVNU level at (*1)		
	PITES Z111 RAMOB		PITES level at		KIR
EDDS, EDSB	OGLOR, BITBU, MATUG, PITES	MAX FL310		EDYY OLNO/LUX	NTM

Departure AD	COP	Level Allocation	Special Conditions	From Sector	To Sector
EBBR, EBMB, EBAW, EBCI, EBCV, EHEH	ETENO Y863 OGLOR	FL310	released for climb	EDYY LUX	NTM

Arrivals shall stay clear of EDUU sectors.

Flights from EDYY OLNO to EDGG NOR are released when passing the EBBU/EDGG border.

(*1) Note: EDYY responsible for separation of traffic converging over NIVNU

3.5.3 Tactical Directs.

Maastricht UAC may clear flights direct to following waypoints into KRH UAC:

Waypoint	From Sector	To Sector	Special Conditions
EMGOD	LNH	NTM	H24
GUBAX			
RUDUS			
ULNOK			
ABTAL			
VIBOM			
LADAT-KRH	LXH		AVL if TRA305 inactive, ADES EDDS/ EDSB
NOSPA			H24, 2.5nm clear of TRA305
AMASI	LNH, LXH		H24, 2.5nm clear of TRA305
BOMBI			
MOVUM			
TESGA			
BABEG			
EDISA			AVL if TRA305 inactive, clear of LFEE
KRH			
TEDGO			
VEKIR			
LAMGO			

3.6 VFR flights from EDGG to EBBU.

For controlled VFR flights and NVFR flights above 2500 feet GND coordination, transfer of control and transfer of communication shall take place as for IFR flights. Uncontrolled VFR flights shall be transferred to the appropriate sector if in radio contact. If online, EBBU_I_CTR (Brussels Info), 126.900, shall be the primary sector for uncontrolled VFR flights.

3.7 VFR flights from EBBU to EDDG.

For controlled VFR flights and NVFR flights above 2500 feet GND coordination, transfer of control and transfer of communication shall take place as for IFR flights. Uncontrolled VFR flights shall be transferred to the appropriate sector if in radio contact. If online, EDXX_GG_CTR (Langen Information), 123.525, shall be the primary sector for uncontrolled VFR flights. If EDXX_GG_CTR is offline, EDXX_FIS_CTR (Langen Information), 128.950, will cover this area.

4 Special Procedures.

4.1 Tactical directs within EDYY

LNO, LUX, and RHR may clear flights direct to any waypoint within these sectors without prior coordination. Flights must remain clear of NON MUAC sectors, sectors may not be skipped and the order of sectors may not change.

Maximum direct for flights via EBBU, EDGG, EDWW, or EHAA is COP to lower airspace.

4.2 Coordination of the Status of Special Areas within the common Area of Interest.

4.2.1 Spangdahlem AoR.

Spangdahlem GCA shall announce the activation and deactivation of military AoR Spangdahlem (ETAD) – as depicted on the picture in the appendix C – to any stations covering Luxembourg APP and Brussels ACC sectors ELS and LUS.

Whenever Langen ACC takes over the responsibility for Spangdahlem GCA, the services inside TMA2C are delegated to Luxembourg from GND up to FL095.

Spangdahlem GCA shall obtain a release for airspace crossing from Luxembourg APP for all instrument approaches to runway 04.

Spangdahlem GCA shall be responsible for coordination with Luxembourg APP regarding instrument departures out of Spangdahlem RWY 22 whenever Spangdahlem GCA is responsible for its airspace.

5 Transfer of Control and Transfer of Communication.

5.1 Transfer of Control.

Transfer of Control shall take place at the AoR boundary.

If the downstream sector in EuroScope is set to >.break<, the procedure 5.4 is suspended and transfer of communication can only take place after the downstream sector has assumed the flight via the appropriate function of the radar client.

If it becomes necessary to reduce or suspend transfers, a 5-minute prior notification is required.

When transfers are suspended, the hand-off procedure (5.4) is suspended.

5.2 Silent transfer of control.

The following values for silent transfer of control apply:

- If preceding aircraft is faster: 6 NM
- If succeeding aircraft is faster by 20kts / M0.05 or less: 20 NM
- If succeeding aircraft is faster by 40kts / M0.1 or less: 30 NM

5.3 Transfer of Communications.

Transfer of Communications shall take place no later than Transfer of Control.

5.4 Hand-Off procedure.

Unless otherwise agreed between stations online, the following hand-off procedure shall apply:


1. The upstream sector sends the aircraft to the frequency of the downstream sector by voice or text.
2. The upstream sector initiates a transfer via the appropriate function of the radar client.
3. Upon initial call the downstream sector assumes the flight via the appropriate function of the radar client.

5.5 SSR Code Assignment.

Both ATS units shall transfer flights on verified discrete SSR codes. Any change of SSR code by the accepting ATS unit may only take place after the transfer of control point.

Appendix A

For the provision of Radar Control, the **blue Line** – as described in paragraph 2.3.1 – shall be applied for the provision of ATS from GND - FL 095, from FL 095 - FL 165, and from FL 165 - FL 245 respectively.



For the provision of Radar Control, the **red Area** depicts delegation of ATS from Langen ACC to Brussels ACC as described in paragraph 2.3.2, the **yellow Area** depicts delegation of ATS from Amsterdam ACC to Brussels ACC as described in paragraph 2.3.3.



Appendix C

