

LETTER OF AGREEMENT

between

vatger
EDGG

and

French vACC
LFEE

Effective: 01.10.2026

1 General

1.1 Purpose

The purpose of this Letter of Agreement is to define the coordination to be applied between EDGG and LFEE when providing ATS to air traffic (IFR/VFR) on the VATSIM network.

All information and procedures described in this Letter of Agreement shall not be used for real world purposes.

1.2 Operational Status

All operational significant information and procedures contained in this Letter of Agreement shall be distributed to all concerned controllers by appropriate means. This Letter of Agreement itself constitutes public information.

1.3 Validity

This Letter of Agreement becomes effective on 01.10.2026.

1.4 Revision control

Revision	Date	Author
1.0	01.10.2026	David Lee, Chriss Klosowski, Konstantin Eierhoff

2 Areas of Responsibility and Sectorisation

2.1 Areas of Responsibility

The lateral and vertical limits of the respective areas of responsibility are as follows:

2.1.1 Langen ACC

Lateral limits: Langen FIR as described in AIP Germany
Vertical limits: GND – FL245

2.1.2 Reims ACC

Lateral limits: Reims FIR as described in AIP France
Vertical limits: GND – UNL

2.1.3 Strasbourg APP

Lateral limits: Strasbourg Approach as described in AIP France
Vertical limits: GND – FL195


2.2 Sectorisation


2.2.1 Langen ACC


For detailed sectorization of Langen ACC sectors refer to vats.im/edgg.

2.2.2 Reims ACC


For detailed sectorization of Reims ACC sectors refer to this image:







2.2.3 Strasbourg TMA/CTA



From the most restrictive to least:

- **LFST_RE_APP** – "Strasbourg Approach" covering sectors RE1–3
- **LFST_RW_APP** – "Strasbourg Approach" covering sectors RW1–2 (covers RE when offline)
- **LFST_SC_APP** – "Strasbourg Control" covering sectors SC1–4
- **LFST_SU_APP** – "Strasbourg Control" covering sectors SU1–3 (Bandbox position + covers SC when offline)

2.3 Delegation of the Responsibility for the Provision of ATS

2.3.1 Delegation of ATS from Langen ACC to Reims ACC

2.3.1.1 LFST TMA

Lateral limits: The part of Langen FIR as depicted in appendix A.

Vertical limits: GND - FL75

2.3.1.2 LFST TMA 0.2

Lateral limits: The part of Langen FIR as depicted in appendix A.

Vertical limits: GND - FL95

2.3.2 Delegation of ATS from Reims ACC to Langen ACC

2.3.2.1 SARRE TMA

Lateral limits: The part of Reims FIR as depicted in appendix A.

Vertical limits: GND - FL75

3 Procedures for Coordination

3.1 Definitions

A release is an authorization for the accepting ATS unit to climb, descend and/or turn (by no more than 45°) a specific aircraft before the transfer of control point. The transferring ATS unit remains responsible for separation within its Area of Responsibility unless otherwise agreed.

Wherever VATSIM callsigns are used to describe the terms of a certain procedure, this procedure is also applicable for all higher stations that take over the responsibilities of said station. E.g., procedures for an APP-stations are also applicable for the respective CTR station fulfilling the duties of said APP station.

The use of VATSIM callsigns in this document includes any variation of said callsign. E.g., any procedure applicable for XYZ_CTR may also be used by XYZ_X_CTR or XYZ_1_CTR.

3.2 Abbreviations

ACC	Area Control Center	kts	Knots
AD	Aerodrome	LoA	Letter of Agreement
ADEP	Aerodrome of Departure	LoR	Line of Responsibility
ADES	Aerodrome of Destination	NM	Nautical Mile
AoR	Area of Responsibility	NVFR	Night Visual Flight Rules
APP	Approach Facility	RFL	Requested Flight Level
ATS	Air Traffic Services	Rlsd	Released
COP	Coordination Point	SSR	Secondary Surveillance
CTR	Center/Enroute Facility	Radar	
FIR	Flight Information Region	TMA	Terminal Manoeuvring Area
FIS	Flight Information Service	UAC	Upper Area Control Center
FL	Flight Level	VFR	Visual Flight Rules
GND	Ground	WEF	With Effect From
GNG	Global Nav Generator		
gng.aero-nav.com			

3.3 General Conditions

Coordination of flights shall take place via the agreed coordination points (COP).

Coordinated flights shall be handed off via a valid COP. Any deviation shall be coordinated verbally, by text or by Euroscope inter-sector coordination.

Traffic shall be handed off at the levels, defined in the regulations below. If a specified level restriction cannot be met due to a lower RFL, traffic shall be handed off at RFL, if this does not cause a conflict with any other traffic. Otherwise, traffic shall be coordinated.

If a traffic situation is not covered herein or closely matching a covered one, individual coordination between the concerned sectors shall be made.

After Transfer of communications, traffic is NOT released for climb, descent or turns until Transfer of control or otherwise specified in this Letter of Agreement.

↓FLxxx / ↑FLxxx means „descending / climbing to a specified FL“, without any further restriction. Any required crossing/speed restriction shall be added separately. At level means that the aircraft shall be in level flight on a published flight level and in accordance with east/west odd/even policy.

FLxxxA means “climbing and above specified FL”, FLxxxB means “descending and below specified FL”.

3.4 IFR flights from Langen ACC to Reims ACC

3.4.1 Arrivals

Arrival AD	COP	Level Allocation	Special Conditions	FROM Sector	TO Sector
EDSB	KRH	FL80	(*1) (*2)	STG	RE
EDSB	LADAT	FL80	(*1) (*2)	STG	RW
EDSB	SUL	FL80	(*1)	REU	RE
EDTL	KRH	FL80	(*1)	STG	RE
EDTL	SUL	FL80	(*1)	REU	RE
LFJL	MAKOT	FL90		PFA	RW
LFSB	RIGVI	FL140		REU	SU
LFST	LUPEN	FL100	(*3)	BAD	RW

(*1) Note: released for descent SYD departures from EDSB, EDTL, and LFST

(*2) Note: EDGG shall ensure separation between arrivals via KRH and LADAT

(*3) Note: released for descent and crossing approved by REU once overhead LFST TMA 0.2, SYD departures from EDSB, EDTL, and LFST

3.4.2 Departures

Departure AD	COP	Level Allocation	Special Conditions	FROM Sector	TO Sector
EDDR	MAKOT	FL80	via SID	PFA	RW
EDDS, EDFM	LUPEN	↑FL180		BAD	UE
EDFH	MAKOT	↑FL230	(*1)	PFA	UE
EDRZ	MAKOT	FL80		PFA	RE
EDTD	LUPEN	FL140		REU	SU
EDTM	LUPEN	↑FL240		BAD	UE
ETAD	MAKOT	↑FL230	(*1)	PFA	UE
ETAR	MAKOT	↑FL230	(*1)	PFA	UE
ETSB	MAKOT	↑FL230	(*1)	PFA	UE
EDDF	VABEN	↑FL230		BAD	UE
EDRY	LUPEN	↑FL240		BAD	UE

(*1) Note: During activity of ED-R205 level allocation FL90 and traffic transferred to STA instead.

3.5 IFR flights from Reims ACC to Langen ACC

3.5.1 Arrivals

Arrival AD	COP	Level Allocation	Special Conditions	FROM Sector	TO Sector
EDDR	MAKOT	FL90		RW	PFA
EDDS	LUPEN	FL170	rlsd. ↔↓	SU	BAD
EDFM	MAKOT	FL160	rlsd. ↓ (*1)	SU	PFA
EDRZ	MAKOT	FL90		RW	PFA
EDTD	LUPEN	FL170		SU	BAD
EDTM	LUPEN	FL170		SU	BAD
ETAD	MAKOT	FL90	rlsd. ↓ (*1)	RW	PFA
ETAR	MAKOT	FL100	(*1)	RW	PFA
ETSB	MAKOT	FL240	rlsd. ↓ (*1)	UE	PFA
EDFH	ERADI SORAD	FL200	Q252 → GTQ-ERADI- PENDU-SOSAD- IDARO	UE	PFA
EDDF	ERADI SORAD	FL200 FL240	Q252 → GTQ-ERADI- PENDU-SOSAD- IDARO	UE	PFA
LSZR EDNY	LUPEN	FL210	LUPEN-NATOR- USETI	UE	BAD
All other flights	LUPEN	FL230	OBORN-LUPEN- SUL-REUTL	UE	BAD

(*1) Note: During activity of ED-R205 level allocation FL90 and traffic transferred from STA instead. Higher level may be available after coordination with PFA if operations within ED-R205 permit.

3.5.2 Departures

Departure AD	COP	Level Allocation	Special Conditions	FROM Sector	TO Sector
EDSB	GAGSI	FL90		RE	REU
EDSB	TUBLO	FL90		RE	REU
EDTL	NATOR	FL90		RE	REU
EDTL	SUL	FL90		RE	REU
LFJL	MAKOT	↑FL90		RW	PFA
LFST	LUPEN	↑FL90		RW	REU
LFST	SUL	↑FL90		RE	REU

3.5.3 Transfer of Communications

ATC Unit/Sector	COP	Frequency
REIMS ACC	LUPEN, MAKOT, SOSAD VABEN	133.005 MHz
REIMS ACC (sector 4EH)		136.330 Mhz
REIMS ACC (sector RME)		135.105 Mhz
LANGEN ACC (sector BADEN)	LUPEN	131.300 MHz
LANGEN ACC (sector PFALZ)	MAKOT	129.375 MHz

3.6 VFR flights from EDGG to LFEE

For controlled VFR flights and NVFR flights above 2500 feet GND coordination, transfer of control and transfer of communication shall take place as for IFR flights. Uncontrolled VFR flights shall be transferred to the appropriate sector if in radio contact. If online, LFEE_4EH_CTR shall be the primary sector for uncontrolled VFR flights.

3.7 VFR flights from LFEE to EDGG

For controlled VFR flights and NVFR flights above 2500 ft GND, coordination, transfer of control, and transfer of communication shall take place as for IFR flights. Uncontrolled VFR flights shall be transferred to the appropriate sector if in radio contact. If online, EDXX_IDR_CTR and EDXX_IDS_CTR shall be the primary sectors for uncontrolled VFR flights. If the respective sector is offline, EDXX_FIS_CTR will cover this area. For detailed sectorization of FIS sectors, refer to appendix A.

4 Special Procedures

4.1 French corner

Langen ACC may cross Reims FIR without prior coordination and without transfer of communication within the following area:

Lateral limits: The part of Reims FIR dubbed French corner as depicted in appendix B.

Vertical limits: FL195 - FL245

Remarks: This procedure is suspended while military airspace is active within the area.
Reims ACC shall notify Langen ACC of activation and deactivation of relevant military airspace.

4.2 Usage of military airspace

4.2.1 Usage of ED-R205 (TRA Lauter)

Unless otherwise coordinated, Reims ACC considers ED-R205 to be inactive. Langen ACC shall inform Reims ACC sectors STA and EES about the activation of ED-R205 or any parts thereof at least 10 minutes prior to intended use and when usage is terminated.

5 Transfer of Control and Transfer of Communication

5.1 Transfer of Control

Transfer of Control shall take place at the AoR boundary.

If the downstream sector in EuroScope is set to >.break<, the procedure 5.4 is suspended and transfer of communication can only take place after the downstream sector has assumed the flight via the appropriate function of the radar client.

If it becomes necessary to reduce or suspend transfers, a 5-minute prior notification is required.

When transfers are suspended, the hand-off procedure (5.4) is suspended.

5.2 Silent transfer of control

The following values for silent transfer of control apply:

- If preceding aircraft is faster: 10 NM
- If succeeding aircraft is faster by 20kts / M0.05 or less: 20 NM
- If succeeding aircraft is faster by 40kts / M0.1 or less: 30 NM

5.3 Transfer of Communications

Transfer of Communications shall take place no later than Transfer of Control.

5.4 Hand-Off procedure

Unless otherwise agreed between stations online, the following hand-off procedure shall apply:

1. The upstream sector sends the aircraft to the frequency of the downstream sector by voice or text.
2. The upstream sector initiates a transfer via the appropriate function of the radar client.
3. Upon initial call the downstream sector assumes the flight via the appropriate function of the radar client.


5.5 SSR Code Assignment

Both ATS units shall transfer flights on verified discrete SSR codes. Any change of SSR code by the accepting ATS unit may only take place after the transfer of control point.


Appendix A

Areas of Responsibility and Sectorization


LFST TMA & LFST TMA 0.2 (airspace delegated from EDGG to LFEE)



SARRE TMA (airspace delegated from LFEE to EDGG)



EDXX_IDR_CTR & EDXX_IDS_CTR (FIS sectors)



Appendix B

Special Procedures

“French corner”

