

# Scenery And Charts

## Scenery

| Simulator                         | Freeware                                                                                                                                                                                                                                                 | Payware                                                                                          |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| Microsoft Flight Simulator (2020) | <ul style="list-style-type: none"><li>- <a href="#">LROP - Bucharest Henri Coandă International Airport (2025) - Airports for MSFS   Flightsim.to</a></li></ul>                                                                                          | <ul style="list-style-type: none"><li>- Barelli LROP Bucharest Airport for MSFS2020</li></ul>    |
| Microsoft Flight Simulator 2024   | <ul style="list-style-type: none"><li>- <a href="#">LROP - Bucharest Henri Coandă International Airport (2025) - Airports for MSFS   Flightsim.to</a></li><li>- <a href="#">LROP - Otopeni Henri Coanda - Airports for MSFS   Flightsim.to</a></li></ul> | <ul style="list-style-type: none"><li>- Barelli LROP Bucharest Airport V2 for MSFS2024</li></ul> |
| X-plane                           | <ul style="list-style-type: none"><li>- Default X-plane scenery</li></ul>                                                                                                                                                                                | <ul style="list-style-type: none"><li>-</li></ul>                                                |

- Note: It is HIGHLY recommended to have the latest scenery, as apron 2 layout has drastically changed!

## Charts

You can find current charts for LROP on chartfox (requires login with VATSIM): <https://chartfox.org/lrop> . It contains both IFR and VFR charts.

FOR FLIGHT SIMULATION PURPOSES ONLY - DO NOT USE FOR REAL-WORLD NAVIGATION OR PROCEDURES!

# Departures

# Choosing a stand

Make sure to choose an appropriate stand for your aircraft type. Note that aircraft with ICAO code E (wingspan between 52-65m) can only park on stands 107,108,109,201,202,203. Apron 1 jet bridge stands 101-104 and 111-115 are for Schengen area destinations only. Stands 106,107,109,110 are for extra-Schengen destinations. Aircraft with ICAO code F (such as the Airbus A380) are not suitable for use at LROP.

# Receiving Clearance

Call Otopeni Delivery (on 121.955), and request IFR clearance. Include your stand number, and current ATIS information. Your clearance will look something like this:

“ [CALLSIGN], cleared to [DESTINATION], [SID] departure, runway [RWY], initially climb FL[XXX], squawk [XXXX]”.

When runway 08R and 08L are in use, expect K departures (e.g SOKRU1K, POLUN1K, etc.). When runways 26R and 26L are in use, expect M departures (e.g SOKRU1M, POLUN1M, etc.) Conventional procedures (such as SOKRU1C, BUKEL5C, etc) are suspended. If your aircraft is not PRNAV1 capable, or otherwise not able to follow the SID, advise ATC on initial contact. Radar Vectoring will be provided.

# Datalink Clearance (PDC/DCL)

Datalink clearance is available via the Hoppie ACARS system, logon code LROP.

# CDM

CDM is used at Otopeni. After logging in, send your TOBT (target off-block time, the time at which you expect to be ready for push and start/startup) at [vats.im/vdqs](https://vats.im/vdqs). In case of high traffic demand, you might be given a CTOT (calculated take-off time). This is the time you are expected to depart/take-off, your actual departure must be between -5 minutes/+10 minutes from your CTOT.

Monitor your start-up window at all times, as it may change.

FOR FLIGHT SIMULATION PURPOSES ONLY - DO NOT USE FOR REAL-WORLD  
NAVIGATION OR PROCEDURES!

## Intersection departures

If you have been assigned runway 08R for departure, you may request departure from intersection G. Take-off distance available (TODA) is 2764 m.

If you have been assigned runway 26L for departure, you should expect departure from INT D, Take-off distance available (TODA) is 2489 m. If unable to depart from INT D, advise ATC as soon as possible.

## Automatic handover

Some controllers will instruct you to contact approach in the take-off clearance, or shortly after takeoff. **Nonetheless if you are instructed or not, when passing 2000ft, you should contact Bucharest Approach on 119.415.** If you are flying the POLUN1K departure, you should expect a possible right turn on a heading of 250 degrees after departure, if instructed, you should begin your turn immediately, as to avoid entering restrictive airspace above Bucharest.

# Arrivals

# Expected landing runways and STARS

If RWY08R and 08L are in use, you should expect U arrivals (e.g TOSVI2U, OBUGA2U, etc.)

If RWY26R and 26L are in use, you should expect X arrivals (e.g TOSVI3X, DENAK1X, etc.)

The runway assignment will be usually given by the radar or approach controller, however you should expect ILS08R/ILS26L if your WTC (Wake Turbulence Category) of your aircraft is L or M (Light or Medium) or ILS08L/ILS26R if your WTC is H (Heavy).

All conventional STARS (such as DENAK3X, TOSVI1E, etc) are suspended. If your aircraft is not PRNAV1 capable, or otherwise not able to follow the STAR, advise ATC as soon as possible.. Radar Vectoring will be provided.

## Runway Occupancy

Minimum runway occupancy is required. To ensure a minimum runway occupancy time, pilots should avoid rolling slowly on the runway.

ATC Expect aircraft to vacate the runway within:

- 60 seconds for RWY08L/26R
- 90 seconds from RWY08R/26L