



Title of Presentation

Student Name

Supervisor: Supervisor Name

Department of Mathematical Sciences
Sharif University of Technology

September 2023

Overview

- 1 Introduction
 - subsection 1
 - subsection 2

- 2 Main I
 - subsection I-1

- 3 Main II
 - subsection II-1

1. Introduction

How To use

How to Use this Template:

- Modify "Info.tex" with you infomations
- use "`\mysection`" instead of "`\section`", if you want The "Section Frame" at be beginning of your sections
- add your "bibliography" into "ref.bib"
- if you want more space before items add `\vspace` before the `\item`, See this frame in "Frames/Main/Frame-I-1"
- Nested item
 - First nested Item
 - Second nested Item

How To use

How to Use this Template:

- Modify "Info.tex" with you infomations
- use "`\mysection`" instead of "`\section`", if you want The "Section Frame" at be beginning of your sections
- add your "bibliography" into "ref.bib"
- if you want more space before items add `\vspace` before the `\item`, See this frame in "Frames/Main/Frame-I-1"
- Nested item
 - First nested Item
 - Second nested Item

How To use

How to Use this Template:

- Modify "Info.tex" with you infomations
- use "`\mysection`" instead of "`\section`", if you want The "Section Frame" at be beginning of your sections
- add your "bibliography" into "ref.bib"
- if you want more space before items add `\vspace` before the `\item`, See this frame in "Frames/Main/Frame-I-1"
- Nested item
 - First nested Item
 - Second nested Item

How To use

How to Use this Template:

- Modify "Info.tex" with you infomations
- use "`\mysection`" instead of "`\section`", if you want The "Section Frame" at be beginning of your sections
- add your "bibliography" into "ref.bib"
- if you want more space before items add `\vspace` before the `\item`, See this frame in "Frames/Main/Frame-I-1"
- Nested item
 - First nested Item
 - Second nested Item

How To use

How to Use this Template:

- Modify "Info.tex" with you informations
- use "`\mysection`" instead of "`\section`", if you want The "Section Frame" at be beginning of your sections
- add your "bibliography" into "ref.bib"
- if you want more space before items add `\vspace` before the `\item`, See this frame in "Frames/Main/Frame-I-1"
- Nested item
 - First nested Item
 - Second nested Item

How to use: Beamer Itemize

- add "[<+>]" right after "begin" command of "itemize" Environment for showing items, slide by slide. (see "Frames/Introduction/Frame1")
- for customize appearance of items remove "[<+>]", and use following commands in front of each "item" (see "Frames/Main/Frame-I-1"):
 - appear from a slide (for example slide 2), add <2->
 - appear from a slide to another, use <2-4>
 - appear only on one slide <2>
 - appear from beginning to a slide <-2>
 - appear in next slide of previously appeared slide <+> (and continue to end of frame <+>)
 - appear at same time with previous slide <.> (and continue to end of frame <.>)
- use "block" Environment like this (also environments like definition", "theorem" and ... work same)
- By adding the appearance option in front of nested "itemize" environment, you can control it's items separately from the above itemize option.

How to use: Beamer Itemize

- add "[<+>]" right after "begin" command of "itemize" Environment for showing items, slide by slide. (see "Frames/Introduction/Frame1")
- for customize appearance of items remove "[<+>]", and use following commands in front of each "item" (see "Frames/Main/Frame-I-1"):
 - appear from a slide (for example slide 2), add <2->
 - appear from a slide to another, use <2-4>
 - appear only on one slide <2>
 - appear from beginning to a slide <-2>
 - appear in next slide of previously appeared slide <+> (and continue to end of frame <+>)
 - appear at same time with previous slide <.> (and continue to end of frame <.->)
- use "block" Environment like this (also environments like definition", "theorem" and ... work same)
- By adding the appearance option in front of nested "itemize" environment, you can control it's items separately from the above itemize option.

How to use: Beamer Itemize

- add "[<+>]" right after "begin" command of "itemize" Environment for showing items, slide by slide. (see "Frames/Introduction/Frame1")
- for customize appearance of items remove "[<+>]", and use following commands in front of each "item" (see "Frames/Main/Frame-I-1"):
 - appear from a slide (for example slide 2), add <2->
 - appear from a slide to another, use <2-4>
 - appear only on one slide <2>
 - appear from beginning to a slide <-2>
 - appear in next slide of previously appeared slide <+> (and continue to end of frame <+>)
 - appear at same time with previous slide <.> (and continue to end of frame <.->)
- use "block" Environment like this (also environments like definition", "theorem" and ... work same)
- By adding the appearance option in front of nested "itemize" environment, you can control it's items separately from the above itemize option.

How to use: Beamer Itemize

- add "[<+>]" right after "begin" command of "itemize" Environment for showing items, slide by slide. (see "Frames/Introduction/Frame1")
- for customize appearance of items remove "[<+>]", and use following commands in front of each "item" (see "Frames/Main/Frame-I-1"):
 - appear from a slide (for example slide 2), add <2->
 - appear from a slide to another, use <2-4>
 - appear only on one slide <2>
 - appear from beginning to a slide <-2>
 - appear in next slide of previously appeared slide <+> (and continue to end of frame <+>)
 - appear at same time with previous slide <.> (and continue to end of frame <.->)
- use "block" Environment like this (also environments like definition", "theorem" and ... work same)
- By adding the appearance option in front of nested "itemize" environment, you can control it's items separately from the above itemize option.

2. Main I

How to use: Equation

Sample Block

This is a Sample Block, for example see [wunsch2012]

- you can remove bullet of item in case you want to include "figure" or "Equation" in itemize but without annoying bullet, just use "[]" in front of that item. you can also change symbol of bullet with this method. see "Frames/Main/Frame-I-1"



$$I \doteq \int_{-\infty}^{+\infty} f(x) dx$$

$$J \doteq \int_{-\infty}^{+\infty} g(x) dx$$

How to use: Equation

Sample Block

This is a Sample Block, for example see [wunsch2012]

- you can remove bullet of item in case you want to include "figure" or "Equation" in itemize but without annoying bullet, just use "□" in front of that item. you can also change symbol of bullet with this method. see "Frames/Main/Frame-I-1"



$$I \doteq \int_{-\infty}^{+\infty} f(x) dx$$

$$J \doteq \int_{-\infty}^{+\infty} g(x) dx$$

How to use: Equation

Sample Block

This is a Sample Block, for example see [wunsch2012]

- you can remove bullet of item in case you want to include "figure" or "Equation" in itemize but without annoying bullet, just use "□" in front of that item. you can also change symbol of bullet with this method. see "Frames/Main/Frame-I-1"



$$I \doteq \int_{-\infty}^{+\infty} f(x)dx$$

$$J \doteq \int_{-\infty}^{+\infty} g(x)dx$$

3. Main II

Remarks

- You don't need to create a ".tex" file for every frame. a single file can contain as many "frame"s as you want.
- This Template is based on "Frankfurt" Theme.
- to include Bibliography uncomment `\Reference` in last line of "main.tex"
- for changing the logo on first page, change logo path "Logos/....png" in "settings.tex", newcommand of "`\Front`". logos of "amirkabir" (AUT), "Tehran" and "Shahid Beheshti" (SBU) already exist in this template in "Logos" folder. just change the name in "settings.tex".

sample Empty Frame

This Frame intentionally left blank.

Thank You