
GSSSB · STAFF NURSE EXAM

Community Health Nursing MCQ Bank

580 MCQs · GSSSB pattern · Answer key with explanation



17 Sections | 580 MCQs | Direct + Priority + Scenario | Match & Assertion-Reason | Calculations | Explanations

Hinglish explanation + English exam terms



Sister Asha
Aapki Nursing teacher

MCQ Bank – Sections

1. **Concepts of Health, Disease & CHN**
   30 MCQs · Health definition & indicators, disease causation, natural history, levels of prevention, CHN principles & roles, eradication
2. **Health Care Delivery System**
   30 MCQs · Committees, Alma-Ata & PHC, population norms, Ayushman Bharat, NHM, ASHA, NHP
3. **Epidemiology**
   30 MCQs · Definitions, terms, rates & ratios, incidence & prevalence, study designs, screening, epidemic investigation
4. **Biostatistics, Demography & Vital Statistics**
   30 MCQs · Data presentation, central tendency, SD, normal curve, sampling, tests, census, registration, vital rates
5. **Communicable Disease Control**
   30 MCQs · Carriers, transmission, isolation, quarantine, disinfection, sterilisation, surveillance, IDSP
6. **National Programmes – Communicable Diseases**
   30 MCQs · NTEP, NLEP, NCVBDC (malaria, dengue, filaria, kala-azar, JE), NACP, hepatitis, rabies, polio
7. **NCD & Other National Programmes**
   30 MCQs · NP-NCD, cancer screening, NPCBVI, NMHP, COTPA/ NTCP, NPHCE, NIDDCP, fluorosis, RPwD, health days
8. **RMNCH+A, Family Welfare & Population**
   30 MCQs · RMNCH+A, ANC/PNC in community, JSY, JSSK, PMSMA, PMMVY, RBSK, RKSK, family planning methods, MTP, PCPNDT
9. **Community Nutrition**
   30 MCQs · Nutrients, RDA, assessment, BMI, ICDS, PM POSHAN, POSHAN Abhiyaan, NFSA, fortification, adulteration, food poisoning
10. **Environmental Health & Sanitation**
    30 MCQs · Water standards & purification, chlorination, well disinfection, air, excreta & refuse disposal, BMW rules, noise, entomology
11. **Occupational Health**
    30 MCQs · Hazards, pneumoconiosis, lead poisoning, occupational cancers, prevention, ESI Act, Factories Act
12. **Health Education & Communication**
    30 MCQs · Principles, approaches, methods, group methods, AV aids, Edgar Dale's cone, communication process & barriers, counselling, behaviour change models
13. **Home Visit, Family Health, Records & Health Team**
    30 MCQs · Family, community diagnosis, home visit, bag technique, VHSND, records & registers, referral, roles of ANM/ LHV/ CHO/ ASHA
14. **Special Groups – School, Urban, Tribal, Elderly, Disabled**
    30 MCQs · School health services & standards, urban health/ NUHM, tribal health, geriatric care, disability & CBR

15 **Disaster Management & Emergency Services**
30 MCQs · Disaster types, cycle, DM Act, NDMA/ SDMA, triage, post-disaster diseases, relief camps, nurse's role, 108/ 102

16 **Health Planning, International Agencies, Insurance & Gujarat Schemes**
30 MCQs · Planning cycle, management techniques, WHO, UNICEF, other agencies, voluntary bodies, insurance schemes, Gujarat health schemes

17 **GSSSB Pattern Mock Test – 100 MCQs (Full Community Health Syllabus)**
100 MCQs · 100 questions, 100 marks, 0.25 negative marking – complete Community Health Nursing

Level 1 – Direct: facts, values, definitions

Level 2 – Priority: "first / best / immediate" action

Level 3 – Advanced: scenario, NOT/EXCEPT, match, A-R, calculation



MCQ kaise solve karein?

Pehle khud answer socho, phir options padho. Har section ke baad answer key aur explanation hai, galti wale questions ka number apni notebook me likho. Exam me galat answer par **0.25 marks** kat sakte hain, isliye bina soche guess mat karo.

1 Concepts of Health, Disease & CHN

Level 1 – Direct

1. WHO ne health ki definition kis saal di?
   (a) 1946 (b) 1948 (c) 1978 (d) 1986
2. Community health status ka sabse sensitive indicator –
   (a) MMR (b) IMR (c) Life expectancy (d) Crude death rate
3. PQLI me kaun sa component NAHI hai?
   (a) Life expectancy at age 1 (b) Literacy (c) Per capita income (d) IMR
4. HDI kaun calculate karta hai?
   (a) World Bank (b) WHO (c) UNDP (d) UNICEF
5. Immunization kis level ki prevention hai?
   (a) Secondary (b) Tertiary (c) Primary (d) Primordial
6. Pap smear screening –
   (a) Secondary (b) Tertiary (c) Primary (d) Primordial
7. Risk factors ko paida hone se rokna –
   (a) Secondary (b) Tertiary (c) Primordial prevention (d) Primary
8. Rehabilitation kis level me aata hai?
   (a) Tertiary (b) Secondary (c) Primordial (d) Primary
9. Web of causation kis ke liye suitable hai?
   (a) Chronic diseases (b) Acute infections (c) Genetic only (d) Injuries only
10. Germ theory kisne di?
    (a) Hippocrates (b) John Snow (c) Ramazzini (d) Louis Pasteur / Robert Koch
11. Iceberg phenomenon ka example –
    (a) Hypertension (b) Rabies (c) Measles (d) Tetanus
12. Father of public health nursing –
    (a) William Rathbone (b) Clara Barton (c) Lillian Wald (d) Florence Nightingale
13. Duniya se eradicate hone wali ekmatra human disease –
    (a) Smallpox (b) Yaws (c) Measles (d) Polio
14. DALY ka formula –
    (a) Life expectancy − age (b) YLL + YLD (c) Births − deaths (d) YLL − YLD
15. Ottawa Charter kis vishay se related hai?
    (a) Disaster (b) Tobacco (c) Primary health care (d) Health promotion
16. Leavell & Clark ne prevention ke kitne modes bataye?
    (a) 3 (b) 4 (c) 5 (d) 6
17. Community health nursing ka basic unit –
    (a) Village (b) District (c) Family (d) Individual
18. Public health ki definition (science & art of preventing disease...) kisne di?
    (a) Last (b) Winslow (c) Leavell (d) Park

Level 2 – Priority & Application

19. Community me iodised salt ka use badhana kaunsi prevention hai?
(a) Secondary (b) Rehabilitation (c) Specific protection – primary (d) Tertiary

20. Polio se lame bachche ko physiotherapy dena –
(a) Tertiary – rehabilitation (b) Primary (c) Secondary (d) Primordial

21. TB ke contacts ka sputum test karna –
(a) Primordial (b) Case finding – secondary prevention (c) Tertiary (d) Primary

22. School me bachchon ko junk food se door rakhkar healthy lifestyle sikhana –
(a) Secondary (b) Primordial prevention (c) Disability limitation (d) Tertiary

23. CHN nurse community me screening karke naye TB case dhoondhti hai – ye role –
(a) Counsellor (b) Manager (c) Researcher (d) Case finder

24. Community health nursing ka sabse important principle –
(a) Community ki needs par based care, family as unit (b) Sirf curative (c) Sirf hospital care (d) Doctor-centred

Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. Match: P. Eradication Q. Elimination R. Control S. Monitoring — with 1. Ongoing measurement of performance 2. Smallpox worldwide 3. Polio from India 4. Disease no longer public health problem
(a) P-3, Q-2, R-4, S-1 (b) P-1, Q-3, R-4, S-2 (c) P-2, Q-4, R-3, S-1 (d) P-2, Q-3, R-4, S-1

26. Assertion (A): Primary prevention sabse economical hai. Reason (R): Ye disease hone se pehle hi use rok deti hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

27. Disability ka sahi sequence –
(a) Handicap → disability → impairment (b) Impairment → disease → handicap (c) Disease → handicap → disability (d) Disease → impairment → disability → handicap

28. Health ke determinants me NAHI aata –
(a) Lifestyle (b) Heredity (c) Blood group of the nurse (d) Environment

29. Health promotion (Ottawa) ki strategies –
(a) Isolate, quarantine (b) Advocate, enable, mediate (c) Screen, test (d) Diagnose, treat, refer

30. Iceberg ke "submerged" part me kya hota hai?
(a) Clinical cases (b) Subclinical, undiagnosed cases & carriers (c) Recovered (d) Deaths

Answer Key & Explanation

1-b 1948 (WHO constitution).
2-b IMR.
3-c Income PQLI me nahi (HDI me hai).
4-c UNDP.
5-c Specific protection – primary.
6-a Early diagnosis – secondary.
7-c Primordial.
8-a Tertiary.
9-a Chronic diseases (MacMahon).
10-d Pasteur/ Koch.
11-a Hypertension.
12-c Lillian Wald.
13-a Smallpox (1980).
14-b YLL + YLD.
15-d Health promotion (1986).
16-c 5 modes.
17-c Family.
18-b Winslow (1920).
19-c Specific protection.
20-a Rehabilitation.

21-b Case finding – secondary.
22-b Primordial.
23-d Case finder.
24-a Needs-based, family unit.
25-d Sahi.
26-a Dono sahi, R reason hai.
27-d WHO sequence.
28-c Irrelevant.
29-b Advocate, enable, mediate.
30-b Hidden part.

2 Health Care Delivery System

Level 1 – Direct

1. Bhore Committee report kis saal?
   (a) 1943 (b) 1946 (c) 1962 (d) 1973
2. Multipurpose worker scheme kis committee ne recommend ki?
   (a) Bhore (b) Mudaliar (c) Shrivastava (d) Kartar Singh
3. Village Health Guide scheme kis committee se?
   (a) Jungalwalla (b) Mukerji (c) Shrivastava (d) Chadah
4. Integration of health services – committee –
   (a) Bhore (b) Jungalwalla (c) Kartar Singh (d) Mudaliar
5. Alma-Ata Declaration kis saal?
   (a) 1948 (b) 1978 (c) 1983 (d) 2000
6. Plain area me sub-centre ki population –
   (a) 3,000 (b) 5,000 (c) 20,000 (d) 30,000
7. Plain area me PHC –
   (a) 20,000 (b) 30,000 (c) 50,000 (d) 80,000
8. CHC plain area population –
   (a) 80,000 (b) 1,00,000 (c) 1,20,000 (d) 2,00,000
9. Tribal/ hilly area me sub-centre –
   (a) 1,000 (b) 3,000 (c) 5,000 (d) 10,000
10. CHC me beds –
    (a) 6 (b) 10 (c) 30 (d) 100
11. ASHA kitni population par?
    (a) 500 (b) 1,000 (c) 5,000 (d) 10,000
12. ASHA ki age –
    (a) 25–45 (b) 18–25 (c) 45–60 (d) Koi bhi
13. Health & Wellness Centres ka naya naam –
    (a) Mamta Kendra (b) Ayushman Arogya Mandir (c) Arogya Sadan (d) Jan Aushadhi Kendra
14. PM-JAY ka cover per family per year –
    (a) ₹5 lakh (b) ₹1 lakh (c) ₹2 lakh (d) ₹10 lakh
15. NRHM launch –
    (a) 1 May 2013 (b) 2 Oct 2014 (c) 12 April 2005 (d) 14 April 2018
16. Constitution me health –
    (a) Central list (b) Concurrent only (c) Not mentioned (d) State list
17. CPHC ke kitne service packages?
    (a) 6 (b) 8 (c) 12 (d) 15
18. First Referral Unit (FRU) usually –
    (a) ASHA (b) Anganwadi (c) CHC (d) Sub-centre

Level 2 – Priority & Application

19. Ek village me naye ASHA chunni hai. Kaun eligible hai?
(a) Male volunteer (b) 30 saal ki gaon ki rehne wali, 8th pass mahila (c) 55 saal ki mahila (d) 20 saal ki unmarried bahar ki ladki

20. Village me pregnant woman ko CS chahiye. Nearest suitable facility –
(a) Anganwadi (b) CHC/ FRU (c) Sub-centre (d) PHC

21. Alma-Ata principle "community participation" ka example –
(a) Doctor ka decision (b) Private hospital (c) Imported machine (d) VHSNC ka gaon ke health plan me role

22. AAM-SC par NCD screening kaun lead karta hai?
(a) Lab technician (b) Surgeon (c) CHO (Community Health Officer) (d) Pharmacist

23. PMJAY ke baare me sahi kya hai?
(a) Sirf government employees (b) Cashless secondary & tertiary hospitalisation (c) Sirf medicines (d) Sirf OPD

24. Appropriate technology ka matlab –
(a) Only computer based (b) Scientifically sound, locally acceptable, affordable (c) Sabse mehngi machine (d) Imported technology

Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. PHC ke principles me NAHI hai –
(a) Specialist-centred care (b) Equitable distribution (c) Community participation (d) Intersectoral coordination

26. Match: P. Bhore Q. Mudaliar R. Kartar Singh S. Shrivastava — with 1. 1975 2. 1973 3. 1962 4. 1946
(a) P-4, Q-3, R-2, S-1 (b) P-3, Q-4, R-2, S-1 (c) P-4, Q-2, R-3, S-1 (d) P-1, Q-3, R-2, S-4

27. Assertion (A): Hilly/ tribal areas me sub-centre kam population par banta hai. Reason (R): Wahan population bikhri hui aur pahunch mushkil hoti hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

28. Ek block me 1,50,000 plain population hai. Kitne PHC chahiye (norm 30,000)?
(a) 3 (b) 5 (c) 6 (d) 10

29. Alma-Ata ke 8 elements me NAHI hai –
(a) Essential drugs (b) Heart transplant (c) Health education (d) Safe water & sanitation

30. NHP 2017 ka public health expenditure target –
(a) 1 % GDP (b) 2.5 % GDP (c) 5 % GDP (d) 10 % GDP

Answer Key & Explanation

1-b 1946.
2-d Kartar Singh (1973).
3-c Shrivastava (1975).
4-b Jungalwalla (1967).
5-b 1978.
6-b 5,000.
7-b 30,000.
8-c 1,20,000.
9-b 3,000.
10-c 30 beds.
11-b 1,000.
12-a 25–45.
13-b Ayushman Arogya Mandir.
14-a ₹5 lakh.
15-c 12 April 2005.
16-d State list.
17-c 12.
18-c CHC.

19-b Resident, 25–45, literate woman.
20-b CHC/ FRU – CS facility.
21-d Community participation.
22-c CHO.
23-b Cashless hospitalisation.
24-b Appropriate technology definition.
25-a Specialist-centred nahi.
26-a Sahi.
27-a Dono sahi, R reason hai.
28-b 1,50,000 ÷ 30,000 = 5.
29-b Not an element.
30-b 2.5 % GDP by 2025.

3 Epidemiology

Level 1 – Direct

1. Father of modern epidemiology –
   (a) Pasteur (b) Robert Koch (c) Hippocrates (d) John Snow
2. Ek area me disease ki constant presence –
   (a) Endemic (b) Epidemic (c) Pandemic (d) Sporadic
3. Kai deshon me faili epidemic –
   (a) Endemic (b) Exotic (c) Outbreak (d) Pandemic
4. Animals se manushya me aane wali disease –
   (a) Epizootic (b) Iatrogenic (c) Zoonosis (d) Nosocomial
5. Hospital se lagne wala infection –
   (a) Exotic (b) Nosocomial (c) Opportunistic (d) Iatrogenic
6. Naye cases ka measure –
   (a) Ratio (b) Prevalence (c) Proportion (d) Incidence
7. Prevalence, incidence aur duration ka relation –
   (a) P = I × D (b) I = P × D (c) P = I / D (d) P = I + D
8. Disease ki killing power –
   (a) Attack rate (b) Case fatality rate (c) Prevalence (d) Incidence
9. Infectiousness ka measure –
   (a) Prevalence (b) Crude rate (c) CFR (d) Secondary attack rate
10. Case-control study se kya milta hai?
    (a) Incidence (b) Relative risk (c) Attributable risk (d) Odds ratio
11. Cohort study se –
    (a) Relative risk / incidence (b) Prevalence only (c) None (d) Odds ratio
12. Gold standard study design –
    (a) Case report (b) RCT (c) Case-control (d) Cross-sectional
13. Cross-sectional study kya batata hai?
    (a) Prevalence (b) Incidence (c) Relative risk (d) Odds ratio
14. Sensitivity –
    (a) TP / (TP + FN) (b) TP / (TP + FP) (c) TN / (TN + FP) (d) TN / (TN + FN)
15. Specificity –
    (a) TP / (TP + FN) (b) FP / (FP + TN) (c) TN / (TN + FP) (d) TP / (TP + FP)
16. Epidemiological triad –
    (a) Cause, effect, outcome (b) Rate, ratio, proportion (c) Agent, host, environment (d) Time, place, person
17. Bradford Hill criteria me sabse important –
    (a) Coherence (b) Temporal association (c) Specificity (d) Analogy
18. Epidemic investigation ka pehla step –
    (a) Write report (b) Test hypothesis (c) Treat all (d) Verify diagnosis

Level 2 – Priority & Application

19. Hostel me shaadi ke khane ke baad 4–6 ghante me 80 log beemar. Epidemic curve –
(a) Propagated (b) Endemic (c) Common-source single (point) exposure (d) Slow modern

20. Screening test ke liye kya zaroori hai?
(a) Sirf high specificity (b) Invasive test (c) Mehnga test (d) High sensitivity (kam false negative)

21. Ek nayi dawa ki effectiveness check karni hai. Best design –
(a) Cross-sectional (b) Case report (c) RCT with randomisation & blinding (d) Ecological

22. Lung cancer patients aur controls se smoking history poochhi gayi. Design –
(a) RCT (b) Cross-sectional (c) Case-control (d) Cohort

23. Smokers aur non-smokers ko 20 saal follow kiya gaya. Design –
(a) Cross-sectional (b) Cohort (c) Case series (d) Case-control

24. Hepatitis A ka propagated epidemic curve kaisa hota hai?
(a) Seasonal only (b) Sudden rise & fall within one IP (c) Gradual rise, several incubation periods tak (d) Flat

Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. 1000 logon me test: TP 90, FN 10, FP 45, TN 855. Sensitivity –
(a) 67 % (b) 90 % (c) 95 % (d) 99 %

26. Usi data me specificity (855 / 900) –
(a) 85 % (b) 90 % (c) 95 % (d) 99 %

27. Ek gaon me 200 measles cases, 4 deaths. CFR –
(a) 0.2 % (b) 2 % (c) 4 % (d) 20 %

28. Match: P. Case-control Q. Cohort R. Cross-sectional S. RCT — with 1. Prevalence 2. Odds ratio 3. Relative risk 4. Randomisation
(a) P-2, Q-1, R-3, S-4 (b) P-3, Q-2, R-1, S-4 (c) P-2, Q-3, R-1, S-4 (d) P-4, Q-3, R-1, S-2

29. Assertion (A): Chronic diseases me prevalence zyada hoti hai, incidence kam ho to bhi. Reason (R): Prevalence = incidence × duration, aur chronic disease ki duration lambi hoti hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. Ratio ka example NAHI hai –
(a) Percentage of immunized children (b) Sex ratio (c) Doctor–population ratio (d) MMR

Answer Key & Explanation

1-d John Snow.
2-a Endemic.
3-d Pandemic.
4-c Zoonosis.
5-b Nosocomial.
6-d Incidence.
7-a P = I × D.
8-b CFR.
9-d SAR.
10-d Odds ratio.
11-a Relative risk.
12-b RCT.
13-a Prevalence.
14-a Sensitivity.
15-c Specificity.
16-c Agent, host, environment.
17-b Temporal – cause before effect.
18-d Verify diagnosis.
19-c Point source.
20-d High sensitivity.
21-c RCT.
22-c Case-control (effect → cause).
23-b Cohort.
24-c Propagated.
25-b 90/(90+10) = 90 %.
26-c 855/900 = 95 %.

27-b 4/200 × 100 = 2 %.
28-c Sahi.
29-a Dono sahi, R reason hai.
30-a Percentage – proportion.

4 Biostatistics, Demography & Vital Statistics

? Level 1 – Direct

1. Dispersion ka best measure –
(a) Standard deviation (b) Mode (c) Mean (d) Range

2. Normal distribution me –
(a) Mode > mean (b) Koi relation nahi (c) Mean = median = mode (d) Mean > median

3. Mean ± 2 SD me kitne % values?
(a) 50 % (b) 68.3 % (c) 95.4 % (d) 99.7 %

4. Time ke saath trend dikhane ke liye –
(a) Pictogram (b) Histogram (c) Line diagram (d) Pie chart

5. Continuous data ke liye –
(a) Histogram (b) Pictogram (c) Bar diagram (d) Pie chart

6. Do variables ka correlation –
(a) Pie chart (b) Bar (c) Scatter diagram (d) Map

7. Immunization coverage survey (WHO) –
(a) Snowball (b) Simple random (c) 30-cluster sampling (d) Quota

8. Qualitative data (proportions) ke liye test –
(a) Correlation (b) t-test (c) ANOVA (d) Chi-square

9. Father of demography –
(a) Fisher (b) John Graunt (c) Malthus (d) Galton

10. India ka demographic stage –
(a) Low stationary (b) Late expanding (c) Declining (d) High stationary

11. Census kitne saal me?
(a) 5 (b) 10 (c) 12 (d) 15

12. Census 2011 sex ratio (final) –
(a) 919 (b) 933 (c) 943 (d) 1020

13. Birth/ death registration ki time limit (RBD Act 1969) –
(a) 7 days (b) 14 days (c) 21 days (d) 30 days

14. SRS kis system par based hai?
(a) Single survey (b) Census only (c) Dual record system (d) Hospital records

15. Replacement level TFR –
(a) 1.0 (b) 2.1 (c) 3.0 (d) 4.0

16. CBR ka denominator –
(a) Total births (b) Live births (c) Mid-year population (d) Women 15–49

17. NFHS-5 ke anusar India ka TFR –
(a) 1.6 (b) 2.0 (c) 2.6 (d) 3.1

18. Eligible couple – wife ki age –
(a) 15–49 yrs (b) 18–35 (c) 20–45 (d) 21–50

? Level 2 – Priority & Application

19. Hb values skewed hain (kuch bahut kam). Central tendency ka best measure –
(a) Median (b) Mean (c) SD (d) Range

20. Gaon ke logon ko family planning progress dikhana hai (low literacy). Best –
(a) Scatter (b) Complex table (c) Pictogram (d) Ogive

21. Ek ANM ko bachche ka janm 25 din baad register karwana hai. Kya karein?
(a) Ignore (b) Register nahi ho sakta (c) Late fee ke saath registration ho sakta hai (d) Court ka order hi

22. Hospital ke different diseases ka % share dikhana hai –
(a) Pie chart (b) Line graph (c) Histogram (d) Scatter

23. Do groups ke mean BP ki comparison (n = 20) –
(a) Pie chart (b) Chi-square (c) Correlation (d) Student's t-test

24. NRR = 1 ka matlab –
(a) Har mother ki jagah ek beti – replacement (b) TFR 1 (c) Population double (d) Population zero

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. Values 2, 4, 4, 5, 10 – mean –
(a) 4 (b) 5 (c) 6 (d) 10

26. Isi data ka median –
(a) 2 (b) 4 (c) 5 (d) 10

27. Mid-year population 50,000, ek saal me 1,000 live births. CBR –
(a) 2 (b) 10 (c) 20 (d) 50

28. Match: P. CBR Q. GFR R. IMR S. MMR — with 1. per 1,00,000 live births 2. per 1000 live births 3. per 1000 women 15–49 4. per 1000 mid-year population
(a) P-1, Q-3, R-2, S-4 (b) P-4, Q-2, R-3, S-1 (c) P-4, Q-3, R-2, S-1 (d) P-3, Q-4, R-2, S-1

29. Assertion (A): Census 2011 me child sex ratio overall sex ratio se kam tha. Reason (R): Sex-selective abortion aur girl child neglect.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. Probability sampling NAHI hai –
(a) Simple random (b) Convenience (c) Cluster (d) Stratified

✓ Answer Key & Explanation

1-a SD.
2-c Mean = median = mode.
3-c 95.4 %.
4-c Line diagram.
5-a Histogram.
6-c Scatter.
7-c 30-cluster.
8-d Chi-square.
9-b John Graunt.
10-b Late expanding.
11-b 10 yrs.
12-c 943.
13-c 21 days.
14-c Dual record.
15-b 2.1.
16-c Mid-year population.
17-b 2.0.
18-a 15–49.

19-a Median – skewed data.
20-c Pictogram – lay people.
21-c Late registration with fee.
22-a Pie – proportions.
23-d t-test small samples.
24-a Replacement.
25-b 25/5 = 5.
26-b Middle = 4.
27-c 1000/50,000 × 1000 = 20.
28-c Sahi.
29-a Dono sahi (919 vs 943), R reason hai.
30-b Convenience – non-probability.

5 Communicable Disease Control

Level 1 – Direct

1. Bina beemari ke agent rakhne aur failane wala vyakti –
   (a) Contact (b) Carrier (c) Suspect (d) Case
2. Chronic carrier ka classic example –
   (a) Chickenpox (b) Typhoid (c) Measles (d) Influenza
3. Lice/ scabies ka body par hona –
   (a) Contamination (b) Infestation (c) Colonisation (d) Infection
4. Quarantine ki maximum duration –
   (a) Longest incubation period (b) Shortest IP (c) 1 month (d) 2 weeks fixed
5. Yellow fever ka quarantine period –
   (a) 3 days (b) 6 days (c) 10 days (d) 21 days
6. Malaria parasite ka mosquito me development –
   (a) Propagative (b) Cyclo-developmental (c) Cyclo-propagative (d) Mechanical
7. Filaria ka mosquito me development –
   (a) None (b) Cyclo-developmental (c) Propagative (d) Cyclo-propagative
8. Hospital infection rokne ka sabse effective tarika –
   (a) Fumigation (b) Masks only (c) Hand washing (d) Antibiotics
9. Rogi ke discharge (stool, sputum) ko turant disinfect karna –
   (a) Concurrent disinfection (b) Terminal (c) Precurrent (d) Sterilisation
10. Disinfectants ki comparison ka standard –
    (a) Iodine (b) Alcohol (c) Phenol (Rideal-Walker coefficient) (d) Chlorine
11. Blood spill ke liye –
    (a) Soap (b) 70 % alcohol (c) 1 % sodium hypochlorite (d) Savlon
12. Endoscopes ke liye high-level disinfectant –
    (a) 2 % glutaraldehyde (b) Lime (c) Dettol (d) Phenol
13. Autoclave ka standard –
    (a) 63 °C, 30 min (b) 100 °C, 10 min (c) 121 °C, 15 lb, 15–20 min (d) 160 °C, 2 hrs
14. Glassware aur powders ke liye –
    (a) Autoclave (b) Boiling (c) Formalin (d) Hot air oven 160 °C × 2 hrs
15. Flash pasteurisation –
    (a) 63 °C × 30 min (b) 72 °C × 15–20 sec (c) 100 °C × 5 min (d) 121 °C × 15 min
16. IDSP kab shuru hua?
    (a) 1997 (b) 2004 (c) 2010 (d) 2015
17. IDSP me "P" form kaun bharta hai?
    (a) Health worker (b) ASHA (c) Lab (d) Medical officer (presumptive)
18. Droplet nuclei (airborne) se failne wali disease –
    (a) Tuberculosis (b) Hepatitis A (c) Cholera (d) Tetanus

Level 2 – Priority & Application

19. Ghar me typhoid rogi hai. Uske stool ko disinfect karne ka best –
(a) Pani (b) Bleaching powder / cresol (c) Formalin gas (d) Alcohol

20. Measles case ke ghar ke healthy contacts ko school se rokna –
(a) Absolute quarantine (b) Modified quarantine (c) Isolation (d) Segregation of patient

21. Malaria ke liye ghar-ghar jaakar fever case dhundhna –
(a) Active surveillance (b) Passive surveillance (c) No surveillance (d) Sentinel

22. Rogi discharge ke baad kamra disinfect karna –
(a) Precurrent (b) Concurrent (c) Terminal (d) Prophylactic

23. Polio jaise rog me isolation kam useful kyon?
(a) Mostly subclinical cases hote hain (b) Vaccine nahi (c) Dawa available (d) Rare disease

24. Meningococcal case ke contacts ko –
(a) Kuch nahi (b) Rifampicin chemoprophylaxis (c) Steroids (d) BCG

Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. Match: P. Autoclave Q. Hot air oven R. Glutaraldehyde S. Hypochlorite — with 1. Blood spill 2. Endoscope 3. Glassware 4. Linen & instruments
(a) P-4, Q-2, R-3, S-1 (b) P-3, Q-4, R-2, S-1 (c) P-1, Q-3, R-2, S-4 (d) P-4, Q-3, R-2, S-1

26. Herd immunity kis disease par lagu NAHI hoti?
(a) Tetanus (b) Polio (c) Measles (d) Diphtheria

27. Assertion (A): Quarantine healthy contacts par lagti hai. Reason (R): Wo incubation period me ho sakte hain aur dusron ko infect kar sakte hain.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

28. International notifiable (IHR) disease NAHI hai –
(a) Cholera (b) Common cold (c) Plague (d) Yellow fever

29. Sterilisation vs disinfection – sahi kya?
(a) Sterilisation spores sahit sab maarta hai (b) Disinfection spores bhi maarta hai (c) Dono same (d) Boiling = sterilisation

30. Spaulding classification me "critical" item –
(a) Bed rails (b) Thermometer (oral) (c) Surgical instruments (sterile tissue me jaate hain) (d) BP cuff

Answer Key & Explanation

1-b Carrier.
2-b Typhoid (gallbladder).
3-b Infestation.
4-a Longest IP.
5-b 6 days.
6-c Cyclo-propagative.
7-b Cyclo-developmental.
8-c Hand washing.
9-a Concurrent.
10-c Phenol.
11-c 1 % hypochlorite.
12-a Glutaraldehyde.
13-c 121 °C.
14-d Hot air oven.
15-b 72 °C × 15–20 sec.
16-b 2004.
17-d MO – presumptive.
18-a TB.
19-b Bleaching powder/ cresol.
20-b Modified quarantine.
21-a Active.
22-c Terminal.
23-a Subclinical cases.
24-b Rifampicin.

25-d Sahi.
26-a Tetanus – not person-to-person.
27-a Dono sahi, R reason hai.
28-b Common cold.
29-a Sterilisation kills spores.
30-c Critical items.

6 National Programmes – Communicable Diseases

Level 1 – Direct

1. World TB Day –
   (a) 1 Dec (b) 7 April (c) 24 March (d) 30 Jan
2. NTEP me TB ka upfront diagnostic test –
   (a) Mantoux (b) Sputum smear only (c) NAAT (CBNAAT/ Truenat) (d) Widal
3. Drug-sensitive TB regimen –
   (a) 2HR + 4H (b) 9 months HRZE (c) 6 months INH only (d) 2HRZE + 4HRE
4. INH ka side effect –
   (a) Ototoxicity (b) Peripheral neuropathy (c) Gout (d) Optic neuritis
5. Ethambutol ka side effect –
   (a) Orange urine (b) Optic neuritis (c) Deafness (d) Neuropathy
6. Ni-kshay Poshan Yojana ki rashi (2024 ke baad) –
   (a) ₹1,000/month (b) ₹5,000 once (c) ₹500/month (d) ₹2,000/month
7. Leprosy me sabse common thickened nerve –
   (a) Median (b) Radial (c) Ulnar (d) Facial
8. PB leprosy – skin lesions –
   (a) 0 only (b) 1–5 (c) 6–10 (d) > 10
9. MB leprosy MDT duration –
   (a) 6 months (b) 24 months (c) 12 months (d) Lifelong
10. Clofazimine ka side effect –
    (a) Skin pigmentation (b) Hepatitis (c) Hearing loss (d) Bleeding
11. Anti-Leprosy Day –
    (a) 24 March (b) 25 April (c) 28 July (d) 30 January
12. Dengue ka vector –
    (a) Anopheles (b) Sandfly (c) Culex (d) Aedes aegypti
13. Filaria vector (bancroftian) –
    (a) Culex quinquefasciatus (b) Aedes (c) Mansonia only (d) Anopheles
14. Kala-azar vector –
    (a) Housefly (b) Mite (c) Tick (d) Sandfly
15. JE me amplifier host –
    (a) Cattle (b) Rats (c) Pigs (d) Dogs
16. NACO kab bana?
    (a) 1986 (b) 1992 (c) 2002 (d) 2017
17. HIV ke UNAIDS targets –
    (a) 50-50-50 (b) 70-70-70 (c) 90-90-90 / now 95-95-95 (d) 100-100-100

18. World Rabies Day –
(a) 1 December (b) 7 April (c) 16 May (d) 28 September

? Level 2 – Priority & Application

19. Kutte ke kaatne ke baad first aid –
(a) Tight bandage (b) Turant stitch (c) Wound ko soap & running water se 15 min dhona (d) Haldi/ chilli

20. Gaon me cooler/ tanki me larvae mile. Kaunsi bimari ka khatra?
(a) Malaria (Anopheles) (b) Filaria (c) Dengue (Aedes) (d) Kala-azar

21. Filaria ke liye blood smear kab lein?
(a) Subah 8 baje (b) Kabhi bhi (c) Raat 10 PM – 2 AM (nocturnal periodicity) (d) Dopahar

22. Category III dog bite (bleeding wound) –
(a) Kuch nahi (b) Sirf antibiotic (c) Vaccine + RIG (d) Sirf vaccine

23. Needle-stick injury (HIV +ve source) ke baad PEP kab tak?
(a) 7 din (b) PEP nahi (c) 1 mahina (d) 72 ghante ke andar, best 2 ghante

24. TB patient ko rifampicin ke baare me batana –
(a) Urine orange-red ho sakta hai, normal hai (b) Kidney failure (c) Blood in urine (d) Dawa band karo

25. Dengue patient ko bukhar me –
(a) Aspirin (b) Paracetamol (c) Diclofenac (d) Ibuprofen

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

26. Match: P. Dengue Q. Filaria R. Kala-azar S. Malaria — with 1. Anopheles 2. Sandfly 3. Culex 4. Aedes
(a) P-4, Q-3, R-2, S-1 (b) P-4, Q-2, R-3, S-1 (c) P-1, Q-3, R-2, S-4 (d) P-3, Q-4, R-2, S-1

27. Leprosy ke cardinal signs me NAHI hai –
(a) High fever (b) Anaesthetic hypopigmented patch (c) AFB in slit-skin smear (d) Thickened nerve

28. Assertion (A): Pyridoxine INH ke saath dete hain. Reason (R): INH se pyridoxine deficiency hokar peripheral neuropathy hoti hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

29. NCVBDC ki 6 bimariyon me NAHI hai –
(a) Chikungunya (b) Malaria (c) JE (d) Tuberculosis

30. Larvivorous fish –
(a) Catla (b) Shark (c) Rohu (d) Gambusia

✓ Answer Key & Explanation

1-c 24 March.
2-c NAAT.
3-d 2HRZE + 4HRE.
4-b Neuropathy.
5-b Optic neuritis.
6-a ₹1,000.
7-c Ulnar.
8-b 1–5.
9-c 12 months.
10-a Pigmentation.
11-d 30 Jan.
12-d Aedes.
13-a Culex.
14-d Sandfly.
15-c Pigs.
16-b 1992.
17-c 95-95-95.
18-d 28 Sept.
19-c Wound washing.
20-c Aedes – clean water.

21-c Night.
22-c Vaccine + RIG.
23-d ≤ 72 hrs.
24-a Orange urine normal.
25-b Paracetamol.
26-a Sahi.
27-a Fever not cardinal.
28-a Dono sahi, R reason hai.
29-d TB – NTEP.
30-d Gambusia.

7 NCD & Other National Programmes

Level 1 – Direct

1. NPCDCS ka naya naam –
   (a) NVHCP (b) NTEP (c) NHM (d) NP-NCD
2. NCD population-based screening kis age se?
   (a) 18 yrs (b) 30 yrs (c) 40 yrs (d) 60 yrs
3. CBAC form kaun bharti hai?
   (a) Doctor (b) Pharmacist (c) ASHA (d) Patient alone
4. VIA test me kya use hota hai?
   (a) Lugol's iodine (b) KOH (c) Saline (d) 3–5 % acetic acid
5. India me blindness ka leading cause –
   (a) Trachoma (b) Glaucoma (c) Cataract (d) Vitamin A deficiency
6. NPCB kab shuru hua?
   (a) 1962 (b) 1976 (c) 1982 (d) 1992
7. NMHP kab shuru hua?
   (a) 1976 (b) 1982 (c) 1996 (d) 2017
8. Tele-MANAS helpline –
   (a) 108 (b) 1075 (c) 1098 (d) 14416
9. COTPA kis saal?
   (a) 1995 (b) 2003 (c) 2007 (d) 2019
10. Public place par smoking ban – COTPA section –
    (a) Section 4 (b) Section 5 (c) Section 6 (d) Section 7
11. Educational institution se kitni doori tak tobacco bechna mana?
    (a) 1 km (b) 50 m (c) 100 yards (d) 500 m
12. World No Tobacco Day –
    (a) 1 Dec (b) 5 June (c) 7 April (d) 31 May
13. NPHCE kab?
    (a) 2007 (b) 2010 (c) 2013 (d) 2018
14. Consumer level par iodised salt –
    (a) 5 ppm (b) 15 ppm (c) 30 ppm (d) 50 ppm
15. Fluorosis kis level ke upar?
    (a) 0.5 mg/L (b) 1.5 mg/L (c) 5 mg/L (d) 10 mg/L
16. Defluoridation technique –
    (a) Horrock (b) Berkefeld (c) Pasteur (d) Nalgonda
17. RPwD Act 2016 me disabilities –
    (a) 7 (b) 14 (c) 21 (d) 25
18. World Health Day –
    (a) 1 July (b) 7 April (c) 10 Oct (d) 12 May

Level 2 – Priority & Application

19. AAM par 45 saal ki mahila ka screening me kya karenge?
(a) Sirf X-ray (b) Sirf BP (c) BP, sugar, oral, breast (CBE) & cervical (VIA) screening (d) MRI

20. Shop owner school ke paas cigarette bech raha hai. Kis Act ka violation?
(a) PCPNDT (b) MTP Act (c) COTPA (d) FSS Act

21. 65 saal ke elderly ke liye kaunsa programme?
(a) RBSK (b) RKSK (c) JSY (d) NPHCE

22. Gaon me bachchon ke daant par dhabbe aur ghutne tede (genu valgum). Suspect –
(a) Iodine deficiency (b) Fluorosis (c) Scurvy (d) Rickets only

23. Goitre aur cretinism wale area me nurse kya promote kare?
(a) Fluoride water (b) Iodised salt (c) Iron (d) Vitamin C

24. Mental Healthcare Act 2017 ke anusar suicide attempt –
(a) Police case only (b) Ignore (c) Punishable crime (d) Severe stress maana jayega – care & rehabilitation

Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. Match: P. NPCB Q. NMHP R. NPHCE S. NIDDCP — with 1. 1992 2. 2010 3. 1982 4. 1976
(a) P-3, Q-4, R-2, S-1 (b) P-1, Q-3, R-2, S-4 (c) P-4, Q-2, R-3, S-1 (d) P-4, Q-3, R-2, S-1

26. Match the day: P. World TB Day Q. World AIDS Day R. World Malaria Day S. International Nurses Day — with 1. 12 May 2. 25 April 3. 1 December 4. 24 March
(a) P-3, Q-4, R-2, S-1 (b) P-4, Q-2, R-3, S-1 (c) P-4, Q-3, R-2, S-1 (d) P-1, Q-3, R-2, S-4

27. Assertion (A): Iodised salt production par 30 ppm aur consumer par 15 ppm hota hai. Reason (R): Storage aur transport me iodine loss hota hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

28. NCD ke modifiable risk factors me NAHI –
(a) Age (b) Unhealthy diet (c) Tobacco (d) Physical inactivity

29. Blindness (WHO) ki definition –
(a) VA < 3/60 better eye (b) VA < 6/9 (c) VA < 6/6 (d) VA < 6/18

30. RPwD benchmark disability –
(a) ≥ 20 % (b) ≥ 40 % (c) ≥ 60 % (d) ≥ 80 %

Answer Key & Explanation

1-d NP-NCD (2023).
2-b ≥ 30 yrs.
3-c ASHA.
4-d Acetic acid.
5-c Cataract.
6-b 1976.
7-b 1982.
8-d 14416.
9-b 2003.
10-a Section 4.
11-c 100 yards.
12-d 31 May.
13-b 2010.
14-b 15 ppm.
15-b > 1.5 mg/L.
16-d Nalgonda.
17-c 21.
18-b 7 April.
19-c NCD screening package.
20-c COTPA Section 6(b).
21-d NPHCE.
22-b Fluorosis.
23-b Iodised salt.
24-d Section 115 – presumed severe stress.
25-d Sahi.
26-c Sahi.

27-a Dono sahi, R reason hai.
28-a Age – non-modifiable.
29-a < 3/60.
30-b ≥ 40 %.

8 RMNCH+A, Family Welfare & Population

Level 1 – Direct

1. RMNCH+A kab launch hua?
   (a) 2005 (b) 2011 (c) 2013 (d) 2018
2. RMNCH+A ka core concept –
   (a) Vertical programmes (b) Curative only (c) Continuum of care (d) Hospital only
3. Minimum ANC visits (India) –
   (a) 2 (b) 3 (c) 4 (d) 8
4. JSSK me normal delivery ke liye free diet –
   (a) 1 day (b) 3 days (c) 7 days (d) 10 days
5. PMSMA kis din?
   (a) 1st (b) Last Saturday (c) 15th (d) 9th of every month
6. PMMVY me pehle bachche ke liye –
   (a) ₹6,000 (b) ₹1,400 (c) ₹10,000 (d) ₹5,000
7. India ka national family planning programme –
   (a) 1947 (b) 1952 (c) 1977 (d) 2000
8. India me sabse popular contraceptive method –
   (a) OCP (b) Condom (c) Female sterilisation (d) IUCD
9. Antara –
   (a) IUCD (b) Condom (c) Weekly pill (d) DMPA injection 3-monthly
10. Chhaya –
    (a) Centchroman (non-steroidal pill) (b) Implant (c) DMPA (d) Vaginal ring
11. Cu-T 380A ki life –
    (a) 3 yrs (b) 5 yrs (c) 10 yrs (d) 12 yrs
12. NSV ke baad backup contraception –
    (a) 1 week (b) 1 year (c) 3 months (d) Not needed
13. MTP Act amendment –
    (a) 2002 (b) 2017 (c) 2021 (d) 2023
14. PCPNDT Act –
    (a) 1971 (b) 1994 (c) 2005 (d) 2013
15. RKSK peer educators –
    (a) Sakhi (b) Mitra (c) Saathiya (d) Sahiyar
16. Maternity Benefit (Amendment) Act 2017 me leave –
    (a) 12 weeks (b) 18 weeks (c) 26 weeks (d) 52 weeks
17. World Population Day –
    (a) 1 Dec (b) 5 June (c) 7 April (d) 11 July
18. RBSK ke 4 D's me NAHI –
    (a) Diseases (b) Defects at birth (c) Drugs (d) Deficiencies

Level 2 – Priority & Application

19. Village me 17 saal ki pregnant girl. Nurse kaise classify kare?
(a) Normal (b) Low risk (c) High-risk pregnancy (d) Not pregnant

20. Breastfeeding mother (2 months PP) ke liye suitable method –
(a) Estrogen pill (b) No method needed ever (c) Combined OCP (d) LAM/ PPIUCD/ condom/ POP

21. Delivery ke 24 hrs baad mother ko IUCD chahiye. Option –
(a) PPIUCD (48 hrs ke andar possible) (b) 6 months wait (c) Only after 1 yr (d) Never

22. Ek couple ne 4 din pehle unprotected intercourse kiya. Best option –
(a) E-pill only 72 hrs (b) Wait (c) Cu-IUCD within 5 days (d) Condom now

23. Mother ko JSY ka cash milta hai jab –
(a) Ghar par delivery (b) Private clinic without registration (c) Institutional delivery (d) Sirf 3rd child

24. ANM eligible couple register kab update karti hai?
(a) Kabhi nahi (b) 5 saal me (c) Har mahine (d) Har saal April me

Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. Match: P. JSY Q. JSSK R. PMSMA S. PMMVY — with 1. 9th of month ANC 2. Cash for institutional delivery 3. ₹5,000 maternity benefit 4. Free entitlements incl. transport
(a) P-2, Q-1, R-4, S-3 (b) P-2, Q-4, R-1, S-3 (c) P-4, Q-2, R-1, S-3 (d) P-3, Q-4, R-1, S-2

26. Spacing method NAHI hai –
(a) Tubectomy (b) IUCD (c) Condom (d) OCP

27. Assertion (A): MTP Amendment 2021 me 20–24 hafte tak kuch special categories ke liye abortion allowed hai. Reason (R): Rape survivors, minors jaisi vulnerable women ko der se pregnancy ka pata chalta hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

28. RKSK ke themes me NAHI –
(a) Geriatric care (b) Substance misuse (c) Nutrition (d) Mental health

29. JSSK ki entitlement NAHI hai –
(a) Free transport (b) Free diet (c) Cash ₹10,000 to family (d) Free drugs

30. Unmet need ka matlab –
(a) Sab women (b) Infertile women (c) Women jo pregnancy avoid karna chahti hain par contraception use nahi kar rahi (d) Pregnant women

Answer Key & Explanation

1-c 2013.
2-c Continuum of care.
3-c 4.
4-b 3 days.
5-d 9th.
6-d ₹5,000.
7-b 1952.
8-c Female sterilisation.
9-d DMPA.
10-a Centchroman.
11-c 10 yrs.
12-c 3 months.
13-c 2021.
14-b 1994.
15-c Saathiya.
16-c 26 weeks.
17-d 11 July.
18-c Drugs nahi – developmental delays.
19-c Age < 18 – HRP.
20-d Non-estrogen methods.

21-a PPIUCD.
22-c Cu-IUCD 5 days.
23-c Institutional delivery.
24-d April.
25-b Sahi.
26-a Tubectomy – terminal.
27-a Dono sahi, R reason hai.
28-a Geriatric – NPHCE.
29-c JSSK cashless – no cash.
30-c Unmet need definition.

9 Community Nutrition

Level 1 – Direct

1. 1 g fat se kitni energy?
   (a) 4 kcal (b) 7 kcal (c) 9 kcal (d) 12 kcal
2. Reference protein –
   (a) Meat (b) Egg (c) Soybean (d) Milk
3. Pregnancy (2nd–3rd trimester) me extra energy (ICMR) –
   (a) +150 kcal (b) +350 kcal (c) +600 kcal (d) +1000 kcal
4. NIN kahan hai?
   (a) Mumbai (b) Delhi (c) Kolkata (d) Hyderabad
5. Asian cut-off me obesity BMI –
   (a) ≥ 23 (b) ≥ 25 (c) ≥ 30 (d) ≥ 35
6. ICDS kab shuru hua?
   (a) 2 Oct 1975 (b) 15 Aug 1980 (c) 1995 (d) 2005
7. ICDS ki services –
   (a) 4 (b) 6 (c) 8 (d) 12
8. ICDS me 6 m–6 yr bachche ko supplementary nutrition –
   (a) 300 kcal, 8 g protein (b) 500 kcal, 12–15 g protein (c) 800 kcal, 25 g (d) 1000 kcal
9. Mid-day meal ka naya naam –
   (a) POSHAN Abhiyaan (b) PM POSHAN (c) Saksham Anganwadi (d) Annapurna
10. POSHAN Abhiyaan launch –
    (a) 2 Oct 2014 (b) 8 March 2018, Jhunjhunu (c) 15 Aug 2019 (d) 26 Jan 2015
11. Poshan Maah –
    (a) June (b) September (c) March (d) December
12. National Food Security Act –
    (a) 2006 (b) 2013 (c) 2016 (d) 2020
13. Lathyrism kis se?
    (a) Aflatoxin (b) Kesari dal (c) Ergot (d) Argemone oil
14. Epidemic dropsy –
    (a) Metanil yellow (b) Lead (c) Kesari dal (d) Argemone oil
15. Aflatoxin se –
    (a) Lathyrism (b) Night blindness (c) Goitre (d) Liver cancer
16. Pasteurisation ki adequacy check karne ka test –
    (a) Horrock (b) OT test (c) Phosphatase test (d) Methylene blue
17. Sabse fatal food poisoning –
    (a) Salmonella (b) Staph aureus (c) B. cereus (d) Botulism
18. FSSAI kis Act ke under?
    (a) PFA 1954 (b) FSS Act 2006 (c) COTPA 2003 (d) ESI 1948

Level 2 – Priority & Application

19. Nurse gaon me bachchon ka nutrition assess karti hai. Chronic malnutrition indicator –
(a) Weight-for-height (b) Weight only (c) Height-for-age (stunting) (d) MUAC

20. Anganwadi me bachche ki growth curve flat ho rahi hai. Action –
(a) Wait 1 year (b) Discharge (c) Counsel mother, check illness, refer if needed (d) Ignore

21. Iron absorption badhane ke liye advice –
(a) Khane ke saath chai (b) Doodh ke saath (c) Vitamin C (nimbu, amla) ke saath (d) Calcium ke saath

22. Haldi me peela colour (metanil yellow) adulteration – health risk –
(a) Goitre (b) Carcinogenic / liver damage (c) Night blindness (d) Rickets

23. Shaadi me khana khane ke 2–4 ghante baad vomiting – suspected organism –
(a) Cholera (b) Staph aureus (preformed toxin) (c) Botulism (d) Salmonella

24. Dietary survey ka simple method –
(a) 24-hour recall (b) CT scan (c) Blood culture (d) Bone biopsy

Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. 70 kg, 1.75 m vyakti ka BMI –
(a) 20.2 (b) 22.9 (c) 25.1 (d) 28.0

26. Match: P. Kesari dal Q. Argemone R. Aflatoxin S. Ergot — with 1. Gangrene 2. Liver cancer 3. Epidemic dropsy 4. Lathyrism
(a) P-4, Q-2, R-3, S-1 (b) P-4, Q-3, R-2, S-1 (c) P-3, Q-4, R-2, S-1 (d) P-1, Q-3, R-2, S-4

27. Assertion (A): Cereal aur pulse saath khane se protein quality badhti hai. Reason (R): Pulses me lysine aur cereals me methionine hota hai (mutual supplementation).
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

28. Nutritional assessment ke ABCD me NAHI –
(a) Anthropometry (b) Drug history only (c) Biochemical (d) Clinical

29. ICDS beneficiaries me NAHI –
(a) Lactating mothers (b) Elderly men (c) Children 0–6 yrs (d) Pregnant women

30. PM POSHAN me primary class bachche ko –
(a) 300 kcal, 8 g (b) 450 kcal, 12 g protein (c) 700 kcal, 20 g (d) 1000 kcal

Answer Key & Explanation

1-c 9 kcal.
2-b Egg.
3-b +350.
4-d Hyderabad.
5-b ≥ 25.
6-a 2 Oct 1975.
7-b 6.
8-b 500 kcal, 12–15 g.
9-b PM POSHAN.
10-b Jhunjhunu.
11-b September.
12-b 2013.
13-b Kesari dal.
14-d Argemone.
15-d Liver cancer.
16-c Phosphatase.
17-d Botulism.
18-b FSS Act 2006.
19-c Stunting.
20-c Counsel & act.
21-c Vitamin C.
22-b Carcinogen.
23-b Staph – short IP.
24-a 24-hr recall.
25-b 70/3.0625 = 22.9.
26-b Sahi.

27-a Dono sahi, R reason hai.
28-b D = dietary survey.
29-b Elderly men nahi.
30-b 450 kcal, 12 g.

10 Environmental Health & Sanitation

Level 1 – Direct

1. Slow sand filter ka "heart" –
   (a) Vital layer (Schmutzdecke) (b) Supernatant (c) Gravel (d) Under-drain
2. Rapid sand filter ki cleaning –
   (a) Scraping (b) Replacing sand (c) Backwashing (d) Burning
3. Chlorination ke 1 hr baad residual chlorine –
   (a) 0.1 mg/L (b) 0.5 mg/L (c) 2 mg/L (d) 5 mg/L
4. Chlorine demand ke liye –
   (a) Phosphatase (b) Horrock's apparatus (c) OT test (d) Kata thermometer
5. Residual chlorine test –
   (a) Benedict (b) Horrock's (c) Orthotolidine test (d) Widal
6. Bleaching powder me available chlorine –
   (a) 10 % (b) 33 % (c) 60 % (d) 100 %
7. Faecal contamination ka indicator –
   (a) E. coli / coliforms (b) Staph (c) Strep (d) Candida
8. Blue baby syndrome –
   (a) Lead (b) Arsenic (c) Nitrates (d) Fluoride
9. Temporary hardness remove hoti hai –
   (a) Filtration only (b) Freezing (c) Boiling (d) Chlorination
10. Jal Jeevan Mission me per person per day –
    (a) 40 L (b) 55 L (c) 100 L (d) 200 L
11. Latrine aur well ke beech kam se kam doori –
    (a) 5 m (b) 15 m (c) 50 m (d) 100 m
12. India ODF kab declare hua?
    (a) 2 Oct 2019 (b) 15 Aug 2017 (c) 2 Oct 2014 (d) 26 Jan 2020
13. Sewage ke organic pollution ka measure –
    (a) Hardness (b) pH (c) Turbidity (d) BOD
14. Bade shehar ke refuse ka best disposal –
    (a) Sanitary landfill (b) Open dumping (c) Burying in backyard (d) River
15. BMW Rules –
    (a) 1998 (b) 2005 (c) 2016 (d) 2020
16. Untreated BMW max storage –
    (a) 1 week (b) 24 hrs (c) 48 hrs (d) 72 hrs
17. Hearing loss kitne dB ke upar lambe exposure se?
    (a) 40 (b) 60 (c) 85 (d) 150
18. Plague ka vector –
    (a) Louse (b) Rat flea (c) Mite (d) Tick

Level 2 – Priority & Application

19. Used IV set aur catheter kis bag me?
(a) Yellow (b) Black (c) Blue (d) Red

20. Placenta / anatomical waste –
(a) White (b) Yellow (c) Blue (d) Red

21. Used needles –
(a) Red bag (b) Blue box (c) White translucent puncture-proof container (d) Black bag

22. Broken ampoules / glass vials –
(a) General waste (b) Blue cardboard box (c) Red (d) Yellow

23. Flood ke baad gaon ke kuwein ka disinfection – best –
(a) Alum only (b) Bleaching powder (Horrock's test ke anusar) (c) Kerosene (d) Lime

24. Household level par paani ko safe karne ka best tarika –
(a) Matka (b) Kapde se chhaan na (c) Boiling (d) Dhoop me rakhna only

25. Kala-azar control me spraying kahan?
(a) Roof only (b) River (c) Fields (d) Mud walls ki daraar (sandfly resting)

Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

26. Match: P. Plague Q. KFD R. Scrub typhus S. Epidemic typhus — with 1. Louse 2. Mite 3. Tick 4. Rat flea
(a) P-3, Q-4, R-2, S-1 (b) P-4, Q-3, R-2, S-1 (c) P-1, Q-3, R-2, S-4 (d) P-4, Q-2, R-3, S-1

27. Slow vs rapid sand filter – slow sand filter ka feature NAHI –
(a) Coagulation with alum essential (b) Bacterial removal 99.9 % (c) Vital layer (d) Scraping

28. Assertion (A): Chlorinated plastic bags BMW me phase out kiye gaye. Reason (R): Inhe jalane par dioxins bante hain.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

29. Ek well ka diameter 2 m, paani ki gehrai 3 m. Volume approx ($\pi r^2 h$) –
(a) 3.14 m^3 (b) 9.42 m^3 (c) 12.56 m^3 (d) 37.7 m^3

30. Water-borne disease NAHI hai –
(a) Cholera (b) Malaria (c) Hepatitis A (d) Typhoid

Answer Key & Explanation

1-a Vital layer.
2-c Backwashing.
3-b 0.5 mg/L.
4-b Horrock's.
5-c OT test.
6-b 33 %.
7-a Coliforms.
8-c Nitrates.
9-c Boiling.
10-b 55 L.
11-b 15 m.
12-a 2 Oct 2019.
13-d BOD.
14-a Sanitary landfill.
15-c 2016.
16-c 48 hrs.
17-c 85 dB.
18-b Rat flea.
19-d Red – recyclable plastic.
20-b Yellow.
21-c White.
22-b Blue.
23-b Bleaching powder.
24-c Boiling.
25-d Mud wall cracks.
26-b Sahi.

27-a Alum – rapid sand.
28-a Dono sahi, R reason hai.
29-b $3.14 \times 1^2 \times 3 = 9.42\ m^3$.
30-b Malaria – vector-borne.

11 Occupational Health

Level 1 – Direct

1. Father of occupational medicine –
   (a) Ramazzini (b) Pott (c) Hippocrates (d) John Snow
2. Sabse common aur serious pneumoconiosis –
   (a) Siderosis (b) Silicosis (c) Anthracosis (d) Byssinosis
3. Silicosis kis disease ka risk badhata hai?
   (a) Hepatitis (b) Tuberculosis (c) Malaria (d) Diabetes
4. Byssinosis –
   (a) Sugarcane (b) Cotton dust (c) Asbestos (d) Coal dust
5. Bagassosis –
   (a) Sugarcane fibre (b) Coal (c) Cotton (d) Iron
6. Mesothelioma –
   (a) Asbestos (b) Silica (c) Lead (d) Coal
7. Farmer's lung –
   (a) Coal (b) Iron (c) Mouldy hay (d) Cotton
8. Sabse common occupational metal poisoning –
   (a) Lead (b) Arsenic (c) Chromium (d) Mercury
9. Lead poisoning ka gum sign –
   (a) Koplik spots (b) Bitot spots (c) Gingival hypertrophy (d) Burtonian blue line
10. Bladder cancer kis occupational agent se?
    (a) Vinyl chloride (b) Aniline dyes (c) Benzene (d) Asbestos
11. Benzene se –
    (a) Leukaemia (b) Mesothelioma (c) Bladder cancer (d) Skin cancer
12. Bhopal gas tragedy ka gas –
    (a) Methyl isocyanate (b) Ammonia (c) Chlorine (d) CO
13. ESI Act kis saal?
    (a) 1923 (b) 1948 (c) 1961 (d) 2020
14. ESI wage ceiling –
    (a) ₹21,000 (b) ₹10,000 (c) ₹15,000 (d) ₹50,000
15. ESI me employer contribution –
    (a) 0.75 % (b) 3.25 % (c) 5 % (d) 10 %
16. ESI sickness benefit –
    (a) 70 % wages up to 91 days (b) 100 % for 1 year (c) 50 % wages, 30 days (d) No cash
17. Factories Act me crèche jab women workers –
    (a) ≥ 10 (b) ≥ 30 (c) ≥ 100 (d) ≥ 250
18. NIOH kahan hai?
    (a) Ahmedabad (b) Chennai (c) Mumbai (d) Delhi

Level 2 – Priority & Application

19. Stone quarry workers ke liye sabse effective preventive measure –
(a) Vitamins (b) Sirf masks (c) Wet drilling / dust suppression (engineering control) (d) Antibiotics

20. Naukri shuru karne se pehle medical exam –
(a) Exit (b) Not needed (c) Periodic (d) Pre-placement examination

21. Battery factory worker ko abdominal colic, anaemia, wrist drop. Suspect –
(a) Lead poisoning (b) Silicosis (c) TB (d) Asthma

22. PPE kis level ka control hai?
(a) Engineering control (b) Last line of defence (c) Not useful (d) First choice

23. Textile mill worker ko Monday ko chest tightness. Suspect –
(a) Silicosis (b) Anthracosis (c) Byssinosis (d) Asbestosis

24. Health care workers me needle-stick se sabse zyada transmission –
(a) Hepatitis C (b) TB (c) Hepatitis B (d) HIV

Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. Match: P. Silicosis Q. Anthracosis R. Asbestosis S. Siderosis — with 1. Iron 2. Asbestos 3. Coal 4. Silica
(a) P-4, Q-3, R-2, S-1 (b) P-3, Q-4, R-2, S-1 (c) P-1, Q-3, R-2, S-4 (d) P-4, Q-2, R-3, S-1

26. ESI benefits me NAHI –
(a) Sickness (b) Housing loan (c) Medical (d) Maternity

27. Assertion (A): Substitution occupational hazard control ka best tareeka hai. Reason (R): Isse hazard source hi khatam/kam ho jata hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

28. Hierarchy of controls ka sahi order (most → least effective) –
(a) PPE first (b) Elimination > substitution > engineering > administrative > PPE (c) PPE > engineering (d) Administrative > elimination

29. Factories Act me weekly working hours –
(a) 40 (b) 48 (c) 56 (d) 60

30. First occupational cancer (chimney sweeps) ka description –
(a) Snow – cholera (b) Percival Pott – scrotal cancer (soot) (c) Koch – TB (d) Ramazzini – lung

Answer Key & Explanation

1-a Ramazzini.
2-b Silicosis.
3-b TB.
4-b Cotton.
5-a Sugarcane.
6-a Asbestos.
7-c Mouldy hay.
8-a Lead.
9-d Burtonian line.
10-b Aniline dyes.
11-a Leukaemia.
12-a MIC.
13-b 1948.
14-a ₹21,000.
15-b 3.25 %.
16-a 70 %, 91 days.
17-b ≥ 30.
18-a Ahmedabad.
19-c Engineering control.
20-d Pre-placement.
21-a Lead.
22-b Last line.
23-c Byssinosis.
24-c HBV (~30 %).

25-a Sahi.
26-b Not an ESI benefit.
27-a Dono sahi, R reason hai.
28-b Hierarchy.
29-b 48 hrs.
30-b Percival Pott.

12 Health Education & Communication

Level 1 – Direct

1. Health education ka main aim –
(a) Punishment (b) Knowledge, attitude, practice (KAP) me badlav (c) Sirf information (d) Drug distribution

2. Behaviour change ke liye sabse effective approach –
(a) Posters (b) Individual (personal contact) (c) Mass media (d) Radio

3. Group discussion me members –
(a) 2–4 (b) 6–12 (c) 20–30 (d) 50+

4. Experts audience ke saamne discuss karte hain –
(a) Symposium (b) Panel discussion (c) Lecture (d) Workshop

5. Experts ki series of speeches, aapas me discussion nahi –
(a) Panel (b) Group discussion (c) Symposium (d) Role play

6. Lecture ki ideal duration –
(a) 2 hrs (b) 5 min (c) 15–20 min (d) 60 min

7. ORS banana sikhane ka best method –
(a) Poster (b) Lecture (c) Demonstration (d) Radio

8. Sabse common visual aid –
(a) Film (b) Flannel graph (c) Chalkboard (d) Model

9. Edgar Dale's cone me sabse concrete –
(a) Pictures (b) Radio (c) Verbal symbols (d) Direct purposeful experience

10. Communication ke elements –
(a) Only message (b) Doctor, nurse (c) Sender, message, channel, receiver, feedback (d) Only sender

11. India me communication ka sabse bada barrier –
(a) Technology (b) Weather (c) Cultural (illiteracy, beliefs) (d) Money

12. FP counselling ka approach –
(a) ABCD (b) SOAP (c) SMART (d) GATHER

13. Rogers ke adoption stages ka pehla stage –
(a) Interest (b) Awareness (c) Trial (d) Adoption

14. "Learning by doing" kis principle se?
(a) Credibility (b) Participation (c) Leaders (d) Feedback

15. Brainstorming me –
(a) Lecture (b) Only expert talks (c) Free ideas, no criticism (d) Written test

16. Philips 66 –
(a) 66 log lecture (b) 6 days workshop (c) 6 experts (d) 6 log, 6 minute discussion

17. Stages of change me pehla –
(a) Preparation (b) Maintenance (c) Pre-contemplation (d) Action

18. IEC ka full form –
(a) Information, Education & Communication (b) International Education Council (c) None (d) Integrated Emergency Care

Level 2 – Priority & Application

19. Gaon ke anpadh logon ko hand washing sikhani hai. Best –
(a) Lecture in English (b) Newspaper (c) Demonstration + practice (return demo) (d) Pamphlet

20. Poster banane ka rule –
(a) Chhote letters (b) Bahut saare message (c) Ek clear message, bade letters, simple picture (d) Sirf text

21. Mother counselling ke dauran nurse ka sabse important skill –
(a) Criticising (b) Fast speaking (c) Active listening & empathy (d) Ordering

22. Smoker kehta hai "chhodne ka socha hai, next month se". Stage –
(a) Pre-contemplation (b) Maintenance (c) Contemplation / preparation (d) Relapse

23. Health worker khud tobacco nahi khata – ye kis principle ka example?
(a) Feedback (b) Comprehension (c) Setting an example (d) Interest

24. Community ke log program me interest nahi le rahe. Nurse kya kare?
(a) Force kare (b) Sirf poster (c) Felt needs se shuru kare, local leaders ko involve kare (d) Program band

Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. Match: P. Panel Q. Symposium R. Workshop S. Role play — with 1. Enact situation 2. Problem-solving series of meetings 3. Series of expert speeches 4. Experts discuss before audience
(a) P-4, Q-2, R-3, S-1 (b) P-3, Q-4, R-2, S-1 (c) P-4, Q-3, R-2, S-1 (d) P-1, Q-3, R-2, S-4

26. Mass media ka feature NAHI –
(a) Awareness create (b) Bahut logon tak (c) One-way (d) Behaviour change me sabse effective

27. Assertion (A): Two-way communication one-way se behtar hai. Reason (R): Isme feedback milta hai aur doubts clear hote hain.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

28. Projected AV aid –
(a) Chalkboard (b) Flannel graph (c) Flash cards (d) LCD / slide projector

29. Health Belief Model ka component NAHI –
(a) Perceived severity (b) Perceived barriers (c) Perceived susceptibility (d) Perceived salary

30. Logon ko yaad rehta hai sabse zyada (Dale) –
(a) Jo bolte aur karte hain (~90 %) (b) Jo dekhte hain (c) Jo padhte hain (d) Jo sunte hain

Answer Key & Explanation

1-b KAP change.
2-b Individual.
3-b 6–12.
4-b Panel.
5-c Symposium.
6-c 15–20 min.
7-c Demonstration.
8-c Chalkboard.
9-d Direct experience.
10-c SMCR + feedback.
11-c Cultural.
12-d GATHER.
13-b Awareness.
14-b Participation.
15-c Free ideas.
16-d 6 × 6.
17-c Pre-contemplation.
18-a IEC.
19-c Demonstration.
20-c Single message.
21-c Active listening.
22-c Contemplation/ preparation.
23-c Setting example.
24-c Felt needs & leaders.

25-c Sahi.
26-d Behaviour change – IPC better.
27-a Dono sahi, R reason hai.
28-d Projected.
29-d Not in HBM.
30-a Say & do.

13 Home Visit, Family Health, Records & Health Team

Level 1 – Direct

1. Community health nursing ki backbone –
   (a) Surgery (b) Lecture (c) Hospital care (d) Home visit
2. Bag technique ka main purpose –
   (a) Time bachana only (b) Cross-infection rokna (c) Medicines bechna (d) Bag sundar rakhna
3. CHN bag kahan rakhna chahiye?
   (a) Floor par (b) Bed par (c) Rogi ki god me (d) Saaf, flat, unchi jagah par newspaper bichha kar
4. Home visit ka pehla step –
   (a) Recording (b) Evaluation (c) Initiation / pre-visit planning (d) Termination
5. Ek din me infectious cases ko kab visit karein?
   (a) Beech me (b) Kabhi bhi (c) Sabse pehle (d) Sabse last me
6. VHSND kahan aur kab?
   (a) Anganwadi monthly (b) CHC daily (c) PHC weekly (d) District yearly
7. Under-5 clinic ka concept –
   (a) Bhore (b) David Morley (c) Winslow (d) John Snow
8. Eligible couple register kab update hota hai?
   (a) Every April (yearly) (b) Never (c) Monthly (d) Every 5 years
9. Record ki characteristic NAHI –
   (a) Legible (b) Confidential (c) Pencil se, erase karke likha (d) Accurate
10. Name-based mother-child tracking ka portal –
    (a) IHIP (b) CoWIN only (c) RCH portal (earlier MCTS) (d) Ni-kshay
11. Gujarat ka tablet-based community health platform –
    (a) Poshan Tracker (b) TeCHO+ (c) ANMOL (d) e-Sanjeevani
12. LHV kise supervise karti hai?
    (a) Surgeons (b) ANMs (c) Pharmacists (d) Doctors
13. AAM sub-centre ka team leader –
    (a) MPW (male) (b) AWW (c) CHO (d) ASHA
14. Pregnant women & sick infants ke liye free ambulance number –
    (a) 102 (b) 104 (c) 181 (d) 1098
15. Family ka basic function NAHI –
    (a) Health care (b) Reproduction (c) Socialisation (d) Tax collection
16. Felt needs ka matlab –
    (a) Doctor ki needs (b) Government ki needs (c) Logon ki khud mehsoos ki gayi zaroorat (d) Professional needs only
17. PRA ka tool –
    (a) Blood test (b) MRI (c) Social mapping, transect walk (d) X-ray

18. Referral system ideally –
(a) Two-way (referral + feedback) (b) One-way (c) No feedback (d) Sirf private

? Level 2 – Priority & Application

19. ANM ke paas aaj ye visits hain – newborn, TB patient (sputum +ve), ANC mother, healthy 3-yr child. Infection control ke hisaab se order –
(a) Child pehle (b) Newborn → ANC → child → TB patient last (c) Random (d) TB patient pehle

20. Ghar pahunch kar nurse ka sabse pehla kaam –
(a) Lecture (b) Greet, introduce, rapport banana, purpose batana (c) Injection lagana (d) Bag kholna

21. Bag kholne se pehle –
(a) Kuch nahi (b) Apron pehle pehnana bina hand wash (c) Rogi ko chhoona (d) Hands wash karna

22. Home visit ke baad dirty articles –
(a) Clean/ disinfect karke hi bag me (b) Phek dena sab (c) Seedha bag me (d) Ghar par chhod dena

23. Record me galti ho gayi. Sahi tarika –
(a) Overwrite (b) Single line se cross karke initials (c) Whitener (d) Page phaadna

24. ASHA ek severely ill bachche ko PHC refer karti hai. Kya saath bheje?
(a) Bill (b) Referral slip (details, findings, treatment) (c) Sirf phone (d) Kuch nahi

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. Match: P. ANM Q. MPW (male) R. LHV S. CHO — with 1. CPHC team leader at AAM 2. Supervises ANMs 3. Vector control, malaria 4. MCH, immunization at SC
(a) P-3, Q-4, R-2, S-1 (b) P-4, Q-3, R-2, S-1 (c) P-1, Q-3, R-2, S-4 (d) P-4, Q-2, R-3, S-1

26. Bag technique principle NAHI hai –
(a) Apron clean side in folded (b) Bag ko rogi ke bed par rakhna (c) Hand washing (d) Clean & dirty articles alag

27. Assertion (A): Home visit me family ko care ka partner banaya jata hai. Reason (R): Family hi rogi ki 24 ghante dekhbhal karti hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

28. Sub-centre par ANM ke register me NAHI –
(a) Hospital OT register (b) Stock register (c) MCH register (d) Eligible couple register

29. Record vs report – sahi kya?
(a) Record oral (b) Dono same (c) Record – permanent account; report – authority ko summary (d) Report permanent

30. Home visit ke principles me NAHI –
(a) Bina appointment, bina plan ke surprise only (b) Flexible (c) Purposeful (d) Planned

✓ Answer Key & Explanation

1-d Home visit.
2-b Cross-infection.
3-d Clean high surface + paper.
4-c Initiation/ planning.
5-d Last.
6-a Anganwadi monthly.
7-b Morley.
8-a April.
9-c Pencil/ erasing wrong.
10-c RCH portal.

11-b TeCHO+.
12-b ANMs.
13-c CHO.
14-a 102.
15-d Tax collection.
16-c Felt needs.
17-c PRA tools.
18-a Two-way.
19-b Infectious last.
20-b Rapport.
21-d Hand wash.
22-a Clean first.
23-b Single line + initials.
24-b Referral slip.
25-b Sahi.
26-b Never on bed.
27-a Dono sahi, R reason hai.
28-a OT register SC par nahi.
29-c Sahi.
30-a Planned visits.

14 Special Groups – School, Urban, Tribal, Elderly, Disabled

Level 1 – Direct

1. India me pehla school medical inspection –
   (a) Madras 1946 (b) Baroda 1909 (c) Delhi 1920 (d) Bombay 1900
2. School Health Committee (1960) chairperson –
   (a) Mudaliar (b) Renuka Ray (c) Bhore (d) Kartar Singh
3. School classroom me per student floor space –
   (a) 5 sq ft (b) 10 sq ft (c) 20 sq ft (d) 50 sq ft
4. Ek class me max students –
   (a) 30 (b) 40 (c) 60 (d) 80
5. School desk ka type –
   (a) Plus desk (b) Minus desk (c) Zero desk (d) Any
6. School Health & Wellness Ambassadors per school –
   (a) All teachers (b) 1 (c) 5 (d) 2 teachers
7. UPHC kitni population par?
   (a) 5,000 (b) 30,000 (c) 50,000 (d) 1,00,000
8. Mahila Arogya Samiti kis programme me?
   (a) ICDS (b) RBSK (c) NTEP (d) NUHM
9. Tribal area me PHC population –
   (a) 10,000 (b) 20,000 (c) 30,000 (d) 50,000
10. India me elderly kise maana jata hai?
    (a) ≥ 50 (b) ≥ 60 (c) ≥ 65 (d) ≥ 70
11. Senior Citizens Act (Maintenance & Welfare) –
    (a) 1999 (b) 2007 (c) 2010 (d) 2016
12. Elder Line number –
    (a) 104 (b) 181 (c) 1098 (d) 14567
13. ADL assessment ka index –
    (a) Apgar (b) Glasgow (c) Bishop (d) Katz index
14. CBR me rehabilitation kis ke through?
    (a) Private only (b) Foreign aid (c) Sirf hospitals (d) Community resources
15. International Day of Older Persons –
    (a) 1 October (b) 3 December (c) 7 April (d) 21 June
16. Women helpline –
    (a) 108 (b) 181 (c) 1075 (d) 1098
17. School children me common problem NAHI –
    (a) Refractive errors (b) Osteoarthritis (c) Dental caries (d) Malnutrition/ anaemia

18. RBSK school children ko kitni baar screen karta hai?
(a) Monthly (b) Never (c) Once a year (d) Every 5 years

? Level 2 – Priority & Application

19. Teacher ki report: bachcha blackboard ka padh nahi pata, aankh sikodta hai. Nurse –
(a) Ignore (b) Vision screening & refer (c) Front seat only forever (d) Punish

20. Elderly ko ghar me fall se bachane ki advice –
(a) Loose carpets (b) High beds without rails (c) Achhi lighting, grab bars, non-slip mats (d) Dim light

21. Tribal area me bachchon me anaemia aur dard ke episodes – screening kis ke liye?
(a) Cataract (b) Sickle cell disease (c) Asthma (d) Diabetes

22. Urban slum me health worker ki shortage – NUHM me kaun?
(a) Army (b) No worker (c) Urban ASHA & MAS (d) Only private

23. Disabled bachche ko school se jodna – principle –
(a) Social inclusion (CBR) (b) Home confinement (c) Institution only (d) Isolation

24. Elderly patient 8 dawaiyan le raha hai, chakkar aata hai. Nurse kya kare?
(a) Medication review (polypharmacy) ke liye refer (b) Ignore (c) Aur dawa (d) Sab band

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. Match: P. School health first Q. NPHCE R. NUHM S. RPwD Act — with 1. 2016 2. 2013 3. 2010 4. 1909
(a) P-4, Q-3, R-2, S-1 (b) P-4, Q-2, R-3, S-1 (c) P-1, Q-3, R-2, S-4 (d) P-3, Q-4, R-2, S-1

26. School environment standard me NAHI –
(a) Separate latrines (b) Factory ke bilkul paas location (c) Safe drinking water (d) Window area 1/4 floor

27. Assertion (A): School health programme se poori community ko fayda hota hai. Reason (R): Bachche health messages ghar tak le jaate hain.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

28. Ek school me 600 students. Norm (1 latrine per 100) ke anusar latrines –
(a) 3 (b) 6 (c) 10 (d) 60

29. Elderly ki common problem NAHI –
(a) Cataract (b) Falls (c) Osteoporosis (d) Neonatal jaundice

30. Ayushman Bharat ke under ≥ 70 saal ke sabhi logon ke liye card –
(a) Ration card (b) Kisan card (c) Aadhaar only (d) Ayushman Vay Vandana card

✓ Answer Key & Explanation

1-b Baroda 1909.
2-b Renuka Ray.
3-b 10 sq ft.
4-b 40.
5-b Minus desk.
6-d 2 teachers.
7-c 50,000.
8-d NUHM.
9-b 20,000.
10-b ≥ 60.
11-b 2007.
12-d 14567.
13-d Katz.
14-d Community resources.
15-a 1 Oct.
16-b 181.
17-b Osteoarthritis – elderly.
18-c Once a year (schools).

19-b Refractive error – refer.
20-c Fall prevention.
21-b Sickle cell.
22-c Urban ASHA & MAS.
23-a Social inclusion.
24-a Medication review.
25-a Sahi.
26-b Away from noise/ industry.
27-a Dono sahi, R reason hai.
28-b 600/100 = 6.
29-d Newborn problem.
30-d Vay Vandana card.

15 Disaster Management & Emergency Services

Level 1 – Direct

1. Disaster Management Act –
   (a) 2001 (b) 2005 (c) 2009 (d) 2016
2. NDMA ke chairman –
   (a) Home Minister (b) President (c) Health Minister (d) Prime Minister
3. SDMA ke chairman –
   (a) Chief Minister (b) Governor (c) Collector (d) Health Secretary
4. DDMA ke chairman –
   (a) District Collector (b) CDHO (c) MLA (d) SP
5. Disaster management ki nodal ministry –
   (a) Defence (b) Health (c) Home Affairs (d) Agriculture
6. Bhuj earthquake –
   (a) 15 Aug 2001 (b) 2 Dec 1984 (c) 26 Jan 2001 (d) 26 Dec 2004
7. GSDMA kab bana?
   (a) 1999 (b) 2001 (c) 2005 (d) 2010
8. Triage ka principle –
   (a) Greatest good for greatest number (b) First come first served (c) VIP first (d) Children only
9. Red tag –
   (a) Minor (b) Immediate (c) Dead (d) Delayed
10. Walking wounded –
    (a) Black (b) Yellow (c) Green (d) Red
11. Black tag –
    (a) Dead / expectant (b) Delayed (c) Minor (d) Immediate
12. START triage me check –
    (a) Blood group (b) Age (c) Respiration, perfusion, mental status (d) Weight
13. Disaster cycle ka pre-disaster phase –
    (a) Rehabilitation (b) Mitigation & preparedness (c) Recovery (d) Response
14. Sendai Framework –
    (a) 2000–15 (b) 2005–15 (c) 2015–30 (d) 2020–40
15. Relief camp me minimum water (Sphere) –
    (a) 5 L (b) 15 L/person/day (c) 50 L (d) 100 L
16. Relief camp me latrine norm –
    (a) 1 per family (b) 1 per 20 persons (c) 1 per 100 (d) 1 per 500
17. 108 service Gujarat me kab?
    (a) 2005 (b) 2007 (c) 2012 (d) 2015

18. Flood ke baad common disease –
(a) Diabetes (b) Cataract (c) Leptospirosis / diarrhoea (d) Silicosis

Level 2 – Priority & Application

19. Mass casualty site par ek vyakti RR 36/min, CRT 4 sec. Tag –
(a) Black (b) Yellow (c) Red (d) Green

20. Ek vyakti chal kar aaya, haath par chhota cut. Tag –
(a) Red (b) Green (c) Black (d) Yellow

21. Relief camp me bachchon ke liye priority vaccine –
(a) Measles (MR) + vitamin A (b) Rabies (c) HPV (d) Typhoid only

22. Disaster ke baad trauma se dukhi logon ke liye nurse –
(a) Sedation all (b) Ignore (c) Psychological first aid – look, listen, link (d) Lecture

23. Disaster se pehle mock drill kis phase me?
(a) Response (b) Recovery (c) Reconstruction (d) Preparedness

24. Flood area me peene ka paani safe banana –
(a) Sugar (b) Direct pani (c) Alum only (d) Chlorine tablets / boiling

Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. Match: P. Mitigation Q. Preparedness R. Response S. Recovery — with 1. Rebuild & rehabilitate 2. Rescue, triage 3. Mock drills, plans 4. Earthquake-resistant buildings
(a) P-4, Q-3, R-2, S-1 (b) P-1, Q-3, R-2, S-4 (c) P-3, Q-4, R-2, S-1 (d) P-4, Q-2, R-3, S-1

26. Man-made disaster NAHI –
(a) Earthquake (b) Building collapse (c) Bhopal gas leak (d) Fire

27. Assertion (A): Dead bodies epidemic ka bada karan nahi hote. Reason (R): Disaster me mare logon me aksar epidemic-causing infections nahi hote.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

28. 1,000 logon ke camp me Sphere ke anusar latrines –
(a) 10 (b) 20 (c) 50 (d) 100

29. Nurse ka disaster role NAHI –
(a) Triage (b) Psychosocial support (c) Political campaigning (d) Disease surveillance

30. 102 ambulance kis ke liye?
(a) Pregnant women & sick infants (JSSK) (b) Fire (c) Cargo (d) Police

Answer Key & Explanation

1-b 2005.
2-d PM.
3-a CM.
4-a Collector.
5-c Home Affairs.
6-c 26 Jan 2001.
7-b 2001.
8-a Greatest good.
9-b Immediate.
10-c Green.
11-a Dead/ expectant.
12-c RPM.
13-b Mitigation & preparedness.
14-c 2015–30.
15-b 15 L.
16-b 1 per 20.
17-b 2007.
18-c Leptospirosis/ diarrhoea.

19-c RR > 30 – red.
20-b Green.
21-a Measles + Vit A.
22-c PFA.
23-d Preparedness.
24-d Chlorination/ boiling.
25-a Sahi.
26-a Earthquake – natural.
27-a Dono sahi, R reason hai.
28-c 1000/20 = 50.
29-c Not a role.
30-a JSSK transport.

16 Health Planning, International Agencies, Insurance & Gujarat Schemes

Level 1 – Direct

1. WHO ki sthapana –
   (a) 7 April 1948 (b) 1945 (c) 1946 (d) 1978
2. WHO headquarters –
   (a) Rome (b) Geneva (c) New York (d) Paris
3. WHO SEARO ka headquarters –
   (a) Manila (b) Delhi (c) Bangkok (d) Cairo
4. UNICEF headquarters –
   (a) Rome (b) Geneva (c) Vienna (d) New York
5. GOBI-FFF kis agency ka?
   (a) ILO (b) UNICEF (c) FAO (d) WHO
6. FAO headquarters –
   (a) Rome (b) Geneva (c) Paris (d) London
7. ILO ki sthapana –
   (a) 1919 (b) 1945 (c) 1948 (d) 1965
8. Red Cross ke founder –
   (a) Clara Barton (b) Henry Dunant (c) Florence Nightingale (d) Lister
9. Indian Red Cross Society –
   (a) 1863 (b) 1920 (c) 1947 (d) 1950
10. CGHS shuru hua –
    (a) 1948 Kanpur (b) 1954 Delhi (c) 1962 Mumbai (d) 1975 Chennai
11. Management functions POSDCORB kisne diya?
    (a) Luther Gulick (b) Peter Drucker (c) Fayol (d) Taylor
12. Network technique for time estimation –
    (a) ABC (b) SWOT (c) VED (d) PERT
13. Inventory control by value –
    (a) ABC analysis (b) CPM (c) PERT (d) VED
14. NITI Aayog ne kise replace kiya?
    (a) Finance Commission (b) ICMR (c) NHM (d) Planning Commission
15. Chiranjeevi Yojana (Gujarat) –
    (a) School meal (b) Ambulance (c) Old age pension (d) Private obstetricians dwara BPL women ki free delivery
16. Khilkhilat –
    (a) School health (b) Mother-newborn drop-back van (c) Insurance (d) Milk scheme
17. Gujarat me PMJAY-MA cover –
    (a) ₹20 lakh (b) ₹5 lakh (c) ₹2 lakh (d) ₹10 lakh

18. Gujarat me Doodh Sanjivani Yojana –
(a) Fortified milk to school children / mothers (tribal) (b) Free ambulance (c) Free spectacles (d) Free medicine

? Level 2 – Priority & Application

19. Planning cycle ka pehla step –
(a) Budget (b) Analysis of health situation (c) Evaluation (d) Implementation

20. "6 mahine me village ki immunization coverage 70 % se 90 % karna" – ye kya hai?
(a) Policy (b) Goal only (c) SMART objective (d) Vision

21. Democratic leadership style ka example –
(a) Punish karna (b) Team se discuss karke decision (c) Akele order dena (d) Kuch na karna

22. PHC store me vaccines aur life-saving drugs ko priority dene ke liye analysis –
(a) ABC (b) PERT (c) VED (vital, essential, desirable) (d) SWOT

23. Gujarat me BPL mother delivery ke baad ghar jaane ke liye –
(a) 104 call (b) Khilkhilat van (c) Taxi voucher (d) Bus pass

24. Project ke strengths, weaknesses dekhne ke liye –
(a) Delphi (b) CPM (c) SWOT analysis (d) ABC

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

25. Match: P. WHO Q. UNICEF R. FAO S. ILO — with 1. Geneva 1919 2. Rome 3. New York 1946 4. Geneva 1948
(a) P-3, Q-4, R-2, S-1 (b) P-1, Q-3, R-2, S-4 (c) P-4, Q-2, R-3, S-1 (d) P-4, Q-3, R-2, S-1

26. GOBI-FFF me NAHI –
(a) Oral rehydration (b) Growth monitoring (c) Breastfeeding (d) Insulin therapy

27. Assertion (A): Monitoring implementation ke dauran hoti hai. Reason (R): Isse activities ko time par track karke corrections kiye ja sakte hain.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

28. Gujarat scheme ka galat jodi –
(a) Khilkhilat – drop-back (b) Mamta Divas – old age pension (c) Bal Sakha – private paediatricians (d) Chiranjeevi – private obstetricians

29. SMART me "T" –
(a) Team (b) Time-bound (c) Target (d) Training

30. WHO ka supreme body –
(a) Executive Board (b) World Health Assembly (c) SEARO (d) Secretariat

✓ Answer Key & Explanation

1-a 7 April 1948.
2-b Geneva.
3-b New Delhi.
4-d New York.
5-b UNICEF.
6-a Rome.
7-a 1919.
8-b Henry Dunant.
9-b 1920.
10-b 1954 Delhi.
11-a Luther Gulick.
12-d PERT.
13-a ABC.
14-d Planning Commission.

15-d Chiranjeevi.
16-b Drop-back.
17-d ₹10 lakh.
18-a Fortified milk.
19-b Situation analysis.
20-c SMART objective.
21-b Democratic.
22-c VED.
23-b Khilkhilat.
24-c SWOT.
25-d Sahi.
26-d Not in GOBI-FFF.
27-a Dono sahi, R reason hai.
28-b Mamta Divas – MCH day.
29-b Time-bound.
30-b WHA.

17 GSSSB Pattern Mock Test – 100 MCQs (Full Community Health Syllabus)



Mock test ke rules

100 questions · 100 marks · 75 minutes (Community Health section ka practice). Galat answer par **−0.25**. Timer lagao, alag kagaz par answer likho, phir answer key se milao.
Score guide: 80+ Excellent · 65–79 Good · 50–64 Weak topics revise karo · < 50 Notes dobara padho.

Mock Test – Part A (1–50)

1. WHO health definition year –
   (a) 1946 (b) 1948 (c) 1978 (d) 1986
2. Most sensitive health indicator –
   (a) MMR (b) CDR (c) IMR (d) CBR
3. Immunization – level of prevention –
   (a) Secondary (b) Primary (c) Tertiary (d) Primordial
4. Screening – level –
   (a) Secondary (b) Tertiary (c) Primordial (d) Primary
5. Iceberg phenomenon –
   (a) Measles (b) Rabies (c) Hypertension (d) Tetanus
6. Father of public health nursing –
   (a) Lillian Wald (b) Winslow (c) William Rathbone (d) Nightingale
7. Bhore Committee –
   (a) 1946 (b) 1962 (c) 1973 (d) 1975
8. Multipurpose worker –
   (a) Chadah (b) Kartar Singh Committee (c) Bhore (d) Mudaliar
9. Alma-Ata –
   (a) 1948 (b) 1978 (c) 1983 (d) 1986
10. SC population (plain) –
    (a) 3,000 (b) 5,000 (c) 10,000 (d) 30,000
11. PHC (plain) –
    (a) 20,000 (b) 30,000 (c) 50,000 (d) 1,20,000
12. CHC beds –
    (a) 6 (b) 30 (c) 50 (d) 100
13. ASHA per –
    (a) 500 (b) 1,000 (c) 5,000 (d) 10,000
14. HWCs renamed –
    (a) Jan Seva Kendra (b) Mamta Ghar (c) Ayushman Arogya Mandir (d) Arogya Kendra
15. PMJAY cover –
    (a) ₹1 lakh (b) ₹2 lakh (c) ₹50,000 (d) ₹5 lakh

16. NRHM –
(a) 1997 (b) 2005 (c) 2013 (d) 2018

17. Father of modern epidemiology –
(a) Graunt (b) Koch (c) John Snow (d) Hippocrates

18. Constant presence of disease –
(a) Sporadic (b) Epidemic (c) Pandemic (d) Endemic

19. P = ?
(a) I + D (b) I / D (c) I × D (d) I − D

20. Killing power –
(a) Prevalence (b) Attack rate (c) SAR (d) Case fatality rate

21. Odds ratio –
(a) RCT (b) Case-control (c) Cross-sectional (d) Cohort

22. Gold standard study –
(a) RCT (b) Case report (c) Ecological (d) Cross-sectional

23. Sensitivity –
(a) TP/(TP+FN) (b) TN/(TN+FN) (c) TN/(TN+FP) (d) TP/(TP+FP)

24. Best measure of dispersion –
(a) Mean (b) Standard deviation (c) Mode (d) Range

25. Mean ± 1 SD –
(a) 50 % (b) 68.3 % (c) 95.4 % (d) 99.7 %

26. Trend over time –
(a) Pie chart (b) Line diagram (c) Pictogram (d) Histogram

27. Father of demography –
(a) Fisher (b) John Graunt (c) Malthus (d) Galton

28. Census interval –
(a) 5 years (b) 10 years (c) 12 years (d) 15 years

29. Birth registration within –
(a) 1 year (b) 7 days (c) 21 days (d) 30 days

30. Replacement TFR –
(a) 1.0 (b) 1.5 (c) 2.1 (d) 3.0

31. Chronic carrier –
(a) Typhoid (b) Influenza (c) Chickenpox (d) Measles

32. Quarantine for –
(a) Animals only (b) Patients (c) Healthy contacts (d) Doctors

33. Malaria in mosquito –
(a) Propagative (b) Cyclo-developmental (c) Cyclo-propagative (d) Mechanical

34. Most effective hospital infection control –
(a) Antibiotics (b) Masks (c) Fumigation (d) Hand washing

35. Blood spill –
(a) Soap (b) 70 % alcohol (c) 1 % hypochlorite (d) Savlon

36. Autoclave –
(a) 63 °C, 30 min (b) 100 °C, 10 min (c) 121 °C, 15 lb, 15–20 min (d) 160 °C, 2 hrs

37. IDSP –
(a) 1997 (b) 2004 (c) 2010 (d) 2015

38. World TB Day –
(a) 1 Dec (b) 7 April (c) 24 March (d) 30 Jan

39. TB regimen –
(a) 9HRZE (b) 6H (c) 2HRZE + 4HRE (d) 2HR + 4H

40. Ethambutol side effect –
(a) Gout (b) Neuropathy (c) Optic neuritis (d) Deafness

41. Leprosy commonest nerve –
(a) Facial (b) Ulnar (c) Radial (d) Median

42. MB leprosy MDT –
(a) 3 months (b) 6 months (c) 12 months (d) 24 months

43. Dengue vector –
(a) Sandfly (b) Culex (c) Anopheles (d) Aedes aegypti

44. Filaria blood smear –
(a) Anytime (b) Noon (c) Morning (d) At night

45. Kala-azar vector –
(a) Mite (b) Tick (c) Sandfly (d) Flea

46. NACO –
(a) 1986 (b) 1992 (c) 2002 (d) 2017

47. Rabies category III –
(a) Antibiotic (b) Vaccine + RIG (c) Nothing (d) Vaccine only

48. NCD screening age –
(a) ≥ 18 (b) ≥ 30 yrs (c) ≥ 40 (d) ≥ 60

49. Leading cause of blindness in India –
(a) Trachoma (b) Glaucoma (c) Diabetes (d) Cataract

50. COTPA public smoking ban –
(a) Section 6 (b) Section 5 (c) Section 4 (d) Section 7

? Mock Test – Part B (51–100)

51. Tele-MANAS –
(a) 108 (b) 181 (c) 1098 (d) 14416

52. Iodised salt (consumer) –
(a) 5 ppm (b) 15 ppm (c) 30 ppm (d) 50 ppm

53. Fluorosis above –
(a) 0.5 mg/L (b) 1.5 mg/L (c) 5 mg/L (d) 10 mg/L

54. RPwD disabilities –
(a) 7 (b) 14 (c) 21 (d) 25

55. World Health Day –
(a) 1 Dec (b) 5 June (c) 7 April (d) 12 May

56. RMNCH+A –
(a) 2000 (b) 2005 (c) 2013 (d) 2018

57. Minimum ANC visits –
(a) 2 (b) 3 (c) 4 (d) 8

58. PMSMA –
(a) 15th (b) Last day (c) 1st (d) 9th of every month

59. India FP programme –
(a) 1947 (b) 1952 (c) 1977 (d) 1983

60. Most popular FP method in India –
(a) OCP (b) Condom (c) IUCD (d) Female sterilisation

61. Antara –
(a) IUCD (b) DMPA 3-monthly (c) Implant (d) Weekly pill

62. PCPNDT –
(a) 1971 (b) 1994 (c) 2005 (d) 2017

63. Fat energy –
(a) 4 kcal/g (b) 7 kcal/g (c) 9 kcal/g (d) 12 kcal/g

64. Reference protein –
(a) Soy (b) Milk (c) Wheat (d) Egg

65. ICDS –
(a) 2 Oct 1975 (b) 1995 (c) 2005 (d) 2013

66. ICDS services –
(a) 4 (b) 6 (c) 8 (d) 12

67. POSHAN Abhiyaan –
(a) 2014 (b) 2016 (c) 2018 (d) 2020

68. Lathyrism –
(a) Aflatoxin (b) Argemone (c) Kesari dal (d) Ergot

69. Pasteurisation test –
(a) Methylene blue (b) Horrock (c) OT (d) Phosphatase

70. Vital layer –
(a) Slow sand filter (b) Septic tank (c) Rapid sand filter (d) Well

71. Residual chlorine –
(a) 0.1 mg/L (b) 0.5 mg/L after 1 hr (c) 2 mg/L (d) 5 mg/L

72. Chlorine demand –
(a) OT test (b) Phosphatase (c) Kata (d) Horrock's apparatus

73. Bleaching powder chlorine –
(a) 10 % (b) 33 % (c) 60 % (d) 100 %

74. Faecal indicator –
(a) Staph (b) E. coli (c) Candida (d) Strep

75. Latrine–well distance –
(a) 5 m (b) 15 m (c) 50 m (d) 100 m

76. BMW Rules –
(a) 1998 (b) 2005 (c) 2016 (d) 2020

77. Anatomical waste bag –
(a) Yellow (b) White (c) Blue (d) Red

78. IV sets / catheters –
(a) Yellow (b) White (c) Red (d) Blue

79. Needles –
(a) Black (b) White translucent container (c) Red (d) Yellow

80. Plague vector –
(a) Tick (b) Louse (c) Mite (d) Rat flea

81. Most serious pneumoconiosis –
(a) Siderosis (b) Silicosis (c) Anthracosis (d) Byssinosis

82. Byssinosis –
(a) Asbestos (b) Coal (c) Cotton (d) Sugarcane

83. Lead poisoning sign –
(a) Kayser ring (b) Bitot spots (c) Koplik spots (d) Burtonian line

84. ESI Act –
(a) 1923 (b) 1948 (c) 1961 (d) 2020

85. NIOH –
(a) Ahmedabad (b) Hyderabad (c) Mumbai (d) Delhi

86. Most effective approach for behaviour change –
(a) Individual (b) Mass media (c) Radio (d) Posters

87. Group discussion size –
(a) 2–3 (b) 6–12 (c) 30–50 (d) 100

88. Experts discuss before audience –
(a) Lecture (b) Symposium (c) Panel discussion (d) Seminar

89. ORS preparation teaching –
(a) Poster (b) Lecture (c) Demonstration (d) Radio

90. Backbone of CHN –
(a) Home visit (b) Lecture (c) Hospital (d) Survey

91. Bag technique purpose –
(a) Storage (b) Save money (c) Decoration (d) Prevent cross-infection

92. VHSND –
(a) Daily at PHC (b) Weekly at CHC (c) Monthly at Anganwadi (d) Yearly

93. First school medical inspection –
(a) Delhi 1920 (b) Bombay 1900 (c) Baroda 1909 (d) Madras 1946

94. Elderly (India) –
(a) ≥ 50 (b) ≥ 60 yrs (c) ≥ 65 (d) ≥ 70

95. DM Act –
(a) 2001 (b) 2005 (c) 2009 (d) 2016

96. NDMA chairman –
(a) President (b) Prime Minister (c) Home Minister (d) CM

97. Red triage tag –
(a) Minor (b) Immediate (c) Dead (d) Delayed

98. WHO HQ –
(a) New York (b) Geneva (c) Rome (d) Paris

99. GOBI-FFF –

(a) UNICEF (b) WHO (c) FAO (d) ILO

100. Chiranjeevi Yojana –

(a) Kerala – pension (b) Delhi – ambulance (c) Gujarat – free delivery by private obstetricians (d) Rajasthan – water

Answer Key – Mock Test (with explanation)

1-b 1948.
2-c IMR.
3-b Primary.
4-a Secondary.
5-c Hypertension.
6-a Lillian Wald.
7-a 1946.
8-b Kartar Singh.
9-b 1978.
10-b 5,000.
11-b 30,000.
12-b 30.
13-b 1,000.
14-c AAM.
15-d ₹5 lakh.
16-b 2005.
17-c John Snow.
18-d Endemic.
19-c I × D.
20-d CFR.
21-b Case-control.
22-a RCT.
23-a TP/(TP+FN).
24-b SD.
25-b 68.3 %.
26-b Line.
27-b Graunt.
28-b 10 yrs.
29-c 21 days.
30-c 2.1.
31-a Typhoid.
32-c Healthy contacts.
33-c Cyclo-propagative.
34-d Hand washing.
35-c Hypochlorite.
36-c 121 °C.
37-b 2004.
38-c 24 March.
39-c 2HRZE + 4HRE.
40-c Optic neuritis.
41-b Ulnar.
42-c 12 months.
43-d Aedes.
44-d Night.
45-c Sandfly.
46-b 1992.
47-b Vaccine + RIG.
48-b ≥ 30.
49-d Cataract.
50-c Section 4.
51-d 14416.
52-b 15 ppm.
53-b 1.5 mg/L.
54-c 21.
55-c 7 April.
56-c 2013.
57-c 4.
58-d 9th.
59-b 1952.
60-d Female sterilisation.
61-b DMPA.
62-b 1994.
63-c 9 kcal.
64-d Egg.
65-a 1975.
66-b 6.
67-c 2018.
68-c Kesari dal.
69-d Phosphatase.
70-a Slow sand.
71-b 0.5 mg/L.
72-d Horrock's.
73-b 33 %.
74-b E. coli.
75-b 15 m.
76-c 2016.
77-a Yellow.
78-c Red.
79-b White.
80-d Rat flea.
81-b Silicosis.
82-c Cotton.
83-d Burtonian line.
84-b 1948.
85-a Ahmedabad.
86-a Individual.
87-b 6–12.
88-c Panel.
89-c Demonstration.
90-a Home visit.

91-d Cross-infection.
92-c Monthly at AWC.
93-c Baroda 1909.
94-b ≥ 60.
95-b 2005.
96-b PM.
97-b Immediate.
98-b Geneva.
99-a UNICEF.
100-c Gujarat.

— Community Health Nursing · GSSSB Staff Nurse Preparation · Padhte raho, revise karte raho! —