
GSSSB · STAFF NURSE EXAM

Anatomy & Physiology MCQ Bank

460 MCQs · GSSSB pattern · Answer key with explanation



13 Sections | 460 MCQs | Direct + Priority + Scenario | Match & Assertion-Reason | Calculations | Explanations

Hinglish explanation + English exam terms



Sister Asha
Aapki Nursing teacher

MCQ Bank – Sections

1. **Introduction, Cell & Tissues**
   30 MCQs · Terminology, planes, cavities, cell organelles, membrane transport, cell division, genetics, tissues, membranes, glands
2. **Skeletal System & Joints**
   30 MCQs · Bones, skull & fontanelles, vertebral column, thorax, limbs, bone cells, joints & movements, calcium
3. **Muscular System**
   30 MCQs · Muscle types, sarcomere, contraction, NMJ, energy, important muscles, IM injection sites
4. **Cardiovascular System**
   30 MCQs · Heart chambers, valves, coronary circulation, conduction, cardiac cycle, heart sounds, ECG, cardiac output, BP regulation, vessels, pulse, fetal circulation
5. **Blood, Lymphatic System & Immunity**
   30 MCQs · Plasma, RBC, Hb, WBC, platelets, coagulation, blood groups, transfusion, lymphatic organs, immunity, antibodies, hypersensitivity
6. **Respiratory System**
   30 MCQs · Nose, sinuses, larynx, trachea, bronchi, lungs, pleura, surfactant, breathing mechanics, lung volumes, gas transport, control & breathing patterns
7. **Digestive System**
   30 MCQs · Mouth, teeth, salivary glands, oesophagus, stomach, intestines, liver, gall bladder, pancreas, enzymes, hormones, absorption
8. **Urinary System, Fluids, Electrolytes & Acid–Base**
   30 MCQs · Kidney, nephron, urine formation, GFR, hormones, bladder, urethra, micturition, body fluids, electrolytes, ABG
9. **Nervous System**
   30 MCQs · Neuron, neuroglia, impulse, neurotransmitters, brain parts, CSF, meninges, spinal cord, reflexes, cranial & spinal nerves, ANS, GCS
10. **Special Senses & Skin**
    30 MCQs · Eye layers, retina, lens, aqueous humour, refractive errors, ear & hearing, balance, smell, taste, skin layers, glands, temperature regulation
11. **Endocrine System**
    30 MCQs · Hypothalamus, pituitary, thyroid, parathyroid, adrenal, pancreas, pineal, thymus, gonads, placenta & disorders
12. **Reproductive System**
    30 MCQs · Male organs & spermatogenesis, female organs, oogenesis, menstrual cycle, breast & lactation, fertilisation, placenta, menopause
13. **GSSSB Pattern Mock Test – 100 MCQs (Full Anatomy & Physiology Syllabus)**
    100 MCQs · 100 questions, 100 marks, 0.25 negative marking – complete Anatomy & Physiology

Level 1 – Direct: facts, values, definitions

Level 2 – Priority: "first / best / immediate" action

Level 3 – Advanced: scenario, NOT/EXCEPT, match, A-R, calculation



MCQ kaise solve karein?

Pehle khud answer socho, phir options padho. Har section ke baad answer key aur explanation hai, galti wale questions ka number apni notebook me likho. Exam me galat answer par **0.25 marks** kat sakte hain, isliye bina soche guess mat karo.

1 Introduction, Cell & Tissues

Level 1 – Direct

1. Structural & functional unit of life –
   (a) Tissue (b) Organ (c) Cell (d) Nucleus
2. Father of Anatomy –
   (a) Galen (b) William Harvey (c) Hippocrates (d) Andreas Vesalius
3. Blood circulation ki khoj –
   (a) Pasteur (b) Landsteiner (c) William Harvey (d) Vesalius
4. 'Homeostasis' term diya –
   (a) Robert Hooke (b) Watson (c) Claude Bernard (d) Walter Cannon
5. Positive feedback ka example –
   (a) Body temperature (b) Blood pressure (c) Labour contractions (oxytocin) (d) Blood glucose
6. Body ko right & left me divide karne wala plane –
   (a) Transverse (b) Sagittal (c) Oblique (d) Coronal
7. Anterior & posterior me divide –
   (a) Sagittal (b) Transverse (c) Frontal (coronal) (d) Median
8. Powerhouse of cell –
   (a) Mitochondria (b) Ribosome (c) Lysosome (d) Golgi
9. Suicide bags –
   (a) Peroxisomes (b) Vacuoles (c) Lysosomes (d) Ribosomes
10. Protein synthesis –
    (a) Ribosomes (b) Centrosome (c) Lysosomes (d) Smooth ER
11. Packaging & secretion –
    (a) Mitochondria (b) Nucleolus (c) Golgi apparatus (d) Centriole
12. Human somatic cell me chromosomes –
    (a) 23 (b) 44 (c) 46 (d) 48
13. Largest human cell –
    (a) Ovum (b) Sperm (c) RBC (d) Neuron
14. Water ka semipermeable membrane se movement –
    (a) Active transport (b) Filtration (c) Diffusion (d) Osmosis
15. Na^+-K^+ pump –
    (a) 2 Na^+ out, 3 K^+ in (b) 1 Na^+ out, 1 K^+ in (c) 3 Na^+ out, 2 K^+ in (d) 3 Na^+ in, 2 K^+ out
16. Main intracellular cation –
    (a) Calcium (b) Sodium (c) Chloride (d) Potassium
17. Urinary bladder ka epithelium –
    (a) Transitional (b) Ciliated columnar (c) Keratinised squamous (d) Simple squamous
18. Trachea ka epithelium –
    (a) Stratified squamous keratinised (b) Transitional (c) Simple cuboidal (d) Pseudostratified ciliated columnar

19. Fluid connective tissue –
(a) Cartilage (b) Adipose (c) Tendon (d) Blood

20. Ear pinna ki cartilage –
(a) Elastic (b) Bone (c) Fibrocartilage (d) Hyaline

? Level 2 – Priority & Application

21. RBC ko hypotonic solution me rakhne par –
(a) Shrink (crenation) (b) Swell & burst (haemolysis) (c) Divide (d) No change

22. Appendicitis pain ka typical region –
(a) Epigastrium (b) Right iliac (c) Left hypochondrium (d) Left iliac

23. Karyotyping ke liye chromosomes best dikhte hain –
(a) Telophase (b) Metaphase (c) Anaphase (d) Prophase

24. Intervertebral disc ki cartilage –
(a) Elastic (b) Fibrocartilage (c) Hyaline (d) Calcified

25. Spleen kis region me –
(a) Epigastrium (b) Right hypochondrium (c) Left hypochondrium (d) Umbilical

26. Smooth ER ka function –
(a) Lipid synthesis & detoxification (b) Protein synthesis (c) Cell division (d) ATP

27. Down syndrome –
(a) 47 XXY (b) Trisomy 21 (c) 45 XO (d) Trisomy 18

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

28. Mature RBC me NAHI hota –
(a) Enzymes (b) Cell membrane (c) Nucleus (d) Haemoglobin

29. Assertion (A): Cardiac muscle & neurons ka regeneration poor hai. Reason (R): Ye cells normally divide nahi karte.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. Match: P. Simple squamous Q. Simple cuboidal R. Transitional S. Stratified squamous keratinised – 1. Alveoli 2. Kidney tubules 3. Bladder 4. Skin
(a) P-1, Q-2, R-3, S-4 (b) P-1, Q-3, R-2, S-4 (c) P-4, Q-2, R-3, S-1 (d) P-2, Q-1, R-3, S-4

Answer Key & Explanation

1-c Cell.
2-d Vesalius.
3-c Harvey 1628.
4-d Cannon.
5-c Labour – positive feedback.
6-b Sagittal.
7-c Coronal.
8-a ATP.
9-c Digestive enzymes.
10-a Ribosomes.
11-c Golgi.
12-c 23 pairs.
13-a Ovum.
14-d Osmosis.
15-c Active, ATP.
16-d K^+.
17-a Stretch.
18-d Respiratory epithelium.
19-d Blood.
20-a Elastic.
21-b Water enters.
22-b McBurney's point.

23-b Metaphase.
24-b Fibrocartilage.
25-c Left hypochondrium.
26-a SER.
27-b Trisomy 21.
28-c No nucleus.
29-a Dono sahi, R reason hai.
30-a Sahi match.

2 Skeletal System & Joints

Level 1 – Direct

1. Adult me total bones –
   (a) 196 (b) 206 (c) 212 (d) 300
2. Longest & strongest bone –
   (a) Femur (b) Fibula (c) Humerus (d) Tibia
3. Smallest bone –
   (a) Incus (b) Stapes (c) Pisiform (d) Malleus
4. Most commonly fractured bone –
   (a) Femur (b) Scaphoid (c) Clavicle (d) Radius
5. Kisi bhi bone se articulate nahi karti –
   (a) Stapes (b) Coccyx (c) Patella (d) Hyoid
6. Skull ki only movable bone –
   (a) Vomer (b) Maxilla (c) Zygomatic (d) Mandible
7. Anterior fontanelle closes –
   (a) 3 years (b) 12–18 months (c) At birth (d) 6–8 weeks
8. Posterior fontanelle closes –
   (a) 6–8 weeks (b) 12–18 months (c) 2 years (d) 6 months
9. Cervical vertebrae –
   (a) 5 (b) 7 (c) 8 (d) 12
10. Atlas –
    (a) C2 (b) T1 (c) C7 (d) C1
11. Vertebra prominens –
    (a) L5 (b) C7 (c) C1 (d) T12
12. True ribs –
    (a) 11–12 (b) 1–10 (c) 8–10 (d) 1–7
13. Largest sesamoid bone –
    (a) Pisiform (b) Patella (c) Calcaneus (d) Hyoid
14. Heel bone –
    (a) Calcaneus (b) Talus (c) Cuboid (d) Navicular
15. Bone-forming cells –
    (a) Osteoclasts (b) Chondrocytes (c) Osteoblasts (d) Osteocytes
16. Compact bone ki functional unit –
    (a) Lacuna (b) Osteon (Haversian system) (c) Trabecula (d) Periosteum
17. Ball & socket joint –
    (a) Knee (b) Elbow (c) Hip (d) Wrist
18. Pivot joint –
    (a) Atlanto-axial (b) Hip (c) Ankle (d) Knee

19. Saddle joint –
(a) Carpometacarpal of thumb (b) Shoulder (c) Intercarpal (d) Elbow

20. Immovable joint –
(a) Knee (b) Skull sutures (c) Shoulder (d) Pubic symphysis

? Level 2 – Priority & Application

21. Infant ka fontanelle sunken – likely –
(a) Normal (b) Meningitis (c) Hydrocephalus (d) Dehydration

22. Adult me LP ka site –
(a) C7–T1 (b) T12–L1 (c) L3–L4 (d) S1–S2

23. Elderly female fall ke baad hip pain, leg shortened & externally rotated –
(a) Rib fracture (b) Scaphoid fracture (c) Clavicle fracture (d) Neck of femur fracture

24. Pregnancy me lumbar curve badhna –
(a) Lordosis (b) Kyphosis (c) Scoliosis (d) Spondylosis

25. Most commonly dislocated joint –
(a) Elbow (b) Hip (c) Shoulder (d) Knee

26. Palm upward karna –
(a) Pronation (b) Supination (c) Inversion (d) Eversion

27. Serum calcium badhata hai –
(a) Calcitonin (b) Glucagon (c) Insulin (d) Parathormone

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

28. Axial skeleton ka part NAHI hai –
(a) Vertebrae (b) Sternum (c) Ribs (d) Clavicle

29. Assertion (A): Clavicle sabse common fractured bone hai. Reason (R): Clavicle sabse pehle ossify hone wali bone hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. Match: P. Kyphosis Q. Lordosis R. Scoliosis S. Osteoporosis – 1. Hunchback 2. ↑ lumbar curve 3. Lateral curve 4. ↓ bone mass
(a) P-3, Q-2, R-1, S-4 (b) P-1, Q-3, R-2, S-4 (c) P-2, Q-1, R-3, S-4 (d) P-1, Q-2, R-3, S-4

Answer Key & Explanation

1-b 206.
2-a Femur.
3-b Stapes.
4-c Clavicle.
5-d Hyoid.
6-d Mandible.
7-b 12–18 months.
8-a 6–8 weeks.
9-b 7.
10-d C1.
11-b C7.
12-d 1–7.
13-b Patella.
14-a Calcaneus.
15-c Osteoblasts.
16-b Osteon.
17-c Hip/shoulder.
18-a C1–C2.
19-a Thumb CMC.
20-b Fibrous.
21-d Sunken = dehydration.
22-c Below cord.

23-d Osteoporosis.
24-a Lordosis.
25-c Mobility.
26-b Supination.
27-d PTH.
28-d Clavicle appendicular.
29-b Dono sahi, par R reason nahi (fracture – fall on outstretched hand).
30-d Sahi match.

3 Muscular System

Level 1 – Direct

1. Voluntary striated muscle –
   (a) Cardiac (b) Skeletal (c) Smooth (d) Visceral
2. Intercalated discs –
   (a) Skeletal muscle (b) Smooth muscle (c) Tendon (d) Cardiac muscle
3. Largest muscle –
   (a) Latissimus dorsi (b) Gluteus maximus (c) Quadriceps (d) Sartorius
4. Longest muscle –
   (a) Sartorius (b) Biceps (c) Rectus abdominis (d) Gluteus maximus
5. Smallest muscle –
   (a) Stapedius (b) Tensor tympani (c) Platysma (d) Masseter
6. Contractile unit –
   (a) Myofibril (b) Sarcomere (c) Sarcolemma (d) Fascicle
7. Thick filament –
   (a) Tropomyosin (b) Actin (c) Myosin (d) Troponin
8. Contraction me calcium bind karta hai –
   (a) Myosin (b) Tropomyosin (c) Actin (d) Troponin
9. NMJ par neurotransmitter –
   (a) Dopamine (b) Acetylcholine (c) GABA (d) Noradrenaline
10. Rigor mortis ka cause –
    (a) Lactic acid (b) ATP depletion (c) Calcium loss (d) Protein loss
11. Muscle fatigue –
    (a) Lactic acid (b) Oxygen (c) Glycogen ↑ (d) Glucose
12. Main muscle of respiration –
    (a) Diaphragm (b) Rectus abdominis (c) Intercostals (d) Sternocleidomastoid
13. Diaphragm ki nerve –
    (a) Accessory (b) Intercostal (c) Vagus (d) Phrenic
14. Infant IM site –
    (a) Deltoid (b) Vastus lateralis (c) Ventrogluteal only (d) Dorsogluteal
15. Kegel exercises strengthen –
    (a) Deltoid (b) Abdominals (c) Pelvic floor (pubococcygeus) (d) Quadriceps
16. Rotator cuff me NAHI –
    (a) Teres minor (b) Subscapularis (c) Deltoid (d) Supraspinatus
17. Elbow flexion & supination –
    (a) Brachioradialis only (b) Deltoid (c) Biceps brachii (d) Triceps
18. Mastication muscle –
    (a) Frontalis (b) Masseter (c) Orbicularis oris (d) Buccinator

19. Sliding filament theory –
(a) Pavlov (b) Huxley (c) Starling (d) Harvey

20. Smooth muscle ki feature –
(a) Non-striated, involuntary (b) Intercalated discs (c) Multinucleated (d) Striated, voluntary

? Level 2 – Priority & Application

21. Dorsogluteal injection ka main risk –
(a) Radial nerve injury (b) Femoral artery (c) Ulnar nerve (d) Sciatic nerve injury

22. Deltoid IM site –
(a) Abdomen (b) Mid-thigh (c) 2–3 fingers below acromion (d) Upper outer buttock

23. Leg plaster me patient – muscle strength ke liye –
(a) Isotonic heavy lifting (b) Massage only (c) Isometric exercises (d) Bed rest only

24. Ventrogluteal site landmarks –
(a) Greater trochanter, ASIS, iliac crest (b) Umbilicus (c) Acromion (d) Patella

25. Foot drop – kaunsa muscle paralysed –
(a) Tibialis anterior (b) Soleus (c) Gastrocnemius (d) Quadriceps

26. Wry neck (torticollis) –
(a) Platysma (b) Deltoid (c) Trapezius (d) Sternocleidomastoid

27. Boy – Gower's sign –
(a) Polio (b) Duchenne muscular dystrophy (c) Myasthenia gravis (d) Tetanus

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

28. Muscle contraction ke time length change NAHI hoti –
(a) Sarcomere (b) H zone (c) A band (d) I band

29. Assertion (A): Cardiac muscle me tetany nahi hoti. Reason (R): Cardiac muscle ka refractory period lamba hota hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. Match: P. Gluteus medius Q. Vastus lateralis R. Deltoid S. Diaphragm – 1. Ventrogluteal site 2. Infant IM 3. Axillary nerve 4. Phrenic nerve
(a) P-4, Q-2, R-3, S-1 (b) P-2, Q-1, R-3, S-4 (c) P-1, Q-3, R-2, S-4 (d) P-1, Q-2, R-3, S-4

✓ Answer Key & Explanation

1-b Skeletal.
2-d Cardiac.
3-b Gluteus maximus.
4-a Sartorius.
5-a Stapedius.
6-b Sarcomere.
7-c Myosin.
8-d Troponin C.
9-b ACh.
10-b No ATP.
11-a Lactic acid.
12-a Diaphragm.
13-d C3–C5.
14-b Vastus lateralis.
15-c Pelvic floor.
16-c SITS.
17-c Biceps.
18-b Masseter.
19-b Huxley.
20-a Smooth.
21-d Sciatic.
22-c Deltoid.

23-c Quadriceps setting.
24-a V-method.
25-a Common peroneal nerve.
26-d SCM.
27-b DMD.
28-c A band constant.
29-a Dono sahi, R reason hai.
30-d Sahi match.

4 Cardiovascular System

Level 1 – Direct

1. Heart ka pacemaker –
   (a) SA node (b) AV node (c) Bundle of His (d) Purkinje fibres
2. SA node ki rate –
   (a) 20–40/min (b) 40–60/min (c) 60–100/min (d) 100–150/min
3. Sabse moti wall –
   (a) Left ventricle (b) Left atrium (c) Right atrium (d) Right ventricle
4. Bicuspid valve –
   (a) Mitral (b) Tricuspid (c) Aortic (d) Pulmonary
5. Deoxygenated blood le jaane wali artery –
   (a) Pulmonary artery (b) Renal artery (c) Coronary artery (d) Aorta
6. Oxygenated blood wali vein –
   (a) Portal vein (b) SVC (c) Pulmonary vein (d) IVC
7. S1 heart sound –
   (a) Atrial contraction (b) AV valves closure (c) Semilunar valve closure (d) Rapid filling
8. S2 heart sound –
   (a) Ventricular filling (b) AV valves closure (c) Semilunar valves closure (d) Atrial kick
9. Cardiac cycle duration (75 bpm) –
   (a) 0.1 s (b) 0.3 s (c) 0.8 s (d) 1.5 s
10. Normal cardiac output –
    (a) ~500 ml/min (b) ~1 L/min (c) ~10 L/min (d) ~5 L/min
11. P wave –
    (a) Atrial repolarisation (b) Atrial depolarisation (c) Ventricular repolarisation (d) Ventricular depolarisation
12. T wave –
    (a) Ventricular depolarisation (b) Atrial depolarisation (c) AV conduction (d) Ventricular repolarisation
13. Normal PR interval –
    (a) 0.04–0.08 s (b) 0.12–0.20 s (c) 0.3–0.4 s (d) 0.5 s
14. Apex beat –
    (a) Right 2nd ICS (b) Left 5th ICS mid-clavicular line (c) Xiphisternum (d) Left 2nd ICS
15. Largest artery –
    (a) Pulmonary artery (b) Femoral (c) Aorta (d) Carotid
16. Resistance vessels –
    (a) Capillaries (b) Arterioles (c) Venules (d) Veins
17. Exchange vessels –
    (a) Arterioles (b) Capillaries (c) Arteries (d) Veins
18. Baroreceptors –
    (a) Carotid sinus & aortic arch (b) Carotid body (c) Medulla (d) Kidney

19. Foramen ovale becomes –
(a) Ligamentum teres (b) Fossa ovalis (c) Ligamentum venosum (d) Ligamentum arteriosum

20. Umbilical cord me –
(a) 1 artery + 1 vein (b) 2 arteries + 2 veins (c) 2 arteries + 1 vein (d) 1 artery + 2 veins

? Level 2 – Priority & Application

21. Infant CPR me pulse check –
(a) Carotid (b) Brachial (c) Femoral (d) Radial

22. Coronary arteries me blood flow mostly –
(a) Systole (b) Diastole (c) Atrial systole (d) Isovolumetric contraction

23. ECG me tall peaked T waves –
(a) Hypocalcaemia (b) Hyperkalaemia (c) Hypothermia (d) Hypokalaemia

24. BP cuff chhota ho to reading –
(a) Zero (b) Falsely low (c) Accurate (d) Falsely high

25. Mitral area auscultation –
(a) 2nd left ICS (b) 2nd right ICS (c) 4th left ICS sternal border (d) 5th left ICS mid-clavicular

26. Pericardial effusion – hypotension, muffled heart sounds, raised JVP –
(a) Cushing's triad (b) Charcot's triad (c) Virchow's triad (d) Beck's triad (tamponade)

27. ECG: R-R me 4 large squares – heart rate –
(a) 50/min (b) 60/min (c) 75/min (d) 100/min

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

28. Fetal circulation me shunt NAHI hai –
(a) Ductus venosus (b) Ductus arteriosus (c) Ligamentum teres (d) Foramen ovale

29. Assertion (A): Left ventricle ki wall right ventricle se moti hoti hai. Reason (R): Left ventricle ko systemic circulation me high pressure se pump karna hota hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. SV 70 ml, HR 80/min – cardiac output –
(a) 4.2 L/min (b) 5.6 L/min (c) 6.4 L/min (d) 7 L/min

✓ Answer Key & Explanation

1-a SA node.
2-c 60–100.
3-a LV.
4-a Mitral.
5-a Pulmonary artery.
6-c Pulmonary vein.
7-b Lub.
8-c Dub.
9-c 0.8 s.
10-d 5 L.
11-b P.
12-d T.
13-b PR.
14-b Apex.
15-c Aorta.
16-b Arterioles.
17-b Capillaries.
18-a Baroreceptors.
19-b Fossa ovalis.
20-c AVA.
21-b Brachial.
22-b Diastole.
23-b Hyper K.
24-d Small cuff high.

25-d Apex.
26-d Beck's.
27-c 300/4.
28-c Ligamentum teres remnant hai.
29-a Dono sahi, R reason hai.
30-b 70 × 80 = 5600 ml.

5 Blood, Lymphatic System & Immunity

Level 1 – Direct

1. Adult blood volume –
   (a) 1 L (b) 2–3 L (c) 5–6 L (d) 8–10 L
2. Blood ka normal pH –
   (a) 6.8–7.0 (b) 7.0–7.2 (c) 7.35–7.45 (d) 7.5–7.7
3. Plasma percentage –
   (a) 30 % (b) 45 % (c) 55 % (d) 70 %
4. Most abundant plasma protein –
   (a) Fibrinogen (b) Globulin (c) Prothrombin (d) Albumin
5. RBC lifespan –
   (a) 7 days (b) 30 days (c) 90 days (d) 120 days
6. Graveyard of RBC –
   (a) Spleen (b) Liver (c) Bone marrow (d) Kidney
7. Erythropoietin –
   (a) Bone marrow (b) Liver (c) Kidney (d) Spleen
8. Most common WBC –
   (a) Lymphocyte (b) Neutrophil (c) Monocyte (d) Eosinophil
9. Largest WBC –
   (a) Lymphocyte (b) Basophil (c) Monocyte (d) Neutrophil
10. Allergy & worm infestation me ↑ –
    (a) Monocytes (b) Eosinophils (c) Basophils (d) Neutrophils
11. Platelets ka lifespan –
    (a) 1 day (b) 7–10 days (c) 30 days (d) 120 days
12. Factor IV –
    (a) Vitamin K (b) Calcium (c) Fibrinogen (d) Prothrombin
13. Haemophilia A –
    (a) Factor X (b) Factor VIII deficiency (c) Factor IX (d) Factor VII
14. Universal donor –
    (a) A positive (b) O negative (c) AB positive (d) B negative
15. Universal recipient –
    (a) A negative (b) AB positive (c) O negative (d) B positive
16. ABO blood group discovered by –
    (a) Jenner (b) Fleming (c) Harvey (d) Karl Landsteiner
17. Placenta cross karne wali antibody –
    (a) IgE (b) IgG (c) IgM (d) IgA
18. Colostrum me main antibody –
    (a) IgG (b) IgD (c) IgA (d) IgM

19. T-cell maturation –
(a) Spleen (b) Lymph node (c) Thymus (d) Liver

20. Largest lymphatic vessel –
(a) Cisterna chyli (b) Thoracic duct (c) Lacteal (d) Right lymphatic duct

? Level 2 – Priority & Application

21. Rh-ve mother, Rh+ve baby delivered – anti-D kab tak –
(a) 1 month (b) 7 days (c) 24 weeks (d) 72 hours

22. Splenectomy ke baad patient ko –
(a) Koi vaccine nahi (b) Sirf BCG (c) Pneumococcal/ Hib/ meningococcal vaccine (d) Iron

23. Mantoux reaction kaunsa hypersensitivity –
(a) Type I (b) Type II (c) Type IV (d) Type III

24. Vaccination se mili immunity –
(a) Natural passive (b) Artificial passive (c) Natural active (d) Artificial active

25. HIV kis cell ko target karta hai –
(a) CD8 (b) B cells (c) CD4 T-helper (d) Neutrophils

26. Recent infection ka marker –
(a) IgD (b) IgG (c) IgA (d) IgM

27. Blood bag (whole blood) storage temperature –
(a) 2–6 °C (b) 20–24 °C (c) 37 °C (d) −30 °C

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

28. Vitamin K-dependent factor NAHI hai –
(a) Factor VII (b) Factor II (c) Factor VIII (d) Factor X

29. Assertion (A): Newborn ko pehle kuch mahine kai infections se protection milti hai. Reason (R): IgG placenta se mother se baby me jaati hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. Match: P. Type I Q. Type II R. Type III S. Type IV – 1. Anaphylaxis 2. Transfusion reaction 3. Serum sickness 4. Mantoux
(a) P-2, Q-1, R-3, S-4 (b) P-1, Q-3, R-2, S-4 (c) P-4, Q-2, R-3, S-1 (d) P-1, Q-2, R-3, S-4

✓ Answer Key & Explanation

1-c 5–6 L.
2-c 7.4.
3-c 55.
4-d Albumin.
5-d 120.
6-a Spleen.
7-c Kidney.
8-b Neutrophil.
9-c Monocyte.
10-b Eosinophils.
11-b 7–10.
12-b Calcium.
13-b VIII.
14-b O−.
15-b AB+.
16-d Landsteiner.
17-b IgG.
18-c IgA.
19-c Thymus.
20-b Thoracic duct.
21-d 72 hrs.
22-c Encapsulated organisms.

23-c Delayed.
24-d Active.
25-c CD4.
26-d IgM first.
27-a 2–6.
28-c II, VII, IX, X.
29-a Dono sahi, R reason hai.
30-d ACID.

6 Respiratory System

Level 1 – Direct

1. Epistaxis ka commonest site –
   (a) Sinus (b) Turbinates (c) Posterior nasal cavity (d) Little's area
2. Largest paranasal sinus –
   (a) Frontal (b) Sphenoid (c) Maxillary (d) Ethmoid
3. Adam's apple –
   (a) Cricoid (b) Arytenoid (c) Epiglottis (d) Thyroid cartilage
4. Only complete cartilage ring –
   (a) Epiglottis (b) Tracheal rings (c) Thyroid (d) Cricoid
5. Trachea bifurcation –
   (a) T10 (b) C6 (c) T4/T5 (d) L1
6. Right lung ke lobes –
   (a) 1 (b) 2 (c) 3 (d) 4
7. Surfactant secrete karte hain –
   (a) Type I pneumocytes (b) Macrophages (c) Goblet cells (d) Type II pneumocytes
8. Tidal volume –
   (a) 150 ml (b) 500 ml (c) 1200 ml (d) 3000 ml
9. Anatomical dead space –
   (a) 50 ml (b) 150 ml (c) 500 ml (d) 1200 ml
10. Vital capacity –
    (a) ~6 L (b) ~500 ml (c) ~1.2 L (d) ~4.8 L
11. Spirometry se measure nahi hota –
    (a) Tidal volume (b) Vital capacity (c) Residual volume (d) IRV
12. O_2 mostly transported as –
    (a) Oxyhaemoglobin (b) Carbaminohaemoglobin (c) Dissolved (d) Bicarbonate
13. CO_2 mostly transported as –
    (a) Carbon monoxide (b) Bicarbonate (c) Carbaminohaemoglobin (d) Dissolved
14. Respiratory centre –
    (a) Hypothalamus (b) Cerebrum (c) Medulla oblongata (d) Cerebellum
15. Pneumotaxic centre –
    (a) Pons (b) Midbrain (c) Medulla (d) Thalamus
16. Respiration ka main stimulus –
    (a) ↑ CO_2 (H^+) (b) ↓ CO_2 (c) ↑ O_2 (d) ↓ O_2
17. Main inspiratory muscle –
    (a) Internal intercostals (b) Pectoralis (c) Diaphragm (d) Abdominals
18. Normal adult RR –
    (a) 8–10/min (b) 12–20/min (c) 25–35/min (d) 30–60/min

19. Normal $PaCO_2$ –
(a) 20–30 mmHg (b) 35–45 mmHg (c) 50–60 mmHg (d) 80–100 mmHg

20. Orthopnoea typically –
(a) Asthma only (b) Pneumothorax (c) Heart failure (d) Anaemia

? Level 2 – Priority & Application

21. Child ne coin inhale kiya – likely bronchus –
(a) Right main bronchus (b) Oesophagus (c) Left main bronchus (d) Trachea only

22. DKA me deep rapid breathing –
(a) Kussmaul (b) Cheyne-Stokes (c) Biot's (d) Apneustic

23. Preterm baby RDS ka cause –
(a) Hypothermia (b) Anaemia (c) Surfactant deficiency (d) Infection

24. COPD patient me O_2 –
(a) Kabhi nahi (b) Controlled (SpO_2 88–92 %) (c) Only at night (d) High flow 100 %

25. Cyanosis tab dikhta hai jab deoxygenated Hb –
(a) > 1 g/dl (b) > 5 g/dl (c) > 10 g/dl (d) > 15 g/dl

26. Children me narrowest airway –
(a) Glottis (b) Trachea (c) Bronchus (d) Cricoid ring

27. Oxygen dissociation curve right shift –
(a) Alkalosis (b) Hypothermia (c) ↑ CO_2, acidosis, fever (d) HbF

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

28. Inspiration ke time NAHI hota –
(a) Diaphragm contracts (b) Intrapulmonary pressure ↑ (c) Thoracic volume ↑ (d) External intercostals contract

29. Assertion (A): Quiet expiration passive process hai. Reason (R): Ye lungs ke elastic recoil se hoti hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. TV 500 ml, RR 12/min – minute ventilation –
(a) 4.2 L/min (b) 5 L/min (c) 6 L/min (d) 7.2 L/min

✓ Answer Key & Explanation

1-d Little's area.
2-c Maxillary.
3-d Thyroid cartilage.
4-d Cricoid.
5-c Carina.
6-c 3.
7-d Type II.
8-b 500.
9-b 150.
10-d VC.
11-c RV.
12-a ~97 %.
13-b ~70 %.
14-c Medulla.
15-a Pons.
16-a Central chemoreceptors.
17-c Diaphragm.
18-b 12–20.
19-b 35–45.
20-c LVF.
21-a Right – wider, vertical.
22-a Kussmaul.

23-c Surfactant.
24-b Hypoxic drive.
25-b 5 g/dl.
26-d Cricoid.
27-c CADET.
28-b Pressure ↓.
29-a Dono sahi, R reason hai.
30-c 500 × 12.

7 Digestive System

Level 1 – Direct

1. Largest gland –
   (a) Pancreas (b) Liver (c) Thyroid (d) Parotid
2. Largest salivary gland –
   (a) Parotid (b) Submandibular (c) Sublingual (d) Buccal
3. Hardest substance –
   (a) Bone (b) Enamel (c) Cementum (d) Dentine
4. Deciduous teeth –
   (a) 20 (b) 24 (c) 28 (d) 32
5. Permanent teeth –
   (a) 20 (b) 28 (c) 30 (d) 32
6. Salivary amylase –
   (a) Pepsin (b) Lipase (c) Trypsin (d) Ptyalin
7. Parotid duct –
   (a) Wirsung's (b) Wharton's (c) Santorini's (d) Stensen's
8. Oesophagus length –
   (a) 10 cm (b) 25 cm (c) 40 cm (d) 50 cm
9. HCl secrete karte hain –
   (a) Goblet cells (b) G cells (c) Parietal cells (d) Chief cells
10. Pepsinogen –
    (a) Chief cells (b) Mucous cells (c) D cells (d) Parietal cells
11. Intrinsic factor deficiency –
    (a) Rickets (b) Iron deficiency (c) Pernicious anaemia (d) Scurvy
12. Milk curdle karta hai (infant) –
    (a) Rennin (b) Lipase (c) Pepsin (d) Amylase
13. Longest part of GI tract –
    (a) Small intestine (b) Large intestine (c) Stomach (d) Oesophagus
14. Vitamin B12 absorption –
    (a) Jejunum (b) Colon (c) Duodenum (d) Terminal ileum
15. Iron absorption –
    (a) Stomach (b) Duodenum (c) Colon (d) Ileum
16. Bile banta hai –
    (a) Gall bladder (b) Pancreas (c) Duodenum (d) Liver
17. Gall bladder contraction –
    (a) Insulin (b) Secretin (c) CCK (d) Gastrin
18. First hormone discovered –
    (a) Gastrin (b) Thyroxine (c) Secretin (d) Insulin

19. Trypsinogen activated by –
(a) HCl (b) Pepsin (c) Bile (d) Enterokinase

20. Fat ka energy value –
(a) 2 kcal/g (b) 4 kcal/g (c) 7 kcal/g (d) 9 kcal/g

? Level 2 – Priority & Application

21. ORS kis mechanism par based hai –
(a) Na^+-glucose co-transport (b) Pinocytosis (c) Osmosis only (d) Active K^+ pump

22. Gastrectomy ke baad lifelong injection –
(a) Insulin (b) Iron (c) Vitamin K (d) Vitamin B12

23. Hepatic lobule me portal triad –
(a) Aorta, IVC, CBD (b) Hepatic vein, IVC, bile duct (c) Central vein only (d) Hepatic artery, portal vein, bile duct

24. Gastric emptying sabse slow –
(a) Fat (b) Water (c) Protein (d) Carbohydrate

25. Vitamin K synthesis –
(a) Pancreas (b) Liver (c) Gut bacteria (colon) (d) Skin

26. Liver macrophages –
(a) Langerhans cells (b) Kupffer cells (c) Osteoclasts (d) Microglia

27. Lactose intolerance – deficient enzyme –
(a) Sucrase (b) Lipase (c) Lactase (d) Maltase

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

28. Bile me NAHI hota –
(a) Bile salts (b) Digestive enzyme (c) Bilirubin (d) Cholesterol

29. Assertion (A): Duodenum me pancreatic juice alkaline hota hai. Reason (R): Ye bicarbonate rich hota hai jo acidic chyme neutralise karta hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. Match: P. Ptyalin Q. Pepsin R. Lipase S. Trypsin – 1. Starch 2. Protein (stomach) 3. Fat 4. Protein (pancreas)
(a) P-2, Q-1, R-3, S-4 (b) P-1, Q-2, R-3, S-4 (c) P-1, Q-3, R-2, S-4 (d) P-4, Q-2, R-3, S-1

Answer Key & Explanation

1-b Liver.
2-a Parotid.
3-b Enamel.
4-a 20.
5-d 32.
6-d Ptyalin.
7-d Stensen's.
8-b 25.
9-c Parietal.
10-a Chief.
11-c B12.
12-a Rennin.
13-a ~6 m.
14-d Ileum.
15-b Duodenum.
16-d Liver.
17-c CCK.
18-c Secretin 1902.
19-d Enterokinase.
20-d 9.
21-a SGLT-1.
22-d No IF.

23-d Triad.
24-a Fat.
25-c Bacteria.
26-b Kupffer.
27-c Lactase.
28-b No enzyme.
29-a Dono sahi, R reason hai.
30-b Sahi match.

8 Urinary System, Fluids, Electrolytes & Acid–Base

Level 1 – Direct

1. Kidney ki functional unit –
   (a) Nephron (b) Glomerulus (c) Loop of Henle (d) Collecting duct
2. Har kidney me nephrons –
   (a) ~10,000 (b) ~1 lakh (c) ~1 million (d) ~10 million
3. Normal GFR –
   (a) 1 L/min (b) 50 ml/min (c) 125 ml/min (d) 500 ml/min
4. Glucose 100 % reabsorption –
   (a) DCT (b) PCT (c) Collecting duct (d) Loop of Henle
5. Renin secrete karte hain –
   (a) Macula densa (b) Podocytes (c) Juxtaglomerular cells (d) Mesangial cells
6. ADH acts on –
   (a) Glomerulus (b) Collecting duct (c) Loop descending limb only (d) PCT
7. Aldosterone ka effect –
   (a) Na^+ retention, K^+ excretion (b) Water loss (c) Na^+ excretion (d) K^+ retention
8. Female urethra length –
   (a) 1 cm (b) 4 cm (c) 10 cm (d) 20 cm
9. Male urethra length –
   (a) 4 cm (b) 10 cm (c) 18–20 cm (d) 30 cm
10. Bladder capacity (normal adult) –
    (a) ~100 ml (b) ~2 L (c) ~500–600 ml (d) ~50 ml
11. Normal urine specific gravity –
    (a) 0.900–1.000 (b) 1.000–1.005 (c) 1.010–1.025 (d) 1.040–1.060
12. Oliguria –
    (a) < 1 L/day (b) > 3 L/day (c) < 100 ml/day (d) < 400 ml/day
13. Anuria –
    (a) 0 ml only (b) < 1 L/day (c) < 100 ml/day (d) < 400 ml/day
14. Renal threshold for glucose –
    (a) 70 mg/dl (b) 100 mg/dl (c) 180 mg/dl (d) 300 mg/dl
15. Total body water (adult male) –
    (a) 20 % (b) 40 % (c) 60 % (d) 80 %
16. ICF ka proportion of TBW –
    (a) One-fourth (b) Half (c) Two-thirds (d) One-third
17. Normal serum potassium –
    (a) 3.5–5.0 mEq/L (b) 8.5–10.5 mEq/L (c) 22–26 mEq/L (d) 135–145 mEq/L
18. Normal serum sodium –
    (a) 3.5–5 mEq/L (b) 22–26 mEq/L (c) 96–106 mEq/L (d) 135–145 mEq/L

19. Normal HCO_3^- –
(a) 3.5–5 mEq/L (b) 22–26 mEq/L (c) 35–45 mEq/L (d) 80–100 mEq/L

20. Most powerful acid–base regulator –
(a) Liver (b) Lungs (c) Kidney (d) Buffers

? Level 2 – Priority & Application

21. Severe vomiting – acid-base disorder –
(a) Metabolic alkalosis (b) Respiratory alkalosis (c) Respiratory acidosis (d) Metabolic acidosis

22. Severe diarrhoea –
(a) Respiratory alkalosis (b) Metabolic alkalosis (c) Respiratory acidosis (d) Metabolic acidosis

23. Opioid overdose – shallow breathing –
(a) Respiratory alkalosis (b) Metabolic acidosis (c) Respiratory acidosis (d) Metabolic alkalosis

24. Anxiety hyperventilation –
(a) Metabolic alkalosis (b) Respiratory acidosis (c) Metabolic acidosis (d) Respiratory alkalosis

25. Thyroidectomy ke baad tingling, carpopedal spasm –
(a) Hypernatraemia (b) Hypocalcaemia (c) Hypercalcaemia (d) Hyperkalaemia

26. Radial ABG se pehle –
(a) Tourniquet test (b) Allen's test (c) Rinne test (d) Romberg test

27. Female catheterisation – insert –
(a) 1 cm (b) 5–7.5 cm (c) 15 cm (d) 17–22 cm

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

28. ABG: pH 7.30, $PaCO_2$ 55, HCO_3^- 25 –
(a) Respiratory alkalosis (b) Metabolic acidosis (c) Respiratory acidosis (uncompensated) (d) Metabolic alkalosis

29. Assertion (A): Females me UTI zyada common hai. Reason (R): Female urethra chhoti (~4 cm) aur anus ke paas hoti hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. Holliday-Segar – 15 kg child ka daily maintenance fluid –
(a) 750 ml (b) 1000 ml (c) 1250 ml (d) 1500 ml

✓ Answer Key & Explanation

1-a Nephron.
2-c 1 million.
3-c 125.
4-b PCT.
5-c JG cells.
6-b Collecting duct.
7-a Na in K out.
8-b 4 cm.
9-c 18–20.
10-c 500–600.
11-c 1.010–1.025.
12-d < 400.
13-c < 100.
14-c 180.
15-c 60 %.
16-c ⅔.
17-a 3.5–5.
18-d 135–145.
19-b 22–26.
20-c Kidney.
21-a HCl loss.
22-d HCO_3^- loss.

23-c CO_2 retention.
24-d CO_2 washout.
25-b Tetany.
26-b Collateral circulation.
27-b 2–3 inches.
28-c pH ↓, CO_2 ↑, HCO_3 normal.
29-a Dono sahi, R reason hai.
30-c 1000 + 5×50 = 1250.

9 Nervous System

Level 1 – Direct

1. Nervous system ki structural unit –
   (a) Nephron (b) Synapse (c) Neuroglia (d) Neuron
2. CNS me myelin –
   (a) Astrocytes (b) Oligodendrocytes (c) Microglia (d) Schwann cells
3. Brain ke macrophages –
   (a) Microglia (b) Schwann cells (c) Ependymal cells (d) Astrocytes
4. Resting membrane potential –
   (a) −70 mV (b) −20 mV (c) −120 mV (d) +30 mV
5. Main inhibitory neurotransmitter –
   (a) Dopamine (b) Acetylcholine (c) GABA (d) Glutamate
6. Parkinson's – deficient –
   (a) Serotonin (b) Acetylcholine (c) Dopamine (d) GABA
7. Largest part of brain –
   (a) Cerebellum (b) Pons (c) Cerebrum (d) Medulla
8. Balance & coordination –
   (a) Cerebellum (b) Thalamus (c) Medulla (d) Frontal lobe
9. Vital centres –
   (a) Medulla oblongata (b) Cerebrum (c) Thalamus (d) Pons only
10. Temperature regulation –
    (a) Cerebellum (b) Hypothalamus (c) Medulla (d) Thalamus
11. Motor speech area –
    (a) Occipital (b) Wernicke's (temporal) (c) Parietal (d) Broca's (frontal)
12. Visual cortex –
    (a) Parietal lobe (b) Occipital lobe (c) Frontal lobe (d) Temporal lobe
13. CSF formed by –
    (a) Arachnoid villi (b) Dura (c) Choroid plexus (d) Ependyma only
14. CSF formation per day –
    (a) ~50 ml (b) ~2 L (c) ~150 ml (d) ~500 ml
15. Adult spinal cord ends at –
    (a) S1 (b) T12 (c) L1–L2 (d) L4–L5
16. Cranial nerves –
    (a) 8 pairs (b) 10 pairs (c) 12 pairs (d) 31 pairs
17. Largest cranial nerve –
    (a) Trigeminal (b) Vagus (c) Optic (d) Facial
18. Longest cranial nerve –
    (a) Trigeminal (b) Facial (c) Vagus (d) Accessory

19. Largest nerve in body –
(a) Vagus (b) Femoral (c) Sciatic (d) Radial

20. Sympathetic outflow –
(a) Thoracolumbar (b) Sacral only (c) Craniosacral (d) Cervical

? Level 2 – Priority & Application

21. Bell's palsy – affected nerve –
(a) Hypoglossal (XII) (b) Oculomotor (III) (c) Facial (VII) (d) Trigeminal (V)

22. Ptosis + dilated pupil + eye down & out –
(a) Abducens palsy (b) Trochlear palsy (c) Facial palsy (d) Oculomotor palsy

23. Wrist drop –
(a) Ulnar nerve (b) Axillary nerve (c) Median nerve (d) Radial nerve

24. Claw hand –
(a) Ulnar nerve (b) Radial nerve (c) Femoral (d) Musculocutaneous

25. GCS – eyes open to pain (2), inappropriate words (3), localises pain (5) – total –
(a) 8 (b) 9 (c) 10 (d) 12

26. Head injury patient – BP ↑, pulse ↓, irregular breathing –
(a) Beck's triad (b) Hypoglycaemia (c) Shock (d) Cushing's triad (↑ ICP)

27. Bacterial meningitis CSF –
(a) Turbid, ↑ neutrophils, ↓ glucose (b) Normal (c) Lymphocytes, normal glucose (d) Clear, normal glucose

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

28. Parasympathetic fibres NAHI hote –
(a) CN III (b) CN V (c) CN X (d) CN VII

29. Assertion (A): Lumbar puncture L3–L4 par safe hai. Reason (R): Adult spinal cord L1–L2 par khatam ho jati hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. Match: P. CN II Q. CN VI R. CN XI S. CN XII – 1. Vision 2. Lateral rectus 3. Shoulder shrug 4. Tongue movement
(a) P-1, Q-2, R-3, S-4 (b) P-4, Q-2, R-3, S-1 (c) P-2, Q-1, R-3, S-4 (d) P-1, Q-3, R-2, S-4

Answer Key & Explanation

1-d Neuron.
2-b Oligodendrocytes.
3-a Microglia.
4-a −70.
5-c GABA.
6-c Dopamine.
7-c Cerebrum.
8-a Cerebellum.
9-a Medulla.
10-b Hypothalamus.
11-d Broca.
12-b Occipital.
13-c Choroid plexus.
14-d 500.
15-c L1–L2.
16-c 12.
17-a V.
18-c X.
19-c Sciatic.
20-a T1–L2.
21-c VII.
22-d III.

23-d Radial.
24-a Ulnar.
25-c 2+3+5.
26-d Cushing.
27-a Bacterial.
28-b III, VII, IX, X.
29-a Dono sahi, R reason hai.
30-a Sahi match.

10 Special Senses & Skin

Level 1 – Direct

1. Transparent avascular part of eye –
   (a) Sclera (b) Iris (c) Cornea (d) Choroid
2. Night vision –
   (a) Cones (b) Lens (c) Iris (d) Rods
3. Colour vision –
   (a) Cornea (b) Cones (c) Vitreous (d) Rods
4. Rhodopsin ke liye vitamin –
   (a) Vitamin C (b) Vitamin K (c) Vitamin A (d) Vitamin D
5. Sharpest vision –
   (a) Fovea centralis (b) Optic disc (c) Choroid (d) Iris
6. Blind spot –
   (a) Lens (b) Macula (c) Optic disc (d) Fovea
7. Aqueous humour formed by –
   (a) Cornea (b) Retina (c) Lens (d) Ciliary processes
8. Normal IOP –
   (a) 0–5 mmHg (b) 10–21 mmHg (c) 30–40 mmHg (d) 50–60 mmHg
9. Myopia correction –
   (a) Concave lens (b) Cylindrical lens (c) Prism (d) Convex lens
10. Presbyopia correction –
    (a) Cylindrical (b) No lens (c) Convex lens (d) Concave lens
11. Normal visual acuity –
    (a) 6/60 (b) 3/60 (c) 6/18 (d) 6/6
12. Organ of hearing –
    (a) Tympanic membrane (b) Utricle (c) Semicircular canals (d) Organ of Corti
13. Eustachian tube connects –
    (a) Nose & eye (b) External ear & middle ear (c) Inner ear & brain (d) Middle ear & nasopharynx
14. Human audible range –
    (a) 1–100 Hz (b) 5–50 Hz (c) 20–20,000 Hz (d) 50,000–100,000 Hz
15. Only sense not relayed via thalamus –
    (a) Smell (b) Taste (c) Hearing (d) Vision
16. Largest organ –
    (a) Skin (b) Lungs (c) Liver (d) Brain
17. Skin pigment –
    (a) Keratin (b) Bilirubin (c) Melanin (d) Haemoglobin only
18. Vitamin synthesised in skin –
    (a) Vitamin K (b) Vitamin A (c) Vitamin D (d) Vitamin C

19. Sebaceous glands absent –
(a) Back (b) Palms & soles (c) Scalp (d) Face

20. Temperature regulating centre –
(a) Medulla (b) Hypothalamus (c) Thalamus (d) Pons

? Level 2 – Priority & Application

21. Weber test – sound lateralises to affected ear –
(a) Normal (b) Tinnitus (c) Sensorineural deafness (d) Conductive deafness

22. Spoon-shaped nails –
(a) Iron deficiency (b) Hypoxia (c) B12 deficiency (d) Hyperthyroidism

23. Newborn me non-shivering thermogenesis –
(a) Shivering (b) Brown fat (c) Liver glycogen (d) Sweating

24. Rest me sabse zyada heat loss –
(a) Conduction (b) Convection (c) Radiation (d) Evaporation

25. Earliest sign of vitamin A deficiency –
(a) Keratomalacia (b) Xerophthalmia (c) Bitot's spots (d) Night blindness

26. Commonest cause of blindness in India –
(a) Trachoma (b) Glaucoma (c) Cataract (d) Refractive error

27. Child < 3 yrs ear drops – pinna –
(a) Up & back (b) Down & back (c) Straight (d) Up & forward

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

28. Epidermis ki layer NAHI hai –
(a) Stratum basale (b) Reticular layer (c) Stratum granulosum (d) Stratum corneum

29. Assertion (A): Glaucoma me IOP badh jata hai. Reason (R): Aqueous humour ka drainage canal of Schlemm se kam ho jata hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. 100.4 °F = ? °C –
(a) 37 °C (b) 38 °C (c) 39 °C (d) 40 °C

Answer Key & Explanation

1-c Cornea.
2-d Rods.
3-b Cones.
4-c A.
5-a Fovea.
6-c Optic disc.
7-d Ciliary body.
8-b 10–21.
9-a Concave.
10-c Convex.
11-d 6/6.
12-d Corti.
13-d Pressure equalisation.
14-c 20–20,000.
15-a Olfaction.
16-a Skin.
17-c Melanin.
18-c D.
19-b Palms & soles.
20-b Hypothalamus.
21-d Conductive.
22-a Koilonychia.
23-b Brown fat.
24-c ~60 %.

25-d Night blindness.
26-c Cataract.
27-b Down & back.
28-b Reticular – dermis.
29-a Dono sahi, R reason hai.
30-b (100.4−32)×5/9 = 38.

11 Endocrine System

Level 1 – Direct

1. Master gland –
   (a) Adrenal (b) Pituitary (c) Pancreas (d) Thyroid
2. Largest endocrine gland –
   (a) Adrenal (b) Pancreas (c) Thyroid (d) Pituitary
3. Pituitary location –
   (a) Mastoid (b) Foramen magnum (c) Orbit (d) Sella turcica
4. GH excess in adults –
   (a) Dwarfism (b) Acromegaly (c) Cretinism (d) Gigantism
5. ADH deficiency –
   (a) Addison's (b) Diabetes insipidus (c) SIADH (d) Diabetes mellitus
6. Milk ejection hormone –
   (a) Oxytocin (b) Oestrogen (c) Progesterone (d) Prolactin
7. Milk production –
   (a) FSH (b) LH (c) Oxytocin (d) Prolactin
8. Calcitonin secreted by –
   (a) Pituitary (b) Adrenal (c) Thyroid C cells (d) Parathyroid
9. Active thyroid hormone –
   (a) Thyroglobulin (b) T3 (c) T4 (d) TSH
10. Congenital hypothyroidism –
    (a) Graves (b) Cretinism (c) Goitre (d) Myxoedema
11. Exophthalmos –
    (a) Graves' disease (b) Myxoedema (c) Cushing's (d) Addison's
12. PTH effect –
    (a) ↑ Phosphate retention (b) ↓ Vitamin D (c) ↓ Blood calcium (d) ↑ Blood calcium
13. Aldosterone –
    (a) Zona fasciculata (b) Medulla (c) Zona glomerulosa (d) Zona reticularis
14. Cortisol –
    (a) Medulla (b) Zona reticularis (c) Zona glomerulosa (d) Zona fasciculata
15. Adrenaline –
    (a) Thyroid (b) Adrenal medulla (c) Adrenal cortex (d) Pituitary
16. Insulin –
    (a) α cells (b) β cells (c) F cells (d) δ cells
17. Glucagon –
    (a) δ cells (b) β cells (c) α cells (d) Acini
18. Melatonin –
    (a) Hypothalamus (b) Pituitary (c) Thymus (d) Pineal gland

19. Pregnancy test hormone –
(a) Progesterone (b) hPL (c) Oestrogen (d) hCG

20. Testosterone –
(a) Spermatogonia (b) Leydig cells (c) Epididymis (d) Sertoli cells

? Level 2 – Priority & Application

21. Moon face, buffalo hump, striae –
(a) Myxoedema (b) Addison's disease (c) Acromegaly (d) Cushing's syndrome

22. Hyperpigmentation, hypotension, hyperkalaemia –
(a) Conn's (b) Phaeochromocytoma (c) Cushing's (d) Addison's disease

23. PPH ke baad lactation failure & amenorrhoea –
(a) Sheehan's syndrome (b) Asherman's (c) Cushing's (d) Turner's

24. Episodic hypertension, headache, sweating –
(a) Phaeochromocytoma (b) Addison's (c) Conn's (d) Graves

25. Cortisol highest level –
(a) Afternoon (b) Evening (c) Midnight (d) Early morning

26. Thyroid function ka best screening test –
(a) Thyroglobulin (b) TSH (c) T3 (d) T4

27. Hypertension + hypokalaemia –
(a) Conn's syndrome (b) DI (c) Addison's (d) SIADH

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

28. Hyperglycaemic hormone NAHI hai –
(a) Glucagon (b) Insulin (c) Cortisol (d) Growth hormone

29. Assertion (A): ADH aur oxytocin posterior pituitary se release hote hain. Reason (R): Ye dono hormones posterior pituitary me synthesise hote hain.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. Match: P. Pituitary Q. Thyroid R. Parathyroid S. Adrenal medulla – 1. GH 2. Thyroxine 3. PTH 4. Adrenaline
(a) P-1, Q-3, R-2, S-4 (b) P-1, Q-2, R-3, S-4 (c) P-2, Q-1, R-3, S-4 (d) P-4, Q-2, R-3, S-1

✓ Answer Key & Explanation

1-b Pituitary.
2-c Thyroid.
3-d Sella turcica.
4-b Acromegaly.
5-b DI.
6-a Oxytocin.
7-d Prolactin.
8-c C cells.
9-b T3.
10-b Cretinism.
11-a Graves.
12-d ↑ Ca.
13-c Glomerulosa.
14-d Fasciculata.
15-b Medulla.
16-b β.
17-c α.
18-d Pineal.
19-d hCG.
20-b Leydig.
21-d Cortisol excess.
22-d Adrenal insufficiency.

23-a Pituitary necrosis.
24-a Catecholamines.
25-d Diurnal.
26-b TSH.
27-a Aldosterone excess.
28-b Insulin hypoglycaemic.
29-c A sahi; R galat – hypothalamus me banate hain.
30-b Sahi match.

12 Reproductive System

Level 1 – Direct

1. Spermatogenesis site –
   (a) Prostate (b) Epididymis (c) Vas deferens (d) Seminiferous tubules
2. Sperm maturation & storage –
   (a) Testis only (b) Urethra (c) Seminal vesicle (d) Epididymis
3. Vasectomy me kata jata hai –
   (a) Ejaculatory duct (b) Epididymis (c) Vas deferens (d) Urethra
4. Semen me fructose –
   (a) Testes (b) Seminal vesicles (c) Cowper's gland (d) Prostate
5. Fertilisation site –
   (a) Isthmus (b) Uterus (c) Ovary (d) Ampulla
6. Tubectomy site –
   (a) Infundibulum (b) Ampulla (c) Fimbriae (d) Isthmus
7. Normal uterus position –
   (a) Anteverted & anteflexed (b) Retroflexed (c) Retroverted (d) Vertical
8. Non-pregnant uterus weight –
   (a) 10 g (b) 50–60 g (c) 500 g (d) 1000 g
9. Main uterine support –
   (a) Broad ligament (b) Round ligament (c) Ovarian ligament (d) Cardinal ligament
10. Vaginal pH –
    (a) 3.8–4.5 (b) 5.5–6.5 (c) 7–7.5 (d) 8–9
11. Ovulation is due to –
    (a) FSH fall (b) Progesterone surge (c) Prolactin (d) LH surge
12. Ovulation occurs –
    (a) 14 days before next menses (b) Day 1 (c) Day 28 (d) 14 days after menses
13. Proliferative phase hormone –
    (a) Progesterone (b) LH (c) Prolactin (d) Oestrogen
14. Secretory phase hormone –
    (a) Progesterone (b) Oxytocin (c) FSH (d) Oestrogen
15. Normal menstrual blood loss –
    (a) ~200 ml (b) ~500 ml (c) ~35 ml (d) ~5 ml
16. First sign of puberty in girls –
    (a) Thelarche (b) Pubarche (c) Growth spurt (d) Menarche
17. Colostrum rich in –
    (a) Lactose (b) IgA & protein (c) Fat (d) Iron
18. Implantation –
    (a) Day 21 (b) Day 6–7 after fertilisation (c) Day 1 (d) Day 14

19. Placenta weight at term –
(a) ~100 g (b) ~1 kg (c) ~500 g (d) ~2 kg

20. Menopause marker –
(a) ↑ Oestrogen (b) ↓ FSH (c) ↑ Progesterone (d) ↑ FSH

? Level 2 – Priority & Application

21. LMP 10 January – EDD (Naegele) –
(a) 3 October (b) 17 October (c) 10 October (d) 17 November

22. Ovulation ke baad BBT badhta hai – due to –
(a) Progesterone (b) FSH (c) Oestrogen (d) Prolactin

23. Ectopic pregnancy commonest site –
(a) Isthmus (b) Ovary (c) Ampulla (d) Cervix

24. Undescended testis ka risk –
(a) Anaemia (b) Infertility & malignancy (c) Hypertension (d) Diabetes

25. Breast cancer commonest quadrant –
(a) Lower inner (b) Upper outer (c) Upper inner (d) Lower outer

26. Organogenesis period –
(a) 3–8 weeks (b) 12–20 weeks (c) 28–32 weeks (d) 36–40 weeks

27. Nervous system develops from –
(a) Trophoblast (b) Ectoderm (c) Endoderm (d) Mesoderm

? Level 3 – Advanced (NOT / Match / Assertion-Reason / Calculation)

28. Mesoderm se NAHI banta –
(a) Heart (b) Kidney (c) Muscle (d) Liver

29. Assertion (A): Lactating mother me ovulation suppress ho sakta hai (LAM). Reason (R): Prolactin GnRH/ ovulation ko inhibit karta hai.
(a) Both A and R true, R explains A (b) Both A and R true, R does not explain A (c) A true, R false (d) A false, R true

30. Match: P. Leydig cells Q. Sertoli cells R. Corpus luteum S. Placenta – 1. Testosterone 2. Inhibin/ support sperm 3. Progesterone 4. hCG
(a) P-4, Q-2, R-3, S-1 (b) P-2, Q-1, R-3, S-4 (c) P-1, Q-3, R-2, S-4 (d) P-1, Q-2, R-3, S-4

Answer Key & Explanation

1-d Seminiferous tubules.
2-d Epididymis.
3-c Vas.
4-b Seminal vesicles.
5-d Ampulla.
6-d Isthmus.
7-a AVAF.
8-b 50–60.
9-d Mackenrodt's.
10-a Acidic.
11-d LH.
12-a Luteal 14 days.
13-d Oestrogen.
14-a Progesterone.
15-c 20–80.
16-a Breast budding.
17-b IgA.
18-b 6–7.
19-c ⅙ baby.
20-d FSH ↑.
21-b +9 m +7 d.
22-a Thermogenic.

23-c Ampulla.
24-b Cryptorchidism.
25-b Tail of Spence.
26-a Teratogen sensitive.
27-b Ectoderm.
28-d Liver – endoderm.
29-a Dono sahi, R reason hai.
30-d Sahi match.

13 GSSSB Pattern Mock Test – 100 MCQs (Full Anatomy & Physiology Syllabus)



Mock test ke rules

Time: 90 minutes · **Marking**: +1 correct, −0.25 wrong · **Score guide**: 80+ Excellent · 65–79 Good · 50–64 Weak topics revise karo · < 50 Notes dobara padho.

Mock Test – Part A (1–50)

1. Homeostasis mainly maintained by –
(a) Negative feedback (b) Feed-forward only (c) No feedback (d) Positive feedback

2. Cell theory –
(a) Watson & Crick (b) Hooke only (c) Harvey (d) Schleiden & Schwann

3. DNA double helix –
(a) Landsteiner (b) Banting (c) Pavlov (d) Watson & Crick

4. Mitochondria ka DNA inherited from –
(a) Neither (b) Both (c) Father (d) Mother

5. Facilitated diffusion example –
(a) Na^+-K^+ pump (b) Exocytosis (c) Phagocytosis (d) Glucose transport

6. Hypertonic solution me RBC –
(a) Bursts (b) Divides (c) Shrinks (crenation) (d) No change

7. Meiosis produces –
(a) 2 diploid (b) 4 haploid cells (c) 2 haploid (d) 4 diploid

8. Cornea ka epithelium –
(a) Columnar (b) Stratified squamous non-keratinised (c) Keratinised (d) Transitional

9. Newborn me bones approx –
(a) 150 (b) 206 (c) 270–300 (d) 350–400

10. Clavicle – first bone to –
(a) Break (b) Grow (c) Ossify (d) Fuse

11. Axis vertebra –
(a) C1 (b) C2 (c) T1 (d) C7

12. Floating ribs –
(a) 1–7 (b) 8–10 (c) 9–10 (d) 11–12

13. Mostly fractured carpal –
(a) Pisiform (b) Scaphoid (c) Lunate (d) Hamate

14. Knee joint type –
(a) Modified hinge (b) Saddle (c) Pivot (d) Ball & socket

15. Bone resorption cells –
(a) Osteoblasts (b) Chondroblasts (c) Osteoclasts (d) Osteocytes

16. Tendon connects –
(a) Skin to bone (b) Muscle to bone (c) Bone to bone (d) Muscle to muscle

17. Strongest muscle (jaw) –
(a) Buccinator (b) Temporalis (c) Orbicularis oris (d) Masseter

18. Thin filament –
(a) Myosin (b) Actin (c) Titin (d) Collagen

19. Myasthenia gravis – antibodies against –
(a) Calcium channels (b) ACh receptors (c) Myosin (d) Dopamine

20. Phrenic nerve roots –
(a) T1–T2 (b) C3–C5 (c) L1–L2 (d) C7–C8

21. Heart weight –
(a) ~600 g (b) ~100 g (c) ~250–300 g (d) ~1 kg

22. Heart layer – muscle –
(a) Epicardium only (b) Myocardium (c) Endocardium (d) Pericardium

23. AV node delay ka purpose –
(a) Atrial contraction stop (b) Ventricular filling (c) Repolarisation (d) Pacemaker

24. Frank-Starling law –
(a) ↑ HR → ↓ BP (b) ↑ stretch → ↑ force (c) No relation (d) ↑ afterload → ↑ SV

25. Normal ejection fraction –
(a) 20–30 % (b) 35–40 % (c) 55–70 % (d) 80–95 %

26. Longest vein –
(a) Cephalic (b) Femoral (c) Jugular (d) Great saphenous

27. Most commonly blocked coronary –
(a) LAD (b) RCA (c) Left main (d) Circumflex

28. Ductus arteriosus connects –
(a) Pulmonary artery to aorta (b) RA to LA (c) Umbilical vein to IVC (d) Aorta to IVC

29. Highest O_2 in fetus –
(a) Umbilical vein (b) Aorta (c) Umbilical artery (d) Pulmonary artery

30. Normal MAP –
(a) 20–30 (b) 40–60 (c) 70–105 mmHg (d) 120–140

31. Hb carrying O_2 per g –
(a) 0.1 ml (b) 1.34 ml (c) 5 ml (d) 10 ml

32. Normal WBC count –
(a) 1–2 lakh (b) 500–1000 (c) 4,000–11,000/µl (d) 20,000–40,000

33. Normal platelets –
(a) 1.5–4.5 lakh/µl (b) 5–10 lakh (c) 10–20 thousand (d) 50,000

34. Normal bleeding time –
(a) 1 hr (b) 2–7 min (c) 15–20 min (d) 30 s

35. Bombay blood group lacks –
(a) B antigen only (b) H antigen (c) A antigen only (d) Rh

36. World Blood Donor Day –
(a) 14 November (b) 7 April (c) 14 June (d) 1 December

37. Unconjugated bilirubin conjugated in –
(a) Kidney (b) Gut (c) Spleen (d) Liver

38. First line of defence –
(a) T cells (b) Fever (c) Skin & mucous membranes (d) Antibodies

39. Largest antibody –
(a) IgM (b) IgA (c) IgG (d) IgE

40. Thymus involutes after –
(a) Old age only (b) Infancy (c) Birth (d) Puberty

41. Kehr's sign (left shoulder pain) –
(a) Splenic rupture (b) MI (c) Appendicitis (d) Cholecystitis

42. Glottis – narrowest airway in –
(a) Neonates (b) Children < 8 yrs (c) Adults (d) Infants

43. Right lung fissures –
(a) 0 (b) 1 (c) 2 (d) 3

44. Pleural fluid –
(a) 1 L (b) 10–20 ml (c) 200 ml (d) 500 ml

45. Surfactant adequate by –
(a) 20 weeks (b) ~34–35 weeks (c) 40 weeks only (d) 28 weeks

46. FEV1/FVC ↓ –
(a) Normal (b) Anaemia (c) Restrictive (d) Obstructive disease

47. Total lung capacity –
(a) ~6 L (b) ~3 L (c) ~10 L (d) ~1 L

48. Central chemoreceptors sensitive to –
(a) CO_2/ H^+ (b) O_2 (c) N_2 (d) Glucose

49. Cheyne-Stokes –
(a) Rapid shallow (b) Deep regular (c) Cyclic waxing-waning with apnoea (d) Irregular gasps

50. CO affinity for Hb vs O_2 –
(a) 10 times (b) ~200–250 times (c) Equal (d) Half

? Mock Test – Part B (51–100)

51. Submandibular duct –
(a) Wharton's (b) Stensen's (c) Bartholin's (d) Rivinus

52. Salivary stones commonest –
(a) Sublingual (b) Parotid (c) Submandibular (d) Minor

53. Taste anterior ⅔ tongue –
(a) Glossopharyngeal (b) Vagus (c) Facial nerve (d) Hypoglossal

54. Gastric juice HCl pH –
(a) 1.5–3.5 (b) 5–6 (c) 7–8 (d) 9–10

55. Duodenum length –
(a) ~2.5 m (b) ~3.5 m (c) ~25 cm (d) ~1 m

56. Ampulla of Vater opens in –
(a) Ileum (b) 2nd part of duodenum (c) Jejunum (d) Stomach

57. Fat absorption via –
(a) Capillaries only (b) Colon (c) Lacteals (d) Stomach

58. Liver blood supply mostly –
(a) IVC (b) Portal vein (~75 %) (c) Hepatic artery (~75 %) (d) Hepatic vein

59. Pancreatic enzyme for fat –
(a) Trypsin (b) Pepsin (c) Amylase (d) Lipase

60. McBurney's point –
(a) Spleen (b) Appendix (c) Stomach (d) Gall bladder

61. Kidney level –
(a) C7–T2 (b) T6–T10 (c) T12–L3 (d) L4–S1

62. Kidneys receive CO –
(a) 1 % (b) 5 % (c) 20–25 % (d) 50 %

63. Inulin clearance measures –
(a) RPF (b) Tubular secretion (c) Urine output (d) GFR

64. Urge to void –
(a) ~50 ml (b) ~200–300 ml (c) ~1000 ml (d) ~800 ml

65. Micturition spinal centre –
(a) S2–S4 (b) L1–L2 (c) C5–C7 (d) T1–T4

66. Uric acid normal –
(a) 0.6–1.2 mg/dl (b) 3–7 mg/dl (c) 15–40 mg/dl (d) 70–100 mg/dl

67. ROME me 'Metabolic' –
(a) No change (b) Opposite (c) Equal (same direction) (d) Reverse

68. Main ECF buffer –
(a) Protein (b) Haemoglobin (c) Phosphate (d) Bicarbonate

69. Anion gap normal –
(a) 0–2 (b) 8–12 (c) 20–30 (d) 40

70. Dendrites carry impulse –
(a) Both (b) None (c) Towards cell body (d) Away from cell body

71. Myelinated fibres conduction –
(a) Continuous slow (b) Saltatory (c) No conduction (d) Retrograde

72. Sensory relay station –
(a) Thalamus (b) Medulla (c) Pons (d) Hypothalamus

73. Understanding speech –
(a) Broca's area (b) Cerebellum (c) Wernicke's area (d) Occipital

74. CSF absorbed by –
(a) Dura (b) Arachnoid villi (c) Pia (d) Choroid plexus

75. Commonest site of CSF obstruction –
(a) Aqueduct of Sylvius (b) 4th ventricle (c) Lateral ventricle (d) Foramen of Monro

76. Extradural haematoma – artery –
(a) Carotid (b) Middle meningeal (c) Basilar (d) Vertebral

77. Knee jerk segment –
(a) T10 (b) L3–L4 (c) C5–C6 (d) S1–S2

78. Ankle jerk –
(a) T12 (b) L3 (c) C7 (d) S1

79. Babinski positive normal up to –
(a) 10 years (b) 5 years (c) Newborn only (d) ~1–2 years

80. Tongue deviates to –
(a) Upwards (b) Opposite side (c) Same side of lesion (XII) (d) No deviation

81. Erb's palsy roots –
(a) S1–S2 (b) C5–C6 (c) L4–L5 (d) C8–T1

82. Parasympathetic on pupil –
(a) Ptosis (b) Constriction (c) Dilation (d) No effect

83. Lens shape –
(a) Biconvex (b) Cylindrical (c) Flat (d) Biconcave

84. Visual pathway crossing –
(a) LGB (b) Optic tract (c) Optic chiasma (d) Retina

85. Astigmatism lens –
(a) Convex (b) Bifocal (c) Cylindrical (d) Concave

86. Static balance –
(a) Cochlea (b) Pinna (c) Utricle & saccule (d) Ossicles

87. Thinnest skin –
(a) Eyelids (b) Back (c) Soles (d) Palms

88. Normal body temperature –
(a) 35 °C (b) 36 °C only (c) 37 °C (d) 39 °C

89. Anterior pituitary me NAHI banta –
(a) ADH (b) TSH (c) GH (d) Prolactin

90. Thyroid isthmus over –
(a) Cricoid (b) T4 (c) C1 (d) 2nd–4th tracheal rings

91. Iodised salt (consumer level) –
(a) ≥ 1 ppm (b) ≥ 15 ppm (c) ≥ 50 ppm (d) ≥ 100 ppm

92. Chvostek sign –
(a) Hypocalcaemia (b) Hyponatraemia (c) Hyperkalaemia (d) Hypercalcaemia

93. Cushing's commonest cause –
(a) Adrenal tumour (b) Pituitary tumour (c) Iatrogenic steroids (d) Lung cancer

94. Insulin discovered –
(a) Landsteiner (b) Addison (c) Bernard (d) Banting & Best

95. Sertoli cells function –
(a) Testosterone (b) Semen fructose (c) Support & nourish sperm (d) Erection

96. Ovum viable after ovulation –
(a) 1 hr (b) 5 days (c) 7 days (d) 12–24 hrs

97. Corpus luteum maintained in pregnancy by –
(a) hCG (b) Prolactin (c) FSH (d) LH

98. Uterine artery from –
(a) Internal iliac (b) External iliac (c) Femoral (d) Aorta

99. Duration of pregnancy from LMP –
(a) 250 days (b) 266 days (c) 280 days (d) 300 days

100. Amniotic fluid at term –

(a) 2–3 L (b) 5 L (c) 100 ml (d) 800–1000 ml

Answer Key – Mock Test (with explanation)

1-a Negative.
2-d Cell theory.
3-d 1953.
4-d Maternal.
5-d Carrier, no ATP.
6-c Water out.
7-b Meiosis.
8-b Non-keratinised.
9-c Fusion later.
10-c Ossify.
11-b Dens.
12-d 11–12.
13-b Scaphoid.
14-a Hinge.
15-c Osteoclasts.
16-b Tendon.
17-d Masseter.
18-b Actin.
19-b AChR.
20-b C3,4,5.
21-c 300 g.
22-b Myocardium.
23-b Filling.
24-b Preload.
25-c EF.
26-d Saphenous.
27-a LAD.
28-a DA.
29-a UV.
30-c MAP.
31-b 1.34.
32-c 4–11k.
33-a 1.5–4.5 L.
34-b BT.
35-b hh.
36-c Landsteiner birthday.
37-d Glucuronyl transferase.
38-c Barrier.
39-a Pentamer.
40-d Puberty.
41-a Spleen.
42-c Adults.
43-c Oblique + horizontal.
44-b Small.
45-b Mature.
46-d Obstructive.
47-a TLC.
48-a CO_2.
49-c CS.
50-b CO.
51-a Wharton.
52-c Submandibular.
53-c VII.
54-a Acidic.
55-c 25 cm.
56-b D2.
57-c Lymph.
58-b Portal.
59-d Lipase.
60-b Appendix.
61-c T12–L3.
62-c 20–25.
63-d True GFR.
64-b 200–300.
65-a Sacral.
66-b 3–7.
67-c ROME.
68-d HCO_3.
69-b AG.
70-c Towards.
71-b Saltatory.
72-a Thalamus.
73-c Wernicke.
74-b Villi.
75-a Aqueduct.
76-b MMA.
77-b L3,4.
78-d S1.
79-d Immature tract.
80-c Same side.
81-b Waiter's tip.
82-b Miosis.
83-a Biconvex.
84-c Chiasma.
85-c Cylindrical.
86-c Vestibule.
87-a Eyelids.
88-c 37.
89-a ADH – posterior.
90-d 2–4.
91-b 15 ppm.
92-a Tetany.
93-c Iatrogenic.
94-d 1921.
95-c Nurse cells.
96-d 12–24.
97-a hCG.
98-a Internal iliac.

99-c 280.
100-d ~1 L.

— Anatomy & Physiology · GSSSB Staff Nurse Preparation · Padhte raho, revise karte raho! —