


Product Layout

Wireless PTT






The Up Key and Down Key can be programmed to Volume Control keys or Channel Selector keys. For details, consult your dealer.



Charger



LED Indicator

LED Indication	lication	Description
	Flashes for 4 times	The product is being turned on.
	On	The BT is pairing.
Blue	Flashes twice every 3s	The wireless connection is established, but no voice is being transmitted.
	Flashes once every 1s	The wireless connection is established, and voice is being transmitted.
	Flashes once every 3s	The wireless connection is not established.



LED Indication	ication	Description
	Flashes for 4 times	The product is being turned off (BT not connected).
7	Flashes 2 times, and then flashes 3 times after 1s stop	The product is being turned off (BT connected).
Red	Flashes once every 3s	The battery is low.
	Flashes once every 1s	The product is being charged.
	On	The product is transmitting.
Green	On	The product is fully charged.

Specifications

Item	Specification
Communication Distance	10 m
Battery Life (5-5-90 Duty Cycle)	120 h
Battery Capacity	33mAh
Charging Time	1.5 h
Dust & Water Protection	IP67
Operating Temperature	-20°C to +60°C
Storage Temperature	-40°C to +85°C

Hytera


POA121 Wireless BT PTT Ring

Charging the Product

Turn off the product and get it fully charged if it stays idle for a long time. Charge it every three months to prolong its lifespan. Caution

Turn off the product before charging; otherwise, it will be reset and turned off automatically.

The LED indicator flashes once every 3s, indicating that the battery is low. To charge the product, do as follows:





After the product is fully charged, go through the steps reversely to remove it.



Wearing the Wireless PTT

Adjust the ring belt to fit your finger and wear it.

Basic Operations

Turning the Product On or Off

To turn on the product, press and hold both Up Key and Down Key simultaneously until the LED indicator flashes blue rapidly. To turn off the product, press and hold both Up Key and Down Key simultaneously until the LED indicator flashes red rapidly.



If the product does not establish wireless connection within five minutes, it will be turned off

automatically.

Hytera

POA121 Wireless BT PTT Ring

Pairing the Product

The product can work properly only when it is paired with the wireless audio adapter or the radio with BT module. After initial pairing, whenever you turn on the product, the connection will be automatically established

To enter paring mode:

- For Wireless Ring PTT: press and hold both Up Key and Down Key until the LED indicator flashes blue.
- For wireless audio adapter or radio with BT module: refer to corresponding User Manual for details.

The LED indicator flashes blue, indicating that the wireless connection is established



- The product will exit if the connection is not established three minutes after entering pairing mode.
- The product will always pair with the last connected wireless audio adapter or radio.

Making a call

To make a call, press and hold the PTT key, and then speak into the microphone on the audio device. Release the PTT key when finished.