

BuildTakeoff Pro — Estimation Report

Project: 11072026 (001)

Generated: 12/07/2026

Drawing: 123456.pdf

Scale Unit: mm

Measurements

No	Mark	Description	Length (mm)	Member Type	Qty	Unit	Notes
1	SF3	90.00 mm	90.00	SF3	3	mm	msi:3957

Total: 1 items | Total Length: 90.00 mm

Member Schedule

No	Mark	Size	Type	Unit Wt (kg/m)	Length (m)	Qty	Total Wt (kg)	Description
1	A	410UB54	Beam	0.000	0.000	1	0.00	A-A FIX CB1 TO410 UB54
2	A17	10-2019 ISSUED FOR TENDER A U S T R A L I A	Other	0.000	0.000	1	0.00	A17-10-2019 ISSUED FOR TENDER A U S T R A L I A
3	A2	AT ABUTTING PANELS AT ABUTTING STUDWALLS	Other	0.000	0.000	1	0.00	A2 - AT ABUTTING PANELS AT ABUTTING STUDWALLS
4	B1	610UB113	Beam	0.000	0.000	1	0.00	B1 - 610 UB113 TO VERTICAL HORIZONTAL MEMBERS. &
5	B2	M16 8.8/S BOLTS 6 PANEL PLATE & VIA2-HILTI EX8 E	Beam	0.000	0.000	1	0.00	B2-M16 8.8/S BOLTS 6 PANEL PLATE & VIA2-HILTI EX8 END HSL-3 ...
6	B3	360UB51	Beam	0.000	0.000	1	0.00	B3 - 360 UB51 BRIDGING AT THIRD POINTS NOTE:
7	B5	200UB18	Beam	0.000	0.000	1	0.00	B5 - 200 UB18 1000 MAX END SPACING 3 ARCH'L SPECIFICATIONS
8	B6	C20024 + C20024 BOLT TOGETHER VIA M12 BOLTS AT 1	Beam	0.000	0.000	1	0.00	B6 - C20024 + C20024 BOLT TOGETHER VIA M12 BOLTS AT 1200 CTS...

No	Mark	Size	Type	Unit Wt (kg/m)	Length (m)	Qty	Total Wt (kg)	Description
9	B7	125PFC	Beam	0.000	0.000	1	0.00	Pattern: B7 B8 - - 300 125 PFC PFC BRIDGING AT MIDSPAN PANEL BOLTS (T...
10	B9	100PFC	Beam	0.000	0.000	1	0.00	B9 - 100 PFC AT600 CTS MAX. BRACINGS EX2-M16 10 ANGLE 8.8/S ...
11	C1	610UB113	Column	0.000	0.000	1	0.00	C1 - 610 UB113: REFER TO DETAIL ON SHEET S3 8. DOW THE BUILD...
12	C10	125X75SHS	Column	0.000	0.000	1	0.00	C9 C10 - - 100 125 x x5 75 SHS: x6 REFER RHS: TO REFER DETAI...
13	C11	410UB54	Column	0.000	0.000	1	0.00	C11 - 410 UB54: REFER TO DETAIL ON SHEET S3 12. PLANK PLANKS...
14	C2	M12 BOLTS	Column	0.000	0.000	1	0.00	C2-M12 BOLTS
15	C3	75 x5 SHS LAP900 AT INTERNAL SUPPORTS	Column	0.000	0.000	1	0.00	C3 - 75 x5 SHS LAP900 AT INTERNAL SUPPORTS
16	C4	89X6SHS	Column	0.000	0.000	1	0.00	C3 C4 - - 75 89 x x5 6 SHS: SHS: REFER REFER TO TO DETAIL DE...
17	C5	125 x6 SHS	Column	0.000	0.000	1	0.00	C5 - 125 x6 SHS: REFER TO DETAIL ON SHEET S3 10. CONCRETE QU...
18	C6	165 O.D. x5.4 CHS	Column	0.000	0.000	1	0.00	C6 - 165 O.D. x5.4 CHS: REFER TO DETAIL ON SHEET S3 LOCATION...
19	C7	310UB32	Column	0.000	0.000	1	0.00	C7 - 310 UB32: REFER TO DETAIL ON SHEET S3 CONC. TOPPING N32...
20	C8	100 x5 SHS ** ALL ALL FRAME MEMBERS MEMBERS TO	Column	0.000	0.000	1	0.00	C8 - 100 x5 SHS ** ALL ALL FRAME MEMBERS MEMBERS TO BE SPAC...
21	C9	100 x5 SHS P6 - C20015 1000 MAX PURLINS END SPAC	Column	0.000	0.000	1	0.00	C9 - 100 x5 SHS P6 - C20015 1000 MAX PURLINS END SPACING AT ...
22	CAST	IN SLIDING 1. ALL RETAINING WALL WORKS TO COMPLY	Column	0.000	0.000	1	0.00	CAST-IN SLIDING 1. ALL RETAINING WALL WORKS TO

No	Mark	Size	Type	Unit Wt (kg/m)	Length (m)	Qty	Total Wt (kg)	Description
								COMPLY WITH A...
23	CB1	410UB54	Column	0.000	0.000	1	0.00	CB1 - 410 UB54 + 380 PFC2-SPAN CONTINUOUS LAP BRIDGING 900 A...
24	CB2	410UB54	Column	0.000	0.000	1	0.00	CB2 - 410 UB54 + 380 PFC3-SPAN CONTINUOUS SWL=20T RAFTER OR ...
25	DH1	310UB32	Beam	0.000	0.000	1	0.00	DH1 - 310 UB32 LAP BRIDGING 900 AT AT INTERNAL THIRD POINTS ...
26	DWG	STOOL UP PURLINS TO FLANGE FIX C20015 TO VIA SUI	Other	0.000	0.000	1	0.00	DWG -STOOL UP PURLINS TO FLANGE FIX C20015 TO VIA SUIT EX RO...
27	ET1	150PFC	Purlin	0.000	0.000	1	0.00	ET1 - 150 PFC BR2 - 100 x5 SHS: EX10 TEE PLATE & 2-M16 M12 A...
28	EX4	M16 10 END8.8/S PLATE BOLTS & PLATE SC1. EX & 10	Other	0.000	0.000	1	0.00	EX4-M16 10 END8.8/S PLATE BOLTS & PLATE SC1. EX & 10 4-M16 E...
29	EYOND	410UB54	Beam	0.000	0.000	1	0.00	Pattern: 410 UB54 EACH SIDE C1 BEYOND 410 UB54
30	FA1	150X12EA	Rafter	0.000	0.000	1	0.00	FA1 - 150 x12 EA: SEE DETAIL ADJACENT
31	FA2	100 x8 EA	Rafter	0.000	0.000	1	0.00	FA2 - 100 x8 EA: FIX TO PANEL VIA HILTI HSL-3 M10 ANCHORS AT...
32	FB1	460PFC	Beam	0.000	0.000	1	0.00	FB1 FB2 - - 460 250 PFC UB67
33	FB2	250UB67	Beam	0.000	0.000	1	0.00	FB1 FB2 - - 460 250 PFC UB67
34	FB3	200UB22	Beam	0.000	0.000	1	0.00	FB3 - 200 UB22
35	FB4	250PFC	Beam	0.000	0.000	1	0.00	FB4 - 250 PFC
36	FIX	200X13EA	Rafter	0.000	0.000	1	0.00	Pattern: FIX 200x13 EA VIA EX10 PLATE BUTT FLANGES (TYP.)
37	FJ1	C15012 JOISTS AT450 CTS MAX.	Rafter	0.000	0.000	1	0.00	FJ1 - C15012 JOISTS AT450 CTS MAX.

No	Mark	Size	Type	Unit Wt (kg/m)	Length (m)	Qty	Total Wt (kg)	Description
38	FR1	FULLY WELDED FRAME AS DETAIL ADJACENT SERIES 500	Rafter	0.000	0.000	1	0.00	FR1 - FULLY WELDED FRAME AS DETAIL ADJACENT SERIES 500 TEKS ...
39	FULLY	300x300x20	Rafter	0.000	0.000	1	0.00	Pattern: SLAB VIA EX10 BASE1 MITRE CUT & FULLY 300x300x20 BASE PLATE ...
40	G1	Z15012 AT 1800 CTS MAX.	Girt	0.000	0.000	1	0.00	G1 - Z15012 AT 1800 CTS MAX.
41	HSL	3's. BOLT TO EX10 PLATE FULLY	Brace	0.000	0.000	1	0.00	HSL-3's. BOLT TO EX10 PLATE FULLY
42	IN4	'REID' ELEPHANT FOOT CAST-IN V I E W X1 -- END P	Other	0.000	0.000	1	0.00	IN4-'REID' ELEPHANT FOOT CAST-IN V I E W X1 -- END PLATE BOL...
43	LONG	350 x350	Other	0.000	0.000	1	0.00	Pattern: 0 SCREW PILE DESIGNED TO TAKE AN ULTIMATE LONG 350 x350 BLOC...
44	N12	200 BOTTOM PF3 - 1200 (x 1200) N12-200 BOTTOM PF	Other	0.000	0.000	1	0.00	N12-200 BOTTOM PF3 - 1200 (x 1200) N12-200 BOTTOM PF8 - 800 ...
45	N16	200 TOP & EXISTING LIMESTONE N16-200 TOP & BOTTO	Other	0.000	0.000	1	0.00	N16-200 TOP & EXISTING LIMESTONE N16-200 TOP & BOTTOM 21. CO...
46	NON	BEARING WALL BELOW F B2 125 x10 BASE PLATE. FULL	Angle	0.000	0.000	1	0.00	NON-BEARING WALL BELOW F B2 125 x10 BASE PLATE. FULLY PANEL....
47	NOTE	FOR EXTERNAL USE DDSLPL06X110G APPLICATIONS NOTE	Other	0.000	0.000	1	0.00	NOTE: FOR EXTERNAL USE DDSLPL06X110G APPLICATIONS NOTE: FOR ...
48	OR1	250PFC	Purlin	0.000	0.000	1	0.00	OR1 - 250 PFC
49	OR2	150UC23	Column	0.000	0.000	1	0.00	OR2 - 150 UC23: FULLY WELD TO COLUMN TO PURLIN OVER AT MIDSP...
50	OTING	150X12EA	Angle	0.000	0.000	1	0.00	Pattern: EXISTING LIMESTONE TURN ONTO FOOTING LIMESTONE DOWN BLOCK SF...
51	P3	Z15012 LAP900 AT AT 1000 INTERNAL CTS MAX. SUPPO	Purlin	0.000	0.000	1	0.00	P3 - Z15012 LAP900 AT AT 1000

No	Mark	Size	Type	Unit Wt (kg/m)	Length (m)	Qty	Total Wt (kg)	Description
								INTERNAL CTS MAX. SUPPORTS STE...
52	PF1	3500 x 3500 x600 DEEP	Purlin	0.000	0.000	1	0.00	PF1 - 3500 x 3500 x600 DEEP: N16-200 EACH WAY TOP & BOTTOM (...)
53	PF2	3500 x 3500 x600	Purlin	0.000	0.000	1	0.00	Pattern: LEGEND PF2 - 3500 x 3500 x600 DEEP: N16-200 EACH WAY TOP & B...
54	PF3	1200 x 1200 x300	Purlin	0.000	0.000	1	0.00	Pattern: 100 THICK CONCRETE SLAB PF3 - 1200 x 1200 x300 DEEP: N12-200...
55	PF4	1600 x 1600 x400	Purlin	0.000	0.000	1	0.00	Pattern: SL72 MESH TOP, 40 COVER (N32, 20, 80) PF4 - 1600 x 1600 x400...
56	PF5	1200X1200X300DEEP	Purlin	0.000	0.000	1	0.00	PF5 PF6 - - 1200 1200 x x 1200 1200 x x300 300 DEEP: DEEP: N...
57	PF6	1200X1200X300DEEP	Purlin	0.000	0.000	1	0.00	PF5 PF6 - - 1200 1200 x x 1200 1200 x x300 300 DEEP: DEEP: N...
58	PF7	800 x800 x300	Purlin	0.000	0.000	1	0.00	Pattern: INDICATES 370 to350 THICK SLAB PF7 - 800 x800 x300 DEEP: N12...
59	PF8	800 x800 x300 DEEP	Purlin	0.000	0.000	1	0.00	PF8 - 800 x800 x300 DEEP: N12-200 EACH WAY BOTTOM (50 COVER)...
60	R1	RB12	Other	0.000	0.000	1	0.00	R1 - RB12 REID BARS x540 LONG IN RB12 TI CAST IN INSERTS AT
61	R2	RB12	Other	0.000	0.000	1	0.00	R2 - RB12 REID BARS x540 LONG IN RB12-TI CAST IN INSERTS
62	RB12	RB12	Other	0.000	0.000	1	0.00	Pattern: RB12 REIDBARS x540 LONG LEVELLING PADS AS
63	SC2	360UB45	Column	0.000	0.000	1	0.00	SC2 - 360 UB45 REFER TO SECTIONS ON S11 FOR LOCATIONS MITRE ...
64	SC3	75 x5 SHS STUB P7 - Z15019 PURLINS AT 1200 CTS M	Column	0.000	0.000	1	0.00	SC3 - 75 x5 SHS STUB P7 - Z15019 PURLINS AT 1200 CTS MAX. FR...

No	Mark	Size	Type	Unit Wt (kg/m)	Length (m)	Qty	Total Wt (kg)	Description
65	SF1	720 x300	Other	0.000	0.000	1	0.00	Pattern: INDICATES 400 THICK SLAB SF1 - 720 x300 DEEP: L8TM TOP & BOT...
66	SF2	600 x300 DEEP	Other	0.000	0.000	1	0.00	SF2 - 600 x300 DEEP: L8TM BOTTOM (50 COVER) S11 - STEEL ROOF...
67	SF3	600 x300	Other	0.000	0.000	1	0.00	Pattern: INDICATES MAINTAIN 100 25mm THICK SET SLAB. DOWN CONFIRM IN ...
68	SF4	600 x300	Other	0.000	0.000	1	0.00	Pattern: WITH ARCHITECTURAL DRAWING SF4 - 600 x300 DEEP: L8TM BOTTOM ...
69	SF5	720 x300 DEEP	Other	0.000	0.000	1	0.00	SF5 - 720 x300 DEEP: L8TM TOP & B O T T O M (5 0 C O V E R) δ- GEOTECHN...
70	ST1	60 O.D. x4.5 CHS	Brace	0.000	0.000	1	0.00	ST1 - 60 O.D. x4.5 CHS: EX10 TEE PLATE & 2-M16 8.8/S BOLTS E...
71	STR1	200PFC	Purlin	0.000	0.000	1	0.00	STR1 - 200 PFC STRINGER: SEE DETAILS ON SHEET S8
72	T2	M16 8.8/S BOLTS SL62 MESH CENTRAL 2-M16 8.8/S BO	Other	0.000	0.000	1	0.00	T2-M16 8.8/S BOLTS SL62 MESH CENTRAL 2-M16 8.8/S BOLTS C C8 ...
73	TILT	UP CONCRETE PANEL NOTES.	Other	0.000	0.000	1	0.00	TILT-UP CONCRETE PANEL NOTES.
74	UB54	410UB54	Beam	0.000	0.000	1	0.00	Pattern: 410 UB54 410 UB54 410 UB54 410 UB54
75	VO1	75 x8 EA	Angle	0.000	0.000	1	0.00	VO1 - 75 x8 EA: FIX EX8 TO PLATE PANEL & 2-M12 VIA HILTI BOL...
76	WH1	150PFC	Purlin	0.000	0.000	1	0.00	WH1 - 150 PFC: EX10 PLATE & 2-M16 8.8/S BOLTS EACH END
77	WH2	150X10EA	Angle	0.000	0.000	1	0.00	WH2 - 150 x10 EA: EX10 PLATE & 2-M16 8.8/S BOLTS EACH END
78	X5	75SHS	Brace	0.000	0.000	1	0.00	Pattern: APPLICABLE) TO BE STRICTLY LAID IN ACCORDANCE WITH THE C9 C1...

Total: 78 members | Total Qty: 78 | Total Weight: 0.00 kg