

```
Combine.java X +
File Edit View

public class Combine
{
    int id;
    String name;
    Combine()
    {
        System.out.println("this is default constructor");
    }
    Combine(int i, String n)
    {
        id=i;
        name=n;
    }
    Combine(Combine obj)
    {
        id=obj.id;
        name=obj.name;
    }
    void display()
    {
        System.out.println("id : "+id);
        System.out.println("name : "+name);
    }
    public static void main(String[] args) {

        Combine c1 =new Combine();
        Combine c2 =new Combine(100,"combine");
        Combine c3 =new Combine(c2);

        c2.display();
        c3.display();

    }
}
```

```
C:\Windows\System32\cmd.e X + v
Microsoft Windows [Version 10.0.26200.8737]
(c) Microsoft Corporation. All rights reserved.

D:\Java 24>javac Combine.java

D:\Java 24>java Combine
this is default constructor
id : 100
name : combine
id : 100
name : combine

D:\Java 24>|
```

Microsoft Windows [Version 10.0.26200.8737]
(c) Microsoft Corporation. All rights reserved.

D:\Java 24>javac Phone.java

D:\Java 24>java Phone


--- Veer's Mobile Inventory System ---

Brand: poco | Model: 11k | Price: 25000.0

Brand: Apple | Model: iPhone 15 | Price: 99999.99

Duplicate Record: Brand: Apple | Model: iPhone 15 | Price: 99999.99

D:\Java 24>



```
public class Phone
{
    String brand;
    String model;
    double price;

    Phone() {
        brand = "poco";
        model = "11k";
        price = 25000.0;
    }

    Phone(String b, String m, double p) {
        brand = b;
        model = m;
        price = p;
    }

    Phone(Phone obj) {
        brand = obj.brand;
        model = obj.model;
        price = obj.price;
    }

    void display() {
        System.out.println("Brand: " + brand + " | Model: " + model + " | Price: " + price);
    }

    public static void main(String[] args) {
        System.out.println("--- Veer's Mobile Inventory System ---");

        Phone m1 = new Phone();
        m1.display();

        Phone m2 = new Phone("Apple", "iPhone 15", 99999.99);
        m2.display();

        Phone m3 = new Phone(m2);
        System.out.print("Duplicate Record: ");
        m3.display();
    }
}
```

Ln 1, Col 1 | 935 characters | Plain text

```
C:\Windows\System32\cmd.e X + v
Microsoft Windows [Version 10.0.26200.8737]
(c) Microsoft Corporation. All rights reserved.

D:\Java 24>javac STUDENT.java

D:\Java 24>java STUDENT
Name: veer, Roll No: 508
Name: VEER, Roll No: 508

D:\Java 24>
```

```
Combine.java STUDENT.java X +
File Edit View

class STUDENT
{
    String studentName;
    int rollNumber;

    public STUDENT() {
        studentName = "veer";
        rollNumber = 508;
    }

    public STUDENT(String n, int r) {
        studentName = n;
        rollNumber = r;
    }

    public void displayDetails() {
        System.out.println("Name: " + studentName + ", Roll No: " + rollNumber);
    }

    public static void main(String[] args)
    {
        STUDENT s1 = new STUDENT();
        STUDENT s2 = new STUDENT("VEER", 508);

        s1.displayDetails();
        s2.displayDetails();
    }
}
```

Ln 4, Col 1 589 characters Plain text