ZIM School - Use Cases

08. Lesson plans: weekly ILAW plans

Modules: LessonPlans
3 use cases (changes) · 5 views and reports
Written from the use case commands, handlers, policies and rules in `src/` on 2026-11-10.


1. What this area does

A teacher writes one **lesson plan per class (teaching load) per week** in the ILAW format (Daily Lesson Log - ILAW). The plan has a topic, competencies, class notes, references and an AI-use declaration, plus a column per meeting day with the ILAW rows: objectives, learner context, pre-lesson, lesson flow, resources, integration, formative assessment, extended learning and reflections.

The days of the week are set when the plan is started (`LessonWeek`): the weekdays the class meets on the timetable (for the semester the week falls in) or, without a timetable, the subject's meetings per week from Monday. A school day off stays in the plan as a holiday. The plan belongs to its teacher: only they edit it; their school's principal this school year may read and print it (`LessonPlanPolicy`). The PDF prints the principal's position (from the Staff service record) and the school's lesson plan "checked by" names. Changes take no lock.

2. Use case map


A standard use case diagram: the actors on the left, each use case as an ellipse inside the system frame, and a line for each use case an actor starts. A dashed line has a note on when it applies.



Teacher Principal Line colour = the actor who starts it.

LessonPlans Ellipse colour = the module the use case belongs to.

3.1 Flow: Starting a week's plan



LessonPlans Drawn in the colour of the module this flow belongs to.

4. Use cases (changes)

Each card is one use case command sent through the use case bus. It runs in one database transaction: if any rule refuses, nothing is saved and the message in *Alternatives and refusals* is shown to the user.

LSP-01 Start or open a week's lesson plan

Primary actor	Teacher
Goal	Get the plan of one of the teacher's classes for a given week.
Where (route)	`teacher_lesson_plan_new /teacher/lesson-plans/new`
Preconditions	• The teacher has teaching loads this school year; the school year has start and end dates.
Main flow	1. The teacher picks a class and a date. 2. If a plan exists for that class and week it opens; otherwise a new one is started with the days set from the timetable and the days off.
Alternatives and refusals	• Not the teacher's class: not found / 403. • "The school year has no start date." / "The school year has no end date."
Result (data changed)	LessonPlan (load, week_start, days JSON).
In the code	`StartLessonPlanCommand → LessonWeek::start`

LSP-02 Save the lesson plan

Primary actor	Teacher
Goal	Write the plan's content.
Where (route)	`teacher_lesson_plan_edit /teacher/lesson-plans/{id}`
Preconditions	• The teacher owns the plan.
Main flow	1. The teacher fills the topic, competencies, notes, references, AI declaration and each day's ILAW cells. 2. Saves; every day keeps its date and holiday, only the text changes.
Alternatives and refusals	• Not the owner (403).
Result (data changed)	LessonPlan text columns and days JSON; updated_at.
In the code	`SaveLessonPlanCommand (form bound to LessonPlanContent)`

LSP-03 Delete the lesson plan

Primary actor	Teacher
Goal	Remove a plan.
Where (route)	`teacher_lesson_plan_delete /teacher/lesson-plans/{id}/delete`
Preconditions	• The teacher owns the plan.
Main flow	1. The teacher confirms Delete.
Alternatives and refusals	• Not the owner (403).
Result (data changed)	LessonPlan removed.
In the code	`DeleteLessonPlanCommand`

5. Views, downloads and reports (read only)

Each row is one query sent through the query bus. Queries change nothing.

Page / file	Who	Route	What it shows	Query
My lesson plans	Teacher	`teacher_lesson_plans` `/teacher/lesson-plans`	The teacher's plans this school year.	`GetTeacherLessonPlansCommand`
New plan form	Teacher	`teacher_lesson_plan_new`	The teacher's classes this school year and today's date.	`GetLessonPlanStartCommand`, `GetLessonPlanIdCommand`
View a plan	Teacher (owner), Principal of the school	`lesson_plan_show` `/lesson-plans/{id}`	The plan, read only.	`GetLessonPlanCommand`
Lesson plan PDF	Teacher (owner), Principal of the school	`lesson_plan_pdf` `/lesson-plans/{id}.pdf`	The printable ILAW plan with signatories.	`GetLessonPlanPdfCommand`
School's lesson plans	Principal	`principal_lesson_plans` `/principal/lesson-plans`	Every plan of the school this school year.	`GetSchoolLessonPlansCommand`