ZIM School - Use Cases

09. Staff: Personal Data Sheet, service record and staff ID

Modules: Staff
7 use cases (changes) · 6 views and reports
Written from the use case commands, handlers, policies and rules in `src/` on 2026-11-10.

1. What this area does


The Staff module keeps the personnel records of principals and teachers.

- **Personal Data Sheet** (PDS, CS Form 212): each principal or teacher fills their own under `/profile`, tab by tab (I Personal information, II Family background, III-VII lists: education, eligibility, work experience, training, voluntary work, Other information, Questions 34-40, References and government ID). The sheet is started on the first visit. It prints to PDF; the principal or an administrator can download a teacher's PDS.
- **Service record**: the principal keeps the rows (designation, status, salary, station, branch, leave without pay, separation) of the people of their school, their own included; an administrator may only print. Rows belong to the person, so they follow them to another school. Guarded by `ServiceRecordVoter`.
- **Staff ID**: a teacher's or principal's ID card (Big or Small template). Name and numbers come from the PDS, the position from the service record's Present row, the signature from the school's principal (for a teacher) or the division's Superintendent (for a principal).

Changes take no lock.

2. Use case map


A standard use case diagram: the actors on the left, each use case as an ellipse inside the system frame, and a line for each use case an actor starts. A dashed line has a note on when it applies.



Principal / Teacher (own records) · Principal · Administrator — Line colour = the actor who starts it.

Staff — Ellipse colour = the module the use case belongs to.

3.1 Flow: Service record row rules



Staff — Drawn in the colour of the module this flow belongs to.

4. Use cases (changes)

Each card is one use case command sent through the use case bus. It runs in one database transaction: if any rule refuses, nothing is saved and the message in *Alternatives and refusals* is shown to the user.

STF-01 Open the profile (start the PDS)

Primary actor	Principal, Teacher
Goal	See one's own Personal Data Sheet; it is created on the first visit.
Where (route)	`profile_show /profile`
Preconditions	• Signed in as principal or teacher.
Main flow	1. The user opens Profile. 2. If they have no sheet yet, an empty one is created for their account.
Alternatives and refusals	• -
Result (data changed)	PersonalDataSheet (one per account).
In the code	`OpenPersonalDataSheetCommand`

STF-02 Save a PDS tab

Primary actor	Principal, Teacher
Goal	Fill in one part of the PDS.
Where (route)	`profile_personal, profile_family, profile_education, profile_eligibility, profile_work, profile_training, profile_voluntary, profile_other, profile_questions, profile_references`
Preconditions	• The user's own sheet.
Main flow	1. The user opens a tab; the form is filled from the sheet. 2. Edits the fields (list tabs add, edit, reorder and remove rows) and saves. 3. The tab's command validates and writes back to the sheet.
Alternatives and refusals	• Personal info: "Enter your surname.", "Date of birth must be in the past.", "Choose your civil status.", "ZIP code must be 4 digits.", "Mobile number must look like 09171234567.", height/weight ranges, citizenship details. • Lists: "The end date cannot be before the start date.", "Enter a year like 2010.", "Enter the salary as a number, e.g. 30024.50.", "Use the format 00-0, e.g. 11-1.", "Hours must be more than 0." • Family: "List at most N children."; Questions: "You answered YES: give the details."; References: "List three references, or leave all three empty for now."
Result (data changed)	PersonalDataSheet columns and its Pds* child rows.
In the code	`SavePersonalInfoCommand, SaveFamilyBackgroundCommand, SavePdsListCommand (Pds*Row), SaveOtherInfoCommand, SaveQuestionsCommand, SaveReferencesCommand`

STF-03 Add or edit a service record row

Primary actor	Principal
Goal	Keep an employee's service history.
Where (route)	`service_record_row_new / _edit (/schools/{id}/service-records/{employee}/rows/...)`
Preconditions	• Principal of the school; the employee belongs to the school this year (StaffScope).
Main flow	1. The principal opens the employee's service record and adds a row (drafted from the last) or edits one. 2. Enters from/to dates, designation, status, annual salary, station, branch, leave without pay, separation, remarks. 3. The date rules are checked against the person's other rows; the open row is closed when a new one starts.
Alternatives and refusals	• "The end date is before the start date." • "Give both leave without pay dates, the end not before the start." • "This service overlaps the row from <date>." • "There is already a row up to the present. Close it first." • "This person does not belong to the school this school year."
Result (data changed)	ServiceRecordEntry rows (updated_by, updated_at).
In the code	`SaveServiceRowCommand → ServiceRecordKeeper (rule: ValidServiceRow)`

STF-04 Delete a service record row

Primary actor	Principal
Goal	Remove a wrong row.
Where (route)	`service_record_row_delete`
Preconditions	• As STF-03.
Main flow	1. The principal confirms Delete.
Alternatives and refusals	• "No such row in this service record."
Result (data changed)	ServiceRecordEntry removed.
In the code	`DeleteServiceRowCommand`

STF-05 Save the GSIS BP number

Primary actor	Principal
Goal	Record the employee's GSIS BP number on the service record; blank clears it.
Where (route)	`service_record_bp /schools/{id}/service-records/{employee}/bp`
Preconditions	• As STF-03.
Main flow	1. The principal types the number and saves.
Alternatives and refusals	• -
Result (data changed)	ServiceRecord.bp_number.
In the code	`SaveBpNumberCommand`

STF-06 Download a teacher's PDS

Primary actor	Principal, Administrator
Goal	Get a teacher's PDS as a PDF.
Where (route)	`school_teacher_pds /schools/{id}/teachers/{teacher}/pds.pdf`
Preconditions	• Manages the school; the teacher belongs to it this year.
Main flow	1. From the Teachers page the principal downloads the PDS; the download is logged.
Alternatives and refusals	• "This teacher does not belong to the school this school year."
Result (data changed)	ActivityLog line only (the PDF is generated).
In the code	`DownloadTeacherPdsCommand`

STF-07 Save staff ID details

Primary actor	Principal, Teacher
Goal	Add what the ID needs that the PDS lacks: emergency contact, GSIS policy number, call name.
Where (route)	`my_id /my-id`
Preconditions	• A teacher or principal with a school this school year.
Main flow	1. The user fills the fields and saves; the card preview updates.
Alternatives and refusals	• "Only teachers and principals with a school this school year have an ID here."
Result (data changed)	StaffIdDetails (one per account).
In the code	`SaveStaffIdDetailsCommand`

5. Views, downloads and reports (read only)

Each row is one query sent through the query bus. Queries change nothing.

Page / file	Who	Route	What it shows	Query
Profile / PDS tabs	Principal, Teacher	`profile_* (/profile/...)`	The person's own PDS.	`GetPersonalDataSheetCommand`
Own PDS PDF	Principal, Teacher	`profile_pdf /profile/pds.pdf`	CS Form 212 rendered with Dompdf.	`GetPdsPdfCommand`
Service record page	Principal	`service_record_show (principal_service_record shortcut)`	PDS header, missing data, BP number and the rows.	`GetServiceRecordCommand, GetServiceRowFormCommand`
Service record PDF	Principal, Administrator	`service_record_pdf .../service-record.pdf`	The DepEd service record with the school's prepared/certified by names.	`GetServiceRecordPdfCommand`
My ID page	Principal, Teacher	`my_id /my-id`	Card preview, what is missing, whether it can be printed.	`GetMyIdCommand`
Staff ID PDF	Principal, Teacher	`my_id_pdf /my-id/{size}.pdf`	The ID on the Big or Small template. Needs a photo and a Present service record row: "Add your photo and a current (Present) service record row before printing your ID."	`GetStaffIdPdfCommand`