

Logistic Regression

Notes

Output Created		15-JUL-2026 21:37:49
Comments		
Input	Data	/Users/ignaleiva/Library/CloudStorage/GoogleDrive-ignacio.leiva.e@gmail.com/My Drive/Uni-Munster/practical/wissenschafts_practicals/nhan...
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	16588
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing
Syntax		LOGISTIC REGRESSION VARIABLES perio_binary /METHOD=ENTER bmi /CRITERIA=PIN(.05) POUT(.10) ITERATE(20) CUT(.5).
Resources	Processor Time	00:00:00.09
	Elapsed Time	00:00:00.00

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	7858	47.4
	Missing Cases	8730	52.6
	Total	16588	100.0
Unselected Cases		0	.0
Total		16588	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
.00	0
1.00	1

Block 0: Beginning Block

Classification Table^{a,b}

Observed		Predicted		Percentage Correct
		Periodontitis .00	1.00	
Step 0	Periodontitis .00	6315	0	100.0
	1.00	1543	0	.0
Overall Percentage				80.4

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	-1.409	.028	2462.476	1	<.001	.244

Variables not in the Equation

	Score	df	Sig.
Step 0 Variables bmi	.101	1	.751
Overall Statistics	.101	1	.751

Block 1: Method = Enter**Omnibus Tests of Model Coefficients**

	Chi-square	df	Sig.
Step 1 Step	.101	1	.751
Block	.101	1	.751
Model	.101	1	.751

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	7784.274 ^a	.000	.000

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

Classification Table^a

Observed		Predicted		Percentage Correct
		Periodontitis .00	1.00	
Step 1	Periodontitis .00	6315	0	100.0
	1.00	1543	0	.0
Overall Percentage				80.4

a. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1 ^a	bmi	-.001	.005	.101	1	.751	.999
	Constant	-1.367	.137	100.040	1	<.001	.255

a. Variable(s) entered on step 1: bmi.

Logistic Regression

Notes

Output Created	15-JUL-2026 21:38:12	
Comments		
Input	Data	/Users/ignaleiva/Library/CloudStorage/GoogleDrive-ignacio.leiva.e@gmail.com/My Drive/Uni-Munster/practical/wissenschafts_practicals/nhan...
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	16588
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing
Syntax	LOGISTIC REGRESSION VARIABLES perio_binary /METHOD=ENTER bmi age Former Current /CRITERIA=PIN(.05) POUT(.10) ITERATE(20) CUT(.5).	
Resources	Processor Time	00:00:00.10
	Elapsed Time	00:00:00.00

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	7848	47.3
	Missing Cases	8740	52.7
	Total	16588	100.0
Unselected Cases		0	.0
Total		16588	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
.00	0
1.00	1

Block 0: Beginning Block

Classification Table^{a,b}

Observed		Predicted		Percentage Correct
		Periodontitis .00	1.00	
Step 0	Periodontitis .00	6309	0	100.0
	1.00	1539	0	.0
Overall Percentage				80.4

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	-1.411	.028	2462.625	1	<.001	.244

Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	bmi	.072	1	.789
		age	264.208	1	<.001
		Former	11.151	1	<.001
		Current	128.951	1	<.001
	Overall Statistics		496.814	4	<.001

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	509.947	4	<.001
	Block	509.947	4	<.001
	Model	509.947	4	<.001

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	7258.779 ^a	.063	.100

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than .001.

Classification Table^a

Observed		Predicted		Percentage Correct
		Periodontitis .00	1.00	
Step 1	Periodontitis .00	6292	17	99.7
	1.00	1508	31	2.0
	Overall Percentage			80.6

a. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1 ^a	bmi	.011	.005	4.892	1	.027	1.011
	age	.037	.002	319.573	1	<.001	1.038
	Former	.348	.071	24.219	1	<.001	1.416
	Current	1.190	.075	253.796	1	<.001	3.287
	Constant	-4.109	.201	416.824	1	<.001	.016

a. Variable(s) entered on step 1: bmi, age, Former, Current.