Job Role 👍 ⇒ Job

Web Designer / Developer ⇒ UI / UX
Front End Developer
Backend Developer
JS Developer
React js Developer
Mysql Admin Trainee
Html & xml Developers
Full Stack Developer ⇒ Software Developer

JD 👍 ⇒ Statements

Data ⇒ Raw Facts ⇒ 0 & 1 ⇒ Collection of inFormations ⇒ collection details

DB ⇒ Data Base ⇒ Storage ⇒ Only stored the data's

Data Type ⇒ structural data (Primitive Data) & unStructural Data (non primitive or Reference Data) ⇒ Semi structural

Primitive Data Type	Non Primitive Data Type
Number ⇒ [0,1,2,3,4…….n] ⇒ n(n+1)/2 Integer ⇒ int ,float,double,long integer,short integer,long **String** ⇒ [a,b,c,d,e……..z] Char⇒ a,b,c charset⇒ add,sub,sum ,characters⇒ addition **Boolean ⇒ [True,False] ⇒ [1 & 0]** **Undefined ⇒ [?] ⇒ may be getting a value ⇒ a=10 , b =** **Null ⇒ [{ }]** **Bigint ⇒ bigInt ⇒ [(2n*3)]**	**Object ⇒ ={ }** Function ⇒ (){ } Array ⇒ =[ ]

10000000000000000000000000000000 = bigint(10000) 7502132895 ⇒ bigInt(75021) Symbol ⇒ [@,#,$,%,&, ,,.(,)]	

OOP'S ⇒ c & c++

⇒ Object Oriented Programming language (System)

⇒ Class ⇒ Blue Print ⇒ Group of Objects ⇒ car ,Bike,student,Biriyani

⇒ Object ⇒ instance of Class ⇒ it is stand alone entity ⇒ Real world things ⇒ property & methods ⇒ alto800, pulsar, full stack ,Egg biriyani

⇒ Abstraction ⇒ Hide ⇒ need time only explore the functions or operation

⇒ Encapsulation ⇒ Binding ⇒ Join oe merge ⇒ oBject & methods

⇒ Inheritance ⇒ Parent Child concepts ⇒ Derivation or Construction ⇒ Separation from parent class to child class

Class (child)className extends parentClassName { }

⇒ Hierarchy Inheritance ⇒ parent ⇒ 2 child
⇒ Multilevel Inheritance ⇒ parent ⇒ child (parent) ⇒ child (parent)
⇒Single Level Inheritance ⇒ parent ⇒ child

⇒ Hierarchy Inheritance ⇒ parent ⇒ 2 child ⇒ mobile

Class mobile extends ElectronicItem{ }

Class android extends Mobile{ }

Class Ios extends Mobile{ }

Class Mac extends Mobile{ }

⇒ Multilevel Inheritance ⇒ parent ⇒ child (parent) ⇒ child (parent)

```
Class android extends Mobile{ }

Class Xomi extends Android { }

Class Redmi  extends Xomi { }

Class Note9pro  extends Redmi { }
```

⇒Single Level Inheritance ⇒ parent ⇒ child

```
Class Redmi8a extends Redmi { }
```

⇒ Polymorphism ⇒ One Interface and many implementation ⇒

Languages 👍

Coding Things ⇒ Scripting Languages & Core Languages

Scripting Languages	Core Languages
ECMA script ⇒ Es ,Javascript ⇒ Js , Reactjs ,angular Js ,vue js,html, css,..etc…	c&c++,php,java,python,nodejs,.Net ⇒ #c, Ruby, etc..
Syntex ,format,rule we can break or overcome	Syntex ,format,rule we can’t break or overcome
Javascript ⇒ logic ,operations ⇒ only focus to front end	Java ⇒ core lang ⇒ only works with logic and problematic things in coding (backend)
Browser only understand the scripting language	Can’t Browsar

Pattern or Archi structure 🙂 ⇒ 10

⇒ MVC ⇒ Full stack

M ⇒ Model	**V ⇒ View**	**C ⇒ Controller**
DB ⇒ Database	**FE ⇒ Front End**	**BE ⇒ Backend**
Schema	**UI/ux**	**UX/ui**
DBMS/RDBMS	**Client/userside**	**Server/developmentside**

Logical Operators ⇒ AND ,OR,NOT ⇒ &&, || , !
Comparison Operator ⇒ == or === a =10 , a=200, b="200" ⇒ a==b a===b
Ternary Operator ⇒ ?

Statements ⇒ Controller or condition statements(4) and Looping statements (5)

Condition Statements	Looping Statements
if() ⇒ success If else() ⇒if ⇒ true(max) else ⇒ false (max) Else if() ⇒ nested if switch() ⇒ case	for(){} for(of){} for(in){} While (){} Do while(){}

Operation

z=a+b; ⇒ Operation ⇒ Addition / Operator ⇒ + = / Operands ⇒ key words ⇒ z,a,b

Access specifier ⇒ Public <void> / Private / Productive #

map(), sort(),filter(),find(),forEach()

DSA ⇒ Data Structure Algorithm

Data (Raw facts or 0&1) ⇒ Meaning less

Data Type ⇒ 2 +1 ⇒ Give some definition

Structure Data unStructure Data Semi Structure Data
Primitive Data Non Primitive (Reference)
7 3

Object Function Array

Array List File

Linear Data type Non linear Data type

Array linked list Stack Queue Tree Graph

Hash table singly,doubly,circley linked list FIFO LIFO Set Map

Algorithm

Algorithm ⇒ Both understanding ⇒
Procedure ⇒ Human understanding
pseudocode ⇒ focus to machine

Full Stack 😂

Combination of Front end backend and Data bases project making process.

Full stack is process of Development and Deployment of Web Related Project
Project ⇒ Application, Website, software

Project ⇒ step by step
Development ⇒ Built an application
Deployment ⇒ Out put ⇒ user intr\erface

Full stack ⇒ pattern

MVC
Model ⇒ View ⇒ Controller

Model	View	Controller
Database ⇒ schema	Front end ⇒ UI/ux	Backend ⇒ ui/UX
DB	Client / User side	Server / server side
Oracle,sql,mysql,postsql,no sql	html,css,js,bootatrap,tailwind,react,angular,vue,jquery	C,c++,php,java,python,node,ruby,core java,.net
Mysql / No sql	Html,Css,Javascript,Bootstrap,Reactjs	Java ⇒ spring Python ⇒ django .net ⇒ c#, asp servlet Nodejs ⇒ MERN

Front End 👍

Html,Css,Javascript,Bootstrap,Reactjs

Html Css JS ⇒ Browsar understand only the scripting languages ⇒ xml

IDE's ⇒ Env ⇒ Tool , Platform