
Html ⇒

Hyper TExt Markup Language

To be Give a structure of Web Pages

Html Tags or Elements to help the creating a structure of web Pages



Part of Modules and Section in web pages

Elements 😀 ⇒ Tags
- **Block Level Elements**
- **Inline Level Elements**

Tags 👍 ⇒ Elements
- **Self Closing tags**
- **Non Self Closing tags**

Html ⇒ Tags ⇒ < > < / > ⇒ Angular Brackets

Tags ⇒ < > < / > ⇒ Angular Brackets

<> ⇒ Open Tags
</> ⇒ Closing tags

Html ⇒ 200 above ⇒ 100 ⇒ 50 tags ⇒ https://www.w3schools.com/tags/default.asp

Fundamental tags or Basic **<html>, <head>,<body>,<meta>,<link>,<title>**	**Basic Tag or important tags** **<h1> to <h6>, <p>,<img>,<a>, ,**
Formatting tags **<hr>, ,<b>,,,<i>,<sup>, <sub>, etc..**	**Function tags or Main tags important tags** **<form>,<table>, , ,<dl>,<input>, <label>,<select>,<tr>,<td>,<th>, **
Multimedia tags **<img>,<auido>,<video>,<iframe>,<canvas>, <marquee>**	**Semantic tags or html 5 tags** **<audio>,<video>,<iframe>,<canvas>, <marquee>,<section>,<article>,<aside>, <header>,<footer>,<nav>, etc..**

Elements 😀 ⇒ Tags
All tags or Each an dEvery tags are called Elements

Block Level Elements
Inline Level Elements

Block Level Elements	Inline Level Elements
Takes entire Width of web pages	Doesn't take entire width of webpage
Start New Lines	Doesn't start new lines
Ex: h1,h2,p,div	Ex : img,a,span

Tags 👍 ⇒ Elements

Open and Close angular brack keyword are called Tags

<> </> ⇒ <h1>,<p> ,<img>

Self Closing tags

Non Self Closing tags

Self Closing tags	Non Self Closing tags
It's have closing tags	It's doesn't have closing tags
Ex: <img>	<h1></h1>,<p>

Attributes 👍

Addition or extra information about the Elements.

In Opening tags contains attributes.

Common Attributes: style,id,class,name,type

Ex: <img src="" alt=""> <h1>

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="shortcut icon" href="car.png" type="image/x-icon">
    <title>BMW Car's</title>
</head>

<body>
    <div>
        <h1>BAsic Tag <span style="color: blue;">s</span> </h1>
        <!-- <h1>Hello world</h1>
        <h2>hello world</h2>
        <h3>hello world</h3>
        <h4>hello world</h4>
        <h5>hello world</h5>
```

```
        <h6>hello world</h6>

        <p>hello world</p>
        <p>Lorem ipsum dolor sit amet consectetur adipisicing elit.
Suscipit quos modi cumque illum est debitis
            exercitationem veritatis impedit quasi consequatur, ex quam
totam magnam facere itaque similique corrupti!
            Excepturi, perspiciatis.</p>

        <p>It is a long established fact that a reader will be distracted
by the readable content of a page when looking
            at
            its layout. The point of using Lorem Ipsum is that it has a
more-or-less normal distribution of letters, as
            opposed to using 'Content here, content here', making it look
like readable English. Many desktop publishing
            packages and web page editors now use Lorem Ipsum as their
default model text, and a search for 'lorem
            ipsum'
            will uncover many web sites still in their infancy. Various
versions have evolved over the years, sometimes
            by
            accident, sometimes on purpose (injected humour and the
like).</p>

        <p>Lorem ipsum dolor sit amet consectetur adipisicing elit.
Possimus, odit. Architecto mollitia accusantium
            quam!
            Laudantium accusantium eius, velit voluptatibus doloremque
minima maiores eaque dicta dignissimos fugit
            sapiente, aliquam laborum recusandae.</p> -->

        <!-- <img
src="https://a.storyblok.com/f/197805/7a2484c876/how-to-create-a-car-newbl
ogcover.png" alt=""> -->
        <!-- <img src="car.png" alt="car pink " width="300px">

        <a href="https://www.bmw-kunexclusive-chennai.in/">bmw</a>
        <a href="https://www.bmw-kunexclusive-chennai.in/"
target="_blank">bmw new tab</a>
```

```
        <a href="https://www.bmw-kunexclusive-chennai.in/"
target="_blank"> <img src="car.png" alt="car pink "
                width="300px"> </a> -->
    </div>

    <div>
        <!-- comment lines  -->
    </div>

    <img>
    <h1>Tags concept '<span style="color: blue;">s</span></h1>
    <!--
    <h1>hello world</h1>  non  self closing tags
    <p>hello wolrd</p>

    <img src="car.png" width="100px"> self closing tags
    <br>
    <hr>
    <input type="text">
    -->
    </div>

    <div>
        <h1>Element concept '<span style="color: blue;">s</span></h1>

        <!-- <h1>Ganapathi Raja</h1>

        <h1>Ganapathi <p style="color: red; font-size: 12px;">Raja</p>
        </h1>

        <h1>Ganapathi <span style="color: red; font-size: 12px;"> Raja
</span> </h1>

        <h1>hello <i style="color: blueviolet;">world</i></h1> -->
    </div>

    <div>
        <h1>Basic Styling concept '<span style="color:
blue;">s</span></h1>
```

```
        <p>heLlo wold</p>


        <p style="
            color: red;
            background-color: bisque;

            font-size: 46px;
            font-weight: bold;
            font-style: italic;
            font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet
MS', sans-serif;

            text-align: center;
            text-decoration: underline;
            text-transform: uppercase;
            text-shadow: 5px 0px 0px rgb(0, 0, 0);

            border: 2px solid blueviolet;
            padding: 50px;
            margin: 100px;
        ">heLlo wold</p>
    </div>
</body>

</html>
```

Function tags or Main tags important tags

<form>,<table>,<ol>,<ul>,<dl>,<input>,
<label>,<select>,<tr>,<td>,<th>,<li>

Form Tags

```
<div>
        <h2>Form Tag <span style="color: blue; font-style: italic;">
Concepts </span></h2>

        <!-- <form action=""></form>
        <form action="" method="get"></form>
        <form action="" method="post"></form>
        <form></form> -->

        <form style="border: 2px solid whitesmoke; padding: 50px;
border-radius: 10px; width: 600px;">
            <h1>Students Registartion Form </h1>
            <label for="sname"> Students Name </label> <br>
            <input type="text" name="snameaswini" id="studnetsname"
placeholder="Enter your Full name" required>

            <br><br>

            <label for="smobile">Students Mobile</label><br>
            <input type="tel" name="smobileloveeee" id="studentsmobile"
placeholder="Enter your mobile number" required>

            <br><br>

            <label for="sgmail">Students Gmail</label><br>
            <input type="email" name="semial" id="studentsemail"
placeholder="Enter your Email" required pattern="">

            <br><br>
            <label for="sname"> Students Father name </label> <br>
            <input type="text" name="sname" id="studnetsname"
placeholder="Enter your Full name" required>
```

```
            <br><br>
            <label for="sfathername"> Students Fathers Name </label> <br>
            <input type="text" name="sfathername" id="studnetsfathername"
placeholder="Enter your Full Fathers name">

            <br><br>
            <label for="sname"> Students DOB </label> <br>
            <input type="date" name="sdob" id="studnetsdob">

            <br><br>
            <label for="sname"> Students DOB </label> <br>
            <input type="datetime" name="sdobss" id="studnetsdob">

            <br><br>
            <label for="sname"> Students DOB </label> <br>
            <input type="datetime-local" name="sdobssss" id="studnetsdob"
disabled>

            <br><br>
            <label for="sname"> Students Reg Number </label> <br>
            <input type="number" name="sreg" id="studnetsdob" readonly>

            <br><br>
            <label for="sgender"> Students Gender </label> <br>
            <input type="radio" name="sgender" id="sothers"><label
for="sgender">Others</label>
            <input type="radio" name="sgender" id="sMale"><label
for="sMale">Male</label>
            <input type="radio" name="sgender" id="sFemale"><label
for="sFemale">Female</label>

            <br><br>
            <label for="sgender"> Students Gender </label> <br>
            <select name="gender" id="sgender">
                <option value="Choose">choose a gender</option>
                <option value="female">Female</option>
                <option value="male">Male</option>
                <option value="others">Others</option>
            </select>
```

```
            <br><br>

            <label for="ssubject">Students Subjects</label><br>
            <input type="checkbox" name="ssubject" id="sfullstack"><label
for="sfullstck">Full stck</label>
            <input type="checkbox" name="ssubject" id="sfrontend"><label
for="sfullstck">FRont End </label>
            <input type="checkbox" name="ssubject" id="sbackend"><label
for="sfullstck">Backend</label>
            <input type="checkbox" name="ssubject" id="sdb"><label
for="sfullstck">Db</label>
            <input type="checkbox" name="ssubject" id="spython"><label
for="sfullstck">python</label>
            <input type="checkbox" name="ssubject" id="sjava"><label
for="sfullstck">java</label>

            <br><br>
            <label for="ssubject">Students photo</label>
            <!-- <input type="image" src="" alt=""> -->
            <input type="file" name="simage" id="sphoto">

            <br><br>

            <label for="ssubject">Students password</label> <br>
            <input type="password" name="spass" id="spassword"
placeholder="enter your password">

            <br><br>
            <label for="ssubject">Students Address</label> <br>
            <textarea name="saddress" id="sadd" placeholder="Enter your
address"></textarea>

            <br><br>

            <input type="button" value="Register">
            <input type="submit" value="Submit">
            <button>Confirm your Registration</button>
            <a href="#"
```

```
                style="color: black; text-decoration: none;border: 1px
solid; padding: 5px; border-radius: 5px;">Send
                Data</a>
        </form>
    </div>
```

```
 <div>
        <h2>Table Tag <span style="color: blue; font-style: italic;">
Concepts </span></h2>
        <!-- <table>
            <thead>
                <td></td>
            </thead>
            <tbody>
                <tr>
                    <td></td>
                </tr>
            </tbody>
        </table>
        <table>
            <tr>
                <th></th>
            </tr>
            <tr>
                <td></td>
            </tr>
        </table> -->

        <style>
            table {
                border-collapse: collapse;
                width: 600px;
            }

            table tr,
            th,
            td {
                border: 1px solid;
                padding: 10px;
```

```
        }

        /* table tr:nth-child(1) {
            background-color: azure;
            color: blue;
        }

        tr:nth-child(3) {
            background-color: blanchedalmond;
        }


        table tr:nth-child(odd) {
            background-color: aqua;
        }

        table tr:nth-child(even) {
            background-color: blueviolet;
        } */
    </style>
    <!-- <table border="1px" bgcolor="grey" cellpadding="10px"> -->
    <table>
        <tr>
            <th>sid</th>
            <th>sName</th>
            <th>sMobile</th>
            <th>sEmail</th>
            <th>sSubject</th>
        </tr>
        <tr>
            <td>001</td>
            <td>Ganapathi</td>
            <td>7502132895</td>
            <td>gnapathi@gmail.com</td>
            <td>Full stack</td>
        </tr>
        <tr>
            <td>002</td>
            <td>Raja</td>
            <td>7502132896</td>
```

```
            <td>raja@gmail.com</td>
            <td>Front ENd</td>
        </tr>
        <tr>
            <td>003</td>
            <td>Ravi</td>
            <td>7502132885</td>
            <td>ravi@gmail.com</td>
            <td>python</td>
        </tr>
        <tr>
            <td>004</td>
            <td>Pavi</td>
            <td>7532132895</td>
            <td>pavi@gmail.com</td>
            <td>Full stack</td>
        </tr>
        <tr>
            <td>005</td>
            <td>aswini</td>
            <td>9502132895</td>
            <td>aswini@gmail.com</td>
            <td>back stack</td>
        </tr>
        <tr>
            <td>006</td>
            <td>yuva</td>
            <td>7602132895</td>
            <td>yuva@gmail.com</td>
            <td>Full stack</td>
        </tr>
    </table>

    <!-- <table>
        <tr>
            <th>sid</th>
            <th>sName</th>
            <th>sMobile</th>
            <th>sEmail</th>
            <th>sSubject</th>
```

```
        </tr>
        <tr>
            <td>001</td>
            <td>Ganapathi</td>
            <td colspan="2">gnapathi@gmail.com</td>
            <td>Full stack</td>
        </tr>
        <tr>
            <td>002</td>
            <td>Raja</td>
            <td>7502132896</td>
            <td>raja@gmail.com</td>
            <td>Front ENd</td>
        </tr>
        <tr>
            <td>003</td>
            <td>Ravi</td>
            <td>7502132885</td>
            <td>ravi@gmail.com</td>
            <td>python</td>
        </tr>
        <tr>
            <td>004</td>
            <td>Pavi</td>
            <td>7532132895</td>
            <td>pavi@gmail.com</td>
            <td>Full stack</td>
        </tr>
        <tr>
            <td>005</td>
            <td>aswini</td>
            <td>9502132895</td>
            <td>aswini@gmail.com</td>
            <td>back stack</td>
        </tr>
        <tr>
            <td>006</td>
            <td>yuva</td>
            <td>7602132895</td>
            <td>yuva@gmail.com</td>
```

```
            <td rowspan="2">Full stack</td>
        </tr>
        <tr>
            <td>007</td>
            <td>rani</td>
            <td>6602132895</td>
            <td>Rani@gmail.com</td>
        </tr>
    </table> -->

    <!-- <table>
        <tr>
            <th>sid</th>
            <th>sName</th>
            <th>sMobile</th>
            <th>sEmail</th>
            <th>sSubject</th>
        </tr>
        <tr>
            <td>001</td>
            <td>Ganapathi</td>
            <td>7502132895</td>
            <td>gnapathi@gmail.com</td>
            <td>Full stack</td>
        </tr>
        <tr>
            <td>002</td>
            <td>Raja</td>
            <td>7502132896</td>
            <td>raja@gmail.com</td>
            <td>Front ENd</td>
        </tr>
        <tr>
            <td>003</td>
            <td>Ravi</td>
            <td>7502132885</td>
            <td>ravi@gmail.com</td>
            <td>python</td>
        </tr>
        <tr>
```

```
            <td>004</td>
            <td>Pavi</td>
            <td>7532132895</td>
            <td>pavi@gmail.com</td>
            <td>Full stack</td>
        </tr>
        <tr>
            <td>005</td>
            <td>aswini</td>
            <td>9502132895</td>
            <td>aswini@gmail.com</td>
            <td>back stack</td>
        </tr>
        <tr>
            <td>006</td>
            <td>yuva</td>
            <td>7602132895</td>
            <td>yuva@gmail.com</td>
            <td>Full stack</td>
        </tr>
        <tr>
            <td>001</td>
            <td>Ganapathi</td>
            <td>7502132895</td>
            <td>gnapathi@gmail.com</td>
            <td>Full stack</td>
        </tr>
        <tr style="background-color: aquamarine;">
            <td>002</td>
            <td>Raja</td>
            <td>7502132896</td>
            <td>raja@gmail.com</td>
            <td>Front ENd</td>
        </tr>
        <tr>
            <td>003</td>
            <td>Ravi</td>
            <td>7502132885</td>
            <td>ravi@gmail.com</td>
            <td>python</td>
```

```
            </tr>
            <tr>
                <td>004</td>
                <td>Pavi</td>
                <td>7532132895</td>
                <td>pavi@gmail.com</td>
                <td>Full stack</td>
            </tr>
            <tr>
                <td>005</td>
                <td>aswini</td>
                <td>9502132895</td>
                <td>aswini@gmail.com</td>
                <td>back stack</td>
            </tr>
            <tr>
                <td>006</td>
                <td>yuva</td>
                <td>7602132895</td>
                <td>yuva@gmail.com</td>
                <td>Full stack</td>
            </tr>
        </table> -->
    </div>
```