
Css ⇒ Cascading Style Sheet
⇒ Sass

⇒ .css ⇒ .scss

Why Css 🙂



Importing the css with Html 👍 (3)

Inline Styling Method ⇒ html line styling ⇒ style attributes

```
<!-- Inline Styling -->
    <div style="
        color: red;
        text-transform: uppercase;
        font-weight: bold;
        font-size: 28px;
    ">
        HelLo woRLD
    </div>
```

Internal Styling Method ⇒ Head part of html file ⇒ style tags

```
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="shortcut icon" href="css.png" type="image/x-icon">
    <title>Css Class 😇😇😎</title>
```

```
    <!-- internal Styling -->
    <style>
        div {
            color: red;
            text-transform: uppercase;
            font-weight: bold;
            font-size: 28px;
        }
    </style>
</head>
```

External Styling Method ⇒ separate css file (.css)

```
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>About css</title>
    <link rel="stylesheet" href="style.css">
</head>
```

Css Properties 👍

Selector Properties (5)

- **Name selector**
- **Id selector**
- **Class selector**
- **Group selector**
- **Universal selector**

```
<style>
        /* Name Or Elements Selector  */
        h1 {
            color: rgb(247, 0, 255);
            font-size: 36px;
            background-color: aqua;
        }

        div {
            color: blue;
        }

        span {
            color: blueviolet;
```

```
        }

        /* # id selector  */
        #heading {
            color: pink;
            font-size: 45px;
            background-color: blueviolet;
        }

        #heading1 {
            font-style: italic;
        }

        /* . class selector  */
        .heading {
            color: rgb(255, 0, 43);
            font-size: 45px;
            background-color: rgb(38, 2, 72);
        }

        .heading1 {
            font-style: italic;
        }

        /* , group selector  */
        h1,
        h2,
        div,
        span,
        #heading,
        .heading {
            text-decoration: underline;
            font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial,
sans-serif;
        }

        /* * universal */
        * {
            color: red;
            font-size: 100px;
```

```
            padding: 0%;
            margin: 0%;
            box-sizing: border-box;
            font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida
Grande', 'Lucida Sans', Arial, sans-serif;
        }
    </style>
```

Typography Properties (12 to 18)

```
<h1 style="
        color: red;
        background-color: bisque;

        text-align: end;
        text-align: right;
        text-align: left;
        text-align: start;
        text-align: justify;
        text-align: center;
        text-transform: uppercase;
        text-transform: lowercase;
        text-transform: capitalize;
        text-decoration: underline;
        text-decoration: overline;
        text-decoration: line-through;
        text-decoration: underline;
        text-shadow: 3px 1px 0px black;
        text-wrap: inherit;

        font-size: 56px;
        font-weight: lighter;
        font-weight: 600;
        font-style: oblique;
        font-style: italic;
        font-family: 'Courier New', Courier, monospace;

        writing-mode: horizontal-tb;
        writing-mode: sideways-lr;
        writing-mode: sideways-rl;
```

```
        writing-mode: vertical-lr;
        writing-mode: horizontal-tb;

        line-height: 100px;
        letter-spacing: 10px;

        ">hello world</h1>
```

Dimensional Properties (2 + 4)
Units Properties (4)
Box Properties (4)

```
<h1 style="
        color: red;
        background-color: bisque;

        border: 2px solid blueviolet;
        padding: 50px;
        margin: 100px;

        border-color: brown;
        border-width: 5px;
        border-style: dotted;

        border: 10px solid blue;
        border: 10px dotted blue;
        border: 10px dashed blue;
        border: 10px double blue;

        padding-left: 100px;
        padding-top: 100px;
        padding-right: 100px;
        padding-bottom: 100px;

        padding: 200px 100px 100px 300px;

        padding: 200px 300px;

        padding: 100px 300px 200px;

        margin: 200px;
```

```
        margin: 0px 0px 0px 0px;

        padding: 100px;
        margin: 50px;

        /* box-shadow: 10px 10px 0px 0px rgba(255, 0, 0, 0.272); */

        /* border-radius: 50px; */

        /* border-top-right-radius: 100px;
        border-bottom-left-radius: 100px; */

        border-left: 100px solid red;
        border-top: 100px solid blue;
        border-right: 100px solid red;
        border-bottom: 100px solid blue;
        ">hello world</h1>
```

Background Properties (5)
Display Properties (3)
Flex Properties (1 + 6)
Grid Properties (1 + 4)
Position Properties (5)
Z-index Properties (1)

Responsive Design Properties
- **Break Point Properties**
- **Media Query Properties**
- **Flex Properties**
- **Grid Properties**

Color Properties
Basic Animation Properties