
Css ⇒ Cascading Style Sheet
⇒ Sass

⇒ .css ⇒ .scss

Why Css 🙂



Importing the css with Html 👍 (3)

Inline Styling Method ⇒ html line styling ⇒ style attributes

```
<!-- Inline Styling -->
    <div style="
        color: red;
        text-transform: uppercase;
        font-weight: bold;
        font-size: 28px;
    ">
        HelLo woRLD
    </div>
```

Internal Styling Method ⇒ Head part of html file ⇒ style tags

```
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="shortcut icon" href="css.png" type="image/x-icon">
    <title>Css Class 😇😇😎</title>
```

```
    <!-- internal Styling -->
    <style>
        div {
            color: red;
            text-transform: uppercase;
            font-weight: bold;
            font-size: 28px;
        }
    </style>
</head>
```

External Styling Method ⇒ separate css file (.css)

```
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>About css</title>
    <link rel="stylesheet" href="style.css">
</head>
```

Css Properties 👍

Selector Properties (5)

- **Name selector**
- **Id selector**
- **Class selector**
- **Group selector**
- **Universal selector**

```
<style>
        /* Name Or Elements Selector  */
        h1 {
            color: rgb(247, 0, 255);
            font-size: 36px;
            background-color: aqua;
        }

        div {
            color: blue;
        }

        span {
            color: blueviolet;
```

```
        }

        /* # id selector  */
        #heading {
            color: pink;
            font-size: 45px;
            background-color: blueviolet;
        }

        #heading1 {
            font-style: italic;
        }

        /* . class selector  */
        .heading {
            color: rgb(255, 0, 43);
            font-size: 45px;
            background-color: rgb(38, 2, 72);
        }

        .heading1 {
            font-style: italic;
        }

        /* , group selector  */
        h1,
        h2,
        div,
        span,
        #heading,
        .heading {
            text-decoration: underline;
            font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial,
sans-serif;
        }

        /* * universal */
        * {
            color: red;
            font-size: 100px;
```

```
            padding: 0%;
            margin: 0%;
            box-sizing: border-box;
            font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida
Grande', 'Lucida Sans', Arial, sans-serif;
        }
    </style>
```

Typography Properties (12 to 18)

```
<h1 style="
        color: red;
        background-color: bisque;

        text-align: end;
        text-align: right;
        text-align: left;
        text-align: start;
        text-align: justify;
        text-align: center;
        text-transform: uppercase;
        text-transform: lowercase;
        text-transform: capitalize;
        text-decoration: underline;
        text-decoration: overline;
        text-decoration: line-through;
        text-decoration: underline;
        text-shadow: 3px 1px 0px black;
        text-wrap: inherit;

        font-size: 56px;
        font-weight: lighter;
        font-weight: 600;
        font-style: oblique;
        font-style: italic;
        font-family: 'Courier New', Courier, monospace;

        writing-mode: horizontal-tb;
        writing-mode: sideways-lr;
        writing-mode: sideways-rl;
```

```
        writing-mode: vertical-lr;
        writing-mode: horizontal-tb;

        line-height: 100px;
        letter-spacing: 10px;

        ">hello world</h1>
```

Box Properties (4)

```
<h1 style="
        color: red;
        background-color: bisque;

        border: 2px solid blueviolet;
        padding: 50px;
        margin: 100px;

        border-color: brown;
        border-width: 5px;
        border-style: dotted;

        border: 10px solid blue;
        border: 10px dotted blue;
        border: 10px dashed blue;
        border: 10px double blue;

        padding-left: 100px;
        padding-top: 100px;
        padding-right: 100px;
        padding-bottom: 100px;

        padding: 200px 100px 100px 300px;

        padding: 200px 300px;

        padding: 100px 300px 200px;

        margin: 200px;
        margin: 0px 0px 0px 0px;
```

```
        padding: 100px;
        margin: 50px;

        /* box-shadow: 10px 10px 0px 0px rgba(255, 0, 0, 0.272); */

        /* border-radius: 50px; */

        /* border-top-right-radius: 100px;
        border-bottom-left-radius: 100px; */

        border-left: 100px solid red;
        border-top: 100px solid blue;
        border-right: 100px solid red;
        border-bottom: 100px solid blue;
        ">hello world</h1>
```

Dimensional Properties (2 + 4)

Width ⇒ Breath	**Height ⇒ length**
Horizontal ⇒ Row ⇒ left to right	**Vertical ⇒ Column ⇒ top to bottom**
Width ⇒ min-width , max-width Min ⇒ starting point Max ⇒ ending pointing	**Height ⇒ min-height, max-height**
%,px ,vh,auto,length,inherit,initial,none	**%,px ,vh,auto,length,inherit,initial,none**

Units Properties (4)

Units ⇒ %,px,em.rem,

```
<div>
        <h1>Units properties</h1>

        <p style="
            /* font-size: 300%; */
            /* font-size: 150px; */
            /* font-size: 10em; */
            /* font-size: 10rem; */
            /* font-size: 10ex; */
            /* font-size: 1rex; */
```

```
            font-size: 10vh
        ">hello world</p>
    </div>
```

https://www.w3schools.com/css/css_units.asp

Background Properties (5)

Color,image,vedio

```
 <div style="
    background-color: blue;
    background-image: url(car.avif);
    background-repeat: no-repeat;
    /* background-size: cover; */
    /* background-size: 100%; */
    background-size: 100% 100%;
    /* background-position: center; */
    /* background-position: top; */
    background-position: bottom;
    background-attachment: fixed;
    height: 100vh;">
        <h1>BAckground Property</h1>
```

Display Properties (3)

```
<div>
        <h1>Display Properties (3)</h1>

        <h1>hello <div style="color: blue; display: inline;">world</div>
        </h1>

        <!-- <h1>hello world</h1> -->

        <div>hiii <b style="color: blueviolet; font-size: 45px; display:
block;">Friends😎😎</b></div>

        <div>
            <p>menus</p>
            <style>
                ul li {
```

```
                    /* display: inline-block; */
                    /* display: inline-flex; */
                    float: left;
                    list-style-type: none;
                    padding: 5px;
                }
            </style>
            <ul>
                <li>home</li>
                <li>about</li>
                <li>service</li>
            </ul>
        </div>
    </div>
```

Flex Properties (1 + 6) ⇒ 1d

```
<style>
        #mainflexbox {
            background-color: antiquewhite;
            border: 2px solid red;
            padding: 10px;
            margin: 10px;
            display: flex;
            /* justify-content: center; */
            justify-content: space-around;
            justify-content: space-between;
            justify-content: space-evenly;
            align-items: center;
            text-align: center;
            flex-direction: row-reverse;
            /* flex-direction: column;
            flex-direction: column-reverse; */
            flex-wrap: wrap;
        }

        .flexitem {
            background-color: aquamarine;
            width: 200px;
            height: 200px;
```

```
            border: 1px solid green;
            padding: 10px;
            margin: 10px;
        }

        .bg1 {
            background-color: blue;
        }

        .bg2 {
            width: 100px;
            height: 150px;
        }

        #mainflexbox div:nth-child(3) {
            background-color: brown;
            width: 150px;
            height: 50px;
            flex-grow: 2;
        }

        #mainflexbox div:nth-child(4) {
            background-color: green;
            width: 150px;
            height: 150px;
            flex-grow: 2;
        }

        #mainflexbox div:nth-child(5) {
            background-color: goldenrod;
            width: 100px;
            height: 100px;
            border-radius: 50%;
        }
    </style>
<div>
        <h1>Flex Properties (1 + 6)</h1>

        <div id="mainflexbox">
            <div class="flexitem bg1">1</div>
```

```
            <div class="flexitem bg2">2</div>
            <div class="flexitem">3</div>
            <div class="flexitem">4</div>
            <div class="flexitem">5</div>
            <!-- <div class="flexitem bg1">1</div>
            <div class="flexitem bg2">2</div>
            <div class="flexitem">3</div>
            <div class="flexitem">4</div>
            <div class="flexitem">5</div>
            <div class="flexitem bg1">1</div>
            <div class="flexitem bg2">2</div>
            <div class="flexitem">3</div>
            <div class="flexitem">4</div>
            <div class="flexitem">5</div> -->
        </div>
    </div>
```

Grid Properties (1 + 4) ⇒ 2d

```
        .gridcontainer {
            background-color: antiquewhite;
            border: 2px solid red;
            padding: 10px;
            margin: 10px;
            display: grid;
            /* grid-template-columns: auto auto auto auto auto auto auto
auto auto auto auto auto; */
            grid-template-columns: 400px 300px 200px;
            grid-template-rows: 200px 300px 100px;
            /* row-gap: 100px;
            column-gap: 100px; */
            gap: 20px;
        }

        .griditem {
            background-color: blueviolet;
            color: white;
            padding: 20px;
            margin: 10px;
            border: 2px solid red;
```

```
            text-align: center;
            /* justify-content: center; */
        }
```

```
<div>
        <h1>Grid Properties (1 + 4) ⇒ 2d</h1>
        <div class="gridcontainer">
            <div class="griditem">1</div>
            <div class="griditem">2</div>
            <div class="griditem">3</div>
            <div class="griditem">4</div>
            <div class="griditem">5</div>
            <div class="griditem">6</div>
            <div class="griditem">7</div>
            <div class="griditem">8</div>
            <div class="griditem">9</div>
            <div class="griditem">10</div>
            <div class="griditem">11</div>
            <div class="griditem">12</div>
            <div class="griditem">12</div>
        </div>
    </div>
```

Position Properties (5) ⇒ 3D

- **Static (Default)**
- **FIxed (Locked)**
- **Relative (Parent Position)**
- **Absolute (Child position)**
- **Sticky (Flexi or aDJUSIBLE)**

```
<div>
        <h1>Position Properties (5) ⇒ 3D</h1>
        <div class="container">
            <div class="items">1</div>
            <div class="items">2</div>
            <div class="items">3</div>
            <div class="items">4

            </div>
            <div class="items">5</div>
        </div>
```

```
    </div>
.container {
            background-color: antiquewhite;
            border: 2px solid red;
            padding: 10px;
            margin: 10px;
            display: flex;
            justify-content: space-around;
            align-items: center;
            position: relative;
        }

        .items {
            background-color: black;
            color: white;
            border: 2px solid red;
            padding: 20px;
            margin: 20px;
            text-align: center;
        }

        .container div:nth-child(1) {
            width: 100px;
            height: 100px;
            position: static;
            left: 0;
            top: 100px;
        }

        .container div:nth-child(2) {
            background-color: rgb(195, 113, 14);
            width: 200px;
            height: 100px;
        }

        .container div:nth-child(3) {
            width: 100px;
            height: 200px;
            background-color: blue;
        }
```

```
    .container div:nth-child(4) {
        width: 105px;
        height: 100px;
        background-color: blueviolet;
        position: absolute;
        top: -100px;
        left: 0;
    }

    .container div:nth-child(5) {
        width: 50px;
        height: 50px;
        border-radius: 50%;
        background-color: greenyellow;
        position: fixed;
        /* top: 0; */
        right: 0;
        bottom: 0;
    }
</style>
```

Z-index Properties (1) 3D(POSITION)

```
    .container {
        background-color: antiquewhite;
        border: 2px solid red;
        padding: 10px;
        margin: 10px;
        display: flex;
        justify-content: space-around;
        align-items: center;
        position: relative;
    }

    .items {
        background-color: black;
        color: white;
        border: 2px solid red;
```

```
        padding: 20px;
        margin: 20px;
        text-align: center;
    }

    .container div:nth-child(1) {
        width: 100px;
        height: 100px;
        position: static;
        left: 0;
        top: 100px;

    }

    .container div:nth-child(2) {
        background-color: rgb(195, 113, 14);
        width: 200px;
        height: 100px;
    }

    .container div:nth-child(3) {
        width: 100px;
        height: 200px;
        background-color: blue;
    }

    .container div:nth-child(4) {
        width: 105px;
        height: 100px;
        background-color: blueviolet;
        position: absolute;
        top: 100px;
        left: 0;
        z-index: 1;
    }

    .container div:nth-child(5) {
        width: 50px;
        height: 50px;
        border-radius: 50%;
```

```
            background-color: greenyellow;
            position: fixed;
            /* top: 0; */
            left: 0;
            bottom: 0;
            /* z-index: -1; */
            z-index: 2;
            /* z-index: 0.9999; */
        }
    </style>
```

Responsive Design Properties

Break Point Properties

Mobile	**320px to 480px**
Tablet	**481px to 767px**
Laptops	**768px to 1024px**
Desktop	**1024px to 1200px**
Extra large	**1201 px above**

Media Query Properties

@media () and () {}

Flex Properties

Grid Properties

```
        @media (min-width: 320px) and (max-width: 480px) {
            body {
                background-color: rgb(244, 206, 206);
            }

            h1 {
                font-size: 23px;
            }

            .flexitem {
                width: 100%;
            }

            .gridcontainer {
```

```
            display: block;
        }

        .container {
            display: block;
        }

        .items {
            width: inherit !important;
        }

        .container div:nth-child(4) {
            top: -40px;
        }

        .container div:nth-child(5) {
            width: 25px !important;
            height: 25px !important;
            left: 220px !important;
        }
    }

    @media (min-width: 481px) and (max-width: 767px) {
        body {
            background-color: rgb(233, 58, 58);
        }

        h1 {
            font-size: 23px;
        }

        .flexitem {
            width: 100%;
        }

        .gridcontainer {
            display: block;
        }

        .container {
```

```
            display: block;
        }

        .items {
            width: inherit !important;
        }

        .container div:nth-child(4) {
            top: -40px;
        }

        .container div:nth-child(5) {
            width: 25px !important;
            height: 25px !important;
            left: 630px !important;
        }
    }
```

Canvas Properties

```
<div>
        <h1>canvas tag and drawing concepts of css</h1>
        <div style="
            border: 1px solid red;
            padding: 20px;
            margin: 20px;
            width: 100px;
            height: 100px;
        ">square </div>

        <div style="
            border: 1px solid red;
            padding: 20px;
            margin: 20px;
            width: 200px;
            height: 100px;
        ">R.angle </div>


        <div style="
```

```
            border: 1px solid red;
            padding: 20px;
            margin: 20px;
            width: 100px;
            height: 100px;
            border-radius: 50%;
        ">circle </div>

        <div style="
            border: 1px solid red;
            padding: 20px;
            margin: 20px;
            width: 200px;
            height: 100px;
            border-radius: 50%;
        ">circle </div>

        <div style="
            border: 1px solid red;
            padding: 20px;
            margin: 20px;
            width: 100px;
            height: 200px;
            border-radius: 50%;
        ">circle </div>

    </div>
```

Color Properties

https://www.w3schools.com/cssref/css_colors.php
https://htmlcolorcodes.com/
https://cssgradient.io/

60 : 30 : 10
Basic Animation Properties

```
.container div:nth-child(5):hover {
            background-color: blueviolet;
            /* transition: all .6s ease; */
            /* transition: all .6s ease-in ; */
```

```
            /* transition: all .6s ease-out; */
            transition: all .6s ease-in-out;
            /* transform: scale(1.5); */
        }
```