DSIO SAVE PREG DETAILS

Reference Type

Category	GENERAL
Description	Add or update the pregnancy details for a patient. (Creates a WV PREGNANCY LOG as well as DSIO PREGNANCY LOG. Updates the WV PATIENT file CURRENTLY PREGNANT (.13) field with YES and EDC (.14) field with EDD if TODAY is after STRT and before END.)
Format	PREG^DSIO4(.RET,DFN,IEN,TYP,FOF,EDD,STRT,END,OBP,PFAC)

Input Parameters		
	DFN	Patient Internal Entry Number
	IEN	Internal number for the DSIO PREGNANCY LOG entry. If supplied then the entry will be edited.
	TYP	The type of the pregnancy as either C for CURRENT or H for HISTORICAL. Setting TYP to @ will delete the entry.
	FOF	This is the Father of Fetus that will be associated with the pregnancy. The FOF can be U for UNSPECIFIED, S for SPOUSE, or an IEN of the DSIO PERSONS file; however, this IEN must already be associated with the patient.
	EDD	Estimated Delivery Date.
	STRT	Date the pregnancy started.
	END	Date the pregnancy ended. (Cannot be a future date. Once END is set, set the TYP to H(Historical).)
	OBP	The IEN of the Non-VA Obstetrical Provider from the DSIO NON-VA ENTITY file as NVA.### or the VA Provider from the NEW PERSON file as VA.### where # equals a number.
	PFAC	The IEN of the planned delivery facility from the DSIO NON-VA ENTITY file as NVA.### or the VA Facility from the INSTITUTION file as VA.### where # equals a number.

Output	Single Value	
	Success	IEN
	Failure	-1^MESSAGE

```
<<Attempt to create a C(URRENT) pregnancy list but there is already a "C".>>
VAH>D PREG^DSIO4(.RET,8,,"C",,"","04/021/14","",,) ZW RET
RET="-1^The value 'C' for field STATUS in PREGNANCY HISTORY SUB-FIELD in file DS
IO PATIENT is not valid."

<<The current log was IEN 7 – giving it a delivery date makes it historical.>>
VAH>D PREG^DSIO4(.RET,8,7,"",,"","","05/08/14",,) ZW RET
RET=7

<<Now we can create a current log – we started with just the start date.>>
VAH>D PREG^DSIO4(.RET,8,,"C",,"","04/021/14","",,) ZW RET
RET=8

<<Verifying the global.>>
VAH>ZW ^DSIO(19641,8,2,8)
^DSIO(19641,8,2,8,0)="3140421^C"

<<And the whole Pregnancy History multiple – it is the only "C".>>
VAH>ZW ^DSIO(19641,8,2)
^DSIO(19641,8,2,0)="^19641.02DI^8^8"
^DSIO(19641,8,2,1,0)="3140128^H^3^3140509^3140507"
^DSIO(19641,8,2,2,0)="3140504^H^^3140506"
^DSIO(19641,8,2,3,0)="3140502^H^^3140516^3140507"
^DSIO(19641,8,2,4,0)="3140219^H^^3140815^3140507"
^DSIO(19641,8,2,5,0)="3131211^H"
^DSIO(19641,8,2,6,0)="3140118^H^^3140602^3140508"
^DSIO(19641,8,2,7,0)="3140501^H^3^3140508^3140508^2;DSIO(19641.1,^9;DSIO(19641.1,"
^DSIO(19641,8,2,8,0)="3140421^C"
^DSIO(19641,8,2,"B",3131211,5)=""
^DSIO(19641,8,2,"B",3140118,6)=""
^DSIO(19641,8,2,"B",3140128,1)=""
^DSIO(19641,8,2,"B",3140219,4)=""
^DSIO(19641,8,2,"B",3140421,8)=""
^DSIO(19641,8,2,"B",3140501,7)=""
^DSIO(19641,8,2,"B",3140502,3)=""
^DSIO(19641,8,2,"B",3140504,2)=""

<<Verify the "EDD" X-REF – there is no entry for 8 because the current does not
have an EDD.>>
VAH>ZW ^DSIO(19641,"EDD")
^DSIO(19641,"EDD",119,3141001,119,1)=""

<<Added an EDD to the current log – again we edited by the start date and letting
the system find the record, but if it's a different start date it will fail because
only one C is allowed per patient.>>
VAH>D PREG^DSIO4(.RET,8,,"C",,"08/08/14","04/021/14","",,) ZW RET
RET=8

<<Verified that the EDD X-REF exists for the patient.>>
VAH>ZW ^DSIO(19641,"EDD")
^DSIO(19641,"EDD",8,3140808,8,8)=""
^DSIO(19641,"EDD",119,3141001,119,1)=""

<<Verified the global for our entry was updated.>>
VAH>ZW ^DSIO(19641,8,2,8)
^DSIO(19641,8,2,8,0)="3140421^C^^3140808"

<<When a Pregnancy History (for "C" only) is created the WV PATIENT (790) file
should be updated with the pregnancy status and EDD.>>
VAH>D Q^DI
```

```
VA FileMan 22.0


Select OPTION: 1  ENTER OR EDIT FILE ENTRIES


INPUT TO WHAT FILE: WV PATIENT//
EDIT WHICH FIELD: ALL// .13  CURRENTLY PREGNANT
THEN EDIT FIELD: .14  EDC
THEN EDIT FIELD:


Select WV PATIENT NAME: `8  AYS,SHTS    SLRYIHUT,SXZ     3-15-21    101013333
     YES     SC VETERAN                SMB     SMB
CURRENTLY PREGNANT: YES//
EDC: AUG 8,2014//

<<The EDD can also be changed.>>
VAH>D PREG^DSIO4(.RET,8,,"C",,"08/22/14","04/21/14","",,) ZW RET
RET=8


VAH>D Q^DI


VA FileMan 22.0


Select OPTION:    ENTER OR EDIT FILE ENTRIES


INPUT TO WHAT FILE: WV PATIENT//
EDIT WHICH FIELD: ALL// .14  EDC
THEN EDIT FIELD:


Select WV PATIENT NAME:    AYS,SHTS    SLRYIHUT,SXZ     3-15-21    101013333
    YES     SC VETERAN                SMB     SMB
EDC: AUG 22,2014//

<<When EDD is set in the WV PATIENT (790) file the current pregnancy should be
updated or a new entry should be created if there is no current pregnancy. Also, a
current pregnancy should be created if CURRENTLY PREGNANT is set to YES if one does
not already exist - the stat date is today.>>
VAH>D Q^DI


VA FileMan 22.0


Select OPTION: 1  ENTER OR EDIT FILE ENTRIES


INPUT TO WHAT FILE: WV PATIENT//
EDIT WHICH FIELD: ALL//    EDC
THEN EDIT FIELD:


Select WV PATIENT NAME:    AYS,SHTS    SLRYIHUT,SXZ     3-15-21    101013333
    YES     SC VETERAN                SMB     SMB
EDC: AUG 22,2014// T+90  (AUG 06, 2014)

VAH>ZW ^DSIO(19641,8,2,8)
^DSIO(19641,8,2,8,0)="3140421^C^^3140806"

VAH>ZW ^DSIO(19641,"EDD")
^DSIO(19641,"EDD",8,3140806,8,8)=""
^DSIO(19641,"EDD",119,3141001,119,1)=""

<<We passed the IEN to change the start date of the current pregnancy.>>
VAH>D PREG^DSIO4(.RET,8,8,"C",,"08/22/14","03/12/14","",,) ZW RET
RET=8

VAH>ZW ^DSIO(19641,8,2,8)
```

```
^DSIO(19641,8,2,8,0)="3140312^C^^3140822"

<<Added a Father of Fetus (can only be a DSIO PERSONS already associated to the
patient), a OB (can only be a provider type from the DSIO NON-VA ENTITIES file),
and a Facility (can only be a facility type from the DSIO NON-VA ENTITIES file).>>
VAH>D PREG^DSIO4(.RET,8,8,"C",3,"08/22/14","03/12/14","",2,9) ZW RET
RET=8

VAH>ZW ^DSIO(19641,8,2,8)
^DSIO(19641,8,2,8,0)="3140312^C^3^3140822^^2;DSIO(19641.1,^9;DSIO(19641.1,"

VAH>D Q^DI

VA FileMan 22.0

Select OPTION: 1  ENTER OR EDIT FILE ENTRIES

INPUT TO WHAT FILE: WV PATIENT// DSIO PATIENT    (13 entries)
EDIT WHICH FIELD: ALL//

Select DSIO PATIENT:    AYS,SHTS
PATIENT: AYS,SHTS//
TRACKING STATUS: FLAG//
NEXT CONTACT DATE: DEC 12,2014//
Select SEXUAL PARTNER: FETUS,FATHER OF//
Select PREGNANCY START: MAR 12,2014//
  PREGNANCY START: MAR 12,2014//
  STATUS: CURRENT//   (No Editing)
  FATHER: FETUS,FATHER OF//
  EDD: AUG 22,2014//
  DELIVERY:
  OB: TEST//
  FACILITY: TEST PC//

<<You cannot set a future delivery date.>>
VAH>D PREG^DSIO4(.RET,8,8,"C",3,"08/22/14","03/12/14","08/12/14",2,9) ZW RET
RET="-1^The value '08/12/14' for field DELIVERY in PREGNANCY HISTORY SUB-FIELD i
n file DSIO PATIENT is not valid."

VAH>D PREG^DSIO4(.RET,8,8,"C",3,"08/22/14","03/12/14","05/06/14",2,9) ZW RET
RET=8

<<The pregnancy is now historical.>>
VAH>ZW ^DSIO(19641,8,2,8)
^DSIO(19641,8,2,8,0)="3140312^H^3^3140822^3140506^2;DSIO(19641.1,^9;DSIO(19641.1,"

<<There is no longer an X-REF for DFN of 8 because there is no longer a current
pregnancy.>>
VAH>ZW ^DSIO(19641,"EDD")
^DSIO(19641,"EDD",119,3141001,119,1)=""

VAH>D Q^DI

VA FileMan 22.0

Select OPTION: 1  ENTER OR EDIT FILE ENTRIES

INPUT TO WHAT FILE: DSIO PATIENT//
EDIT WHICH FIELD: ALL//

Select DSIO PATIENT:    AYS,SHTS
PATIENT: AYS,SHTS//
```

```
TRACKING STATUS: FLAG//
NEXT CONTACT DATE: DEC 12,2014//
Select SEXUAL PARTNER: FETUS,FATHER OF//
Select PREGNANCY START: MAR 12,2014//
  PREGNANCY START: MAR 12,2014//
  STATUS: HISTORICAL//   (No Editing)
  FATHER: FETUS,FATHER OF//
  EDD: AUG 22,2014//
  DELIVERY: MAY 6,2014//
  OB: TEST//
  FACILITY: TEST PC//


<<WV PATIENT should also be updated to reflect the patient's status.>>
Select WV PREGNANCY LOG DATE ENTERED:

Select OPTION: 1  ENTER OR EDIT FILE ENTRIES

INPUT TO WHAT FILE: WV PREGNANCY LOG// WV PATIENT    (68 entries)
EDIT WHICH FIELD: ALL// .13  CURRENTLY PREGNANT
THEN EDIT FIELD: .14  EDC
THEN EDIT FIELD:

Select WV PATIENT NAME:    AYS,SHTS    SLRYIHUT,SXZ    3-15-21    101013333
   YES     SC VETERAN              SMB     SMB
CURRENTLY PREGNANT: NO//
EDC:
```