# **RAPTOR User Manual**

# Contents

RAPTOR Clinical Functions	4
Worklist Data	4
Pass Box	5
URL	5
Sample	5
Protocol Page	7
URL	7
Sample	7
Medication Tab	10
Sample	10
Vitals Tab	10
Sample	11
Allergy Tab	12
Sample	12
Laboratory (Labs) Tab	12
Sample	12
Rad Watch Tab	13
Sample	13
Clin Reports Tab	13
Sample	14
Problem List Tab	14
Sample	15
Notes Tab	15
Sample	16
Radiology Reports Tab	16
URL	17
Sample	17
Library Tab	18
Sample	18

	Contraindication Alerts	19
	Sample	19
	Timer Warning	20
	Sample	
	Collaboration Feature	
	Sample	21
	Ready for Examination Worklist Filter Mode	
	Interpretation Worklist Filter Mode	23
	QA Worklist Filter Mode	
	Needs Cancel Replace Worklist Filter Mode	23
R	Revision History	

# **Table of Figures and Tables**

Figure 1- Worklist Data	4
Figure 2 Customize Column Sequence within Worklist	5
Figure 3 Pass Box	6
Figure 4 <b>Pass Box</b> Calendar Feature	6
Figure 5 Protocol Tab - Patient Header, Medication Status, Protocol Name Options	7
Figure 6 Protocol Tab - Vitals Status, Contrast and Consent Options	8
Figure 7 Protocol Tab - Hydration Options, Allergy, Labs and Radiology Reports Status	8
Figure 8 Protocol Tab - Sedation, Allergy and Claustrophobic Options	9
Figure 9 Protocol Tab – Protocol Notes Boilerplate Text Helpers	9
Figure 10 Protocol Tab - Contraindications Requiring Acknowledgement	10
Figure 11 Medication Tab	10
Figure 12 Vitals Tab Graphical Display	11
Figure 13 Vital Tab - Table Display	11
Figure 14 Allergy Tab	12
Figure 15 Lab Tab	13
Figure 16 Rad Watch Tab	13
Figure 17 Clinical Report Tab - Report List	14
Figure 18 Clinical Reports - Surgery Report	14
Figure 19 Problem List Tab	15
Figure 20 Problem List - Problem Details	15
Figure 21 Notes Tab - List of Notes	16
Figure 22 Notes Tab - Notes Detail	16
Figure 23 Radiology Report List	17
Figure 24 Radiology Report Details	17
Figure 25 Radiology Report - X-ray Image	18
Figure 26 Library Tab - List and Links to Radiology Protocol Procedures	19
Figure 27 Contraindication Alerts	20
Figure 28 Timer Warning	21
Figure 29 Collaboration Request	22
Figure 30 Collaboration Request Status	22
Figure 31- Needs Cancel/Replace Worklist	23

# **RAPTOR Clinical Functions**

#### Worklist Data

The worklist shows all the available orders for a user to protocol. The user can customize the order of the worklist columns to suit their needs.

View mode is for non-clinical users, such as department executive. There are no edits in view mode.

The lock icon is to designate that the record is being worked on. When multiple users are in the system, this visual aide helps to avoid the users duplicating work.




Figure 1- Worklist Data




Figure 2 Customize Column Sequence within Worklist

# Pass Box

The Pass Box screen allows the user to assign work, note the status of room scheduling and track utilization. It also allows the user to comment on the cancel/replace status of an order.

NOTE: Pass Box can be used to facilitate the communications between radiologists and schedulers.

#### HRI

http://184.73.210.16/RSITE500/raptor/worklist

#### Sample

Below is a sample Pass Box page

racking ID 500-2028 cudy CT HEAD W&WO CONT equested Date DEC 02, 2013@16:53		Patient Name Patient DOB Urgency	ONEZEROONEONEONESEVEN, PATIENT 01/03/1948 ROUTINE	
Scheduling Deta	ails (Not Integrated With Enterpris	e Scheduling System)		
Location	Patient Notified	l .		
Labs Notified N Event Date	Nurse Notified Patient Notified Pro 07/26/2015	ovider Note RM 158 RM 25	60 RM 255 RM 390	
Start Time	12:06	Use Current Time	Duration (minutes)  10 15 20 30 45 60	
Confirmed by Has the patient co	patient O No infirmed this appointment?	<ul><li>Yes (20</li></ul>	15-07-26 12:07:00)	
	Or Replace (Moves In RAPTOR Bu	t Does Not Change VISTA A	ttributes)	
order request	ncellation or replace requestiong cancellation of this procedur	e.		
rotocol attenti		, Innovations / Dr. / Reside	nt 🗸	

Figure 3 Pass Box




Figure 4 Pass Box Calendar Feature

# **Protocol Page**

The Protocol page allow users to be able to view and select protocol options for the order and links to patient medical history extracted from VistA. The Privileged user can approve, reserve, cancel or replace the order.

NOTE: The header of the page includes patient and order information. The left side of the page is a dashboard of VistA patient status. The right side of the page is the action space where the Privileged user can enter pre-medication information. The bottom of the page has the workfow buttons.

#### **URL**

http://184.73.210.16/RSITE500/raptor/protocol

### Sample

Below is a sample Protocol Tab.




Figure 5 Protocol Tab - Patient Header, Medication Status, Protocol Name Options




Figure 6 Protocol Tab - Vitals Status, Contrast and Consent Options




Figure 7 Protocol Tab - Hydration Options, Allergy, Labs and Radiology Reports Status




Figure 8 Protocol Tab - Sedation, Allergy and Claustrophobic Options



Figure 9 Protocol Tab – Protocol Notes Boilerplate Text Helpers



Figure 10 Protocol Tab - Contraindications Requiring Acknowledgement

#### **Medication Tab**

The Medication Tab allows users to be able to view the status of known medications the patient is taking extracted from VistA patient record information. This table can be sorted, searched and expanded by the user.

NOTE: At-risk medication is searched and visually highlighted when matched to the medications list.

#### Sample

Below is a sample Medication Tab



Figure 11 Medication Tab

#### Vitals Tab

The Vitals Tab allow users to be able to view the status of key vital signs taken from all recorded patient encounters stored in VistA. This table can be sorted, searched and expanded by the user.

NOTE: The temperature and pulse is graphed to assist the user to understand the condition of the patient.

# Sample

# Below is a sample Vitals Tab




Figure 12 Vitals Tab Graphical Display

Show 10 🗸	entries							Search:				
Date	Temp	Height	Weight	ВМІ	Blood Pressure	Pulse	Resp	→ Pain →	C/G	Pox	CVP	Blood Glucose
03/05/2010 09:00 am	98.5 F		178 lb (80.7 kg)	25	134/81 mmHg	74 /min		1				
12/01/2009 08:53 am	98.4 F		182 lb (82.6 kg)	25	143/87 mmHg	78 /min		2		98 % SpO2		
08/24/2009 02:00 pm	98.9 F	71 in (180.3 cm)	190 lb (86.2 kg)	27	154/90 mmHg	82 /min	18 /min	6		97 % SpO2		
04/17/2009 12:00 pm	99.2 F		185 lb (83.9 kg)	26	143/90 mmHg	88 /min	17 /min	4		97 % SpO2		
11/10/2008 08:00 am	98.2 F		180 lb (81.6 kg)	25	135/86 mmHg	80 /min	18 /min	2		97 % SpO2		
06/10/2008 11:00 am	98.8 F	71 in (180.3 cm)	172 lb (78 kg)	24	124/80 mmHg	82 /min		0		98 % SpO2		
05/20/2008 11:00 am	101 F	71 in (180.3 cm)	170 lb (77.1 kg)	24	158/104 mmHg	82 /min		3		98 % SpO2		
05/06/2008 10:00 am	99.2 F	71 in (180.3 cm)	174 lb (78.9 kg)	24	156/96 mmHg	82 /min		3		98 % SpO2		
01/30/2008 11:00 am	98.8 F				145/94 mmHg	80 /min		2		98 % SpO2		

Figure 13 Vital Tab - Table Display

# Allergy Tab

The Allergy Tab allows users to be able to view the status of known allergies the patient has based on extracted VistA patient record information. This table can be sorted, searched and expanded by the user.

NOTE: A short list of patient's allergies is displayed on the protocol page and a full list is displayed on the allergy page.

# Sample

Below is a sample Allergy Tab



Figure 14 Allergy Tab

# Laboratory (Labs) Tab

The Labs Tab allows users to be able to view the status of key laboratory test results extracted from VistA patient record information. This table can be sorted, searched and expanded by the user. Creatinine values out of reference range are visually highlighted.

NOTE: A patient's eGFR is calculated and graphed to assist the user to understand the condition of the patient.

#### Sample

Below is a sample Lab Table




Figure 15 Lab Tab

#### Rad Watch Tab

The Rad Watch Tab provides a summarized history of the radiology tests performed on the patient in order to conduct radiation exposure surveillance for patient safety. This tab can be sorted, searched and expanded by the user.

NOTE: Rad Watch summarizes historical RAPTOR notes for patients.

#### Sample

Below is a sample Rad Watch Tab.




Figure 16 Rad Watch Tab

### Clin Reports Tab

The Clin Reports Tab displays the information extracted from the VistA patient record that pertains to clinical services and procedures such as Pathology and Surgery reports. These tables can be sorted, searched and expanded by the user.

NOTE: Users can search for note contents via the search box in the upper right corner of each table.

#### Sample

Below is a sample Clinical Reports Tab.




Figure 17 Clinical Report Tab - Report List




Figure 18 Clinical Reports - Surgery Report

#### Problem List Tab

The Problem List Tab provides a list of the clinical problems extracted from the VistA patient record. This table can be sorted, searched and expanded by the user.

NOTE: Users can search for note contents via the search box in the upper right corner of the table.

# Sample

Below is a sample Problem List tab.




Figure 19 Problem List Tab




Figure 20 Problem List - Problem Details

#### Notes Tab

The Notes Tab provides a list and details of the notes extracted from the VistA patient record. This table can be sorted, searched and expanded by the user.

NOTE: By default, the most recent 10 table entries are displayed. The user can display additional entries by selecting the desired number of entries in the upper left hand corner of the table.

#### Sample

Below is a sample Notes Tab.




Figure 21 Notes Tab - List of Notes




Figure 22 Notes Tab - Notes Detail

# Radiology Reports Tab

The Radiology Reports Tab provides a list and details of the radiology reports extracted from the VistA patient record. This table can be sorted, searched and expanded by the user.

NOTE: When an image thumbnail is displayed, an image may be selected to view with an embedded viewer.

#### URL

http://184.73.210.16/RSITE500/raptor/protocol?rawrtid=[2028]

# Sample

Below is a sample Radiology Reports Tab.




Figure 23 Radiology Report List




Figure 24 Radiology Report Details




Figure 25 Radiology Report - X-ray Image

# Library Tab

The Library Tab provides a list and details of Radiology protocol procedure documentation in electronic format, which has been provided by the Radiology Department for reference when conducting the ordered study for the patient. This table can be sorted, searched and expanded by the user.

NOTE: Each entry can be selected from the library. This selection is populated on the protocol page.

#### Sample

Below is a sample Library Tab.




Figure 26 Library Tab - List and Links to Radiology Protocol Procedures

#### **Contraindication Alerts**

Contraindication alerts are displayed once the patient is selected. Alerts are viewed on the Protocol page in the yellow frame at the top of the tab and at the bottom of the page under the "CONTRAINDICATIONS REQUIRING ACKNOWLEDGEMENT".

NOTE: Users can view the Contraindications engine in the Admin area. Alerts must be acknowledged to move the workflow forward.

#### Sample

Below is a sample of Contraindication alerts, highlighted in the in yellow region of this screen.




Figure 27 Contraindication Alerts

# **Timer Warning**

Timer Warnings will be displayed at the worklist to notify the user to confirm if they want to remain logged into the system before being automatically logged off.

NOTE: The user can select addition time when the warning is displayed, "Yes, keep me signed in".

# Sample

Below is a sample of a Timer Warning outlined in the red-lined box.




Figure 28 Timer Warning

#### Collaboration Feature

The Collaboration feature can enable the user to request or recommend a peer-to-peer collaboration effort for the study in question.

NOTE: Collaboration allows the ability to assign a protocol. The collaboration request note is required.

#### Sample

Below is a sample of a Collaboration request.




Figure 29 Collaboration Request



Figure 30 Collaboration Request Status

# Ready for Examination Worklist Filter Mode

Once approved by a privileged user, the protocol is ready for examination.

NOTE: Technologists are entered into Ready for Examination mode by default.

#### Interpretation Worklist Filter Mode

The Interpretation Worklist is populated by protocols that have been examined. The radiologists can review and make notes regarding the work and then create the RAPTOR notes.

NOTE: RAPTOR creates two notes, the complete protocol workflow and the safety checklist note. This checklist can be used to respond to Joint Commission audits.

#### QA Worklist Filter Mode

The QA worklist can be used by the privileged users to note the quality of protocoling workflow.

NOTE: The ability to manage the QA criteria is described in the Manage Lists, Edit QA Criteria section of the Users Manual.

# Needs Cancel Replace Worklist Filter Mode

The needs cancel/Replace worklist can be used by the privileged user (in example, the OREMAS key) to display orders that need to be canceled.

NOTE: Technologists are entered into Ready for Examination mode by default.




Figure 31- Needs Cancel/Replace Worklist

# Revision History

When	Who	Description
August 2015	SAN	Initial draft.
September 2015	SAN	Updated draft.