

1.

- A) I am not a student and it is not May.
 B) It is warm outside or it is May, or both.
 C) It is warm outside or it is May, but not both.
 D) If it is May and I am a student, then it is warm outside.

2.

- A) Let p stand for "I like math".
 Let q stand for "I like studying".
 Let r stand for "I like golf".

Logical Statement: $p \wedge q \wedge \neg r$

- B) Let p stand for "my alarm rings".
 Let q stand for "I need to wake up".

Logical Statement: $p \rightarrow q$

- C) Let p stand for "I was born in January".

Logical Statement: $p \oplus \neg p$

- D) Let p stand for "I am your instructor".

Let q stand for "You are a Carleton University student".

Logical Statement: $p \leftrightarrow q$

3.

- A) $3 < 5$ and $1 < 2$ and $1 < 0$

$$3 < 5 \wedge 1 < 2 \wedge 1 < 0$$

$$T \wedge T \wedge F$$

$$T \wedge F$$

$$F$$

- B) $1 = 2$ or $2 > 1$

$$1 = 2 \vee 2 > 1$$

$$F \vee T$$

$$T$$

- C) Let d stand for "your instructor is actually Dumbledore".

$$10 = 2 \rightarrow d$$

$$F \rightarrow d$$

$$T$$

- D) If $8=8$, then $8=2^3$ or $8=2^2$

$$8=8 \rightarrow 8=2^3 \vee 8=2^2$$

$$8=8 \rightarrow 8=8 \vee 8=4$$

$$T \rightarrow T \vee F$$

$$T \rightarrow T$$

$$T$$

4.

$$(p \vee q) \leftrightarrow (q \vee \neg r)$$

$$(\neg p \rightarrow q) \leftrightarrow (\neg q \rightarrow \neg r)$$

$$((\neg p \rightarrow q) \rightarrow (\neg q \rightarrow \neg r)) \wedge ((\neg q \rightarrow \neg r) \rightarrow (\neg p \rightarrow q))$$

Implication Equivalence

Biconditional Equivalence

5.

TRUTH TABLE: $(p \vee q) \leftrightarrow (q \vee \neg r)$

p	q	r	$\neg r$	$p \vee q$	$q \vee \neg r$	$(p \vee q) \leftrightarrow (q \vee \neg r)$
T	T	T	F	T	T	T
T	T	F	T	T	T	T
T	F	T	F	T	F	F
T	F	F	T	T	T	T
F	T	T	F	T	T	T
F	T	F	T	T	T	T
F	F	T	F	F	F	T
F	F	F	T	F	T	F

TRUTH TABLE: $((\neg p \rightarrow q) \rightarrow (\neg q \rightarrow \neg r)) \wedge ((\neg q \rightarrow \neg r) \rightarrow (\neg p \rightarrow q))$

p	q	r	$\neg p$	$\neg q$	$\neg r$	X: $(\neg p \rightarrow q)$	Y: $(\neg q \rightarrow \neg r)$	Z1: $X \rightarrow Y$	Z2: $Y \rightarrow X$	Z1 \wedge Z2
T	T	T	F	F	F	T	T	T	T	T
T	T	F	F	F	T	T	T	T	T	T
T	F	T	F	T	F	T	F	F	T	F
T	F	F	F	T	T	T	T	T	T	T
F	T	T	T	F	F	T	T	T	T	T
F	T	F	T	F	T	T	T	T	T	T
F	F	T	T	T	F	F	F	T	T	T
F	F	F	T	T	T	F	T	T	F	F

6.

A) TRUTH TABLE: $\neg (\neg (p \wedge \neg (\neg q \wedge q)) \wedge \neg \neg p)$

p	q	$\neg p$	$\neg q$	$\neg q \wedge q$	X: $p \wedge \neg (\neg q \wedge q)$	Y: $\neg (X)$	$\neg (Y \wedge \neg \neg p)$
T	T	F	F	F	T	F	T
T	F	F	T	F	T	F	T
F	T	T	F	F	F	T	T
F	F	T	T	F	F	T	T

Therefore, the following expression is a **tautology**.

B) TRUTH TABLE: $(q \leftrightarrow ((p \vee r) \wedge r)) \wedge \neg (p \rightarrow p)$

p	q	r	$p \vee r$	X: $(p \vee r) \wedge r$	Y: $(q \leftrightarrow X)$	$\neg (p \rightarrow p)$	$Y \wedge \neg (p \rightarrow p)$
T	T	T	T	T	T	F	F
T	T	F	T	F	F	F	F
T	F	T	T	T	T	F	F
T	F	F	T	F	F	F	F
F	T	T	T	T	T	F	F
F	T	F	F	F	T	F	F
F	F	T	T	T	T	F	F
F	F	F	F	F	T	F	F

Therefore, the following expression is a **contradiction**.

C) **TRUTH TABLE:** $((p \wedge r) \vee q \vee (p \wedge \neg r)) \wedge (r \vee p)$

p	q	r	$\neg r$	X: $(p \wedge r)$	Y: $(p \wedge \neg r)$	Z: $X \vee q \vee Y$	$(r \vee p)$	$(Z) \wedge (r \vee p)$
T	T	T	F	T	F	T	T	T
T	T	F	T	F	T	T	T	T
T	F	T	F	T	F	T	T	T
T	F	F	T	F	T	T	T	T
F	T	T	F	F	F	T	T	T
F	T	F	T	F	F	T	F	F
F	F	T	F	F	F	F	T	F
F	F	F	T	F	F	F	F	F

Therefore, the following expression is a **contingency**.

7.A) $\neg (\neg (p \wedge \neg (\neg q \wedge q)) \wedge \neg \neg p)$

$\neg (\neg (p \wedge \neg (\neg q \wedge q)) \wedge p)$

$\neg (\neg (p \wedge \neg \neg q \vee \neg q) \wedge p)$

$\neg (\neg (p \wedge q \vee \neg q) \wedge p)$

$\neg (\neg p \vee \neg q \wedge \neg \neg q \wedge p)$

$\neg (\neg p \vee \neg q \wedge q \wedge p)$

$\neg \neg p \wedge \neg \neg q \vee \neg q \vee \neg p$

$p \wedge q \vee \neg q \vee \neg p$

$p \wedge T \vee \neg p$

$p \vee \neg p$

T

Double Negation

De Morgan's Law

Double Negation

De Morgan's Law

Double Negation

De Morgan's Law

Double Negation

Negation

Identity

Negation

Therefore, using logical equivalencies we proved 6A is a **Tautology**.

B) $(q \leftrightarrow ((p \vee r) \wedge r)) \wedge \neg (p \rightarrow p)$

$(q \leftrightarrow ((p \vee r) \wedge r)) \wedge \neg (\neg p \vee p)$

$(q \leftrightarrow ((p \vee r) \wedge r)) \wedge (\neg \neg p \wedge \neg p)$

$(q \leftrightarrow ((p \vee r) \wedge r)) \wedge (p \wedge \neg p)$

$(q \leftrightarrow (r \wedge (r \vee p))) \wedge F$

F

Implication Equivalence

De Morgan's Law

Double Negation

Negation

Domination

Therefore, using logical equivalencies we proved 6B is a **Contradiction**.

C) $((p \wedge r) \vee q \vee (p \wedge \neg r)) \wedge (r \vee p)$

$((p \wedge r) \vee (p \wedge \neg r) \vee q) \wedge (r \vee p)$

$(p \wedge (r \vee \neg r) \vee q) \wedge (r \vee p)$

$(p \wedge T \vee q) \wedge (r \vee p)$

$(p \wedge T) \wedge (r \vee p)$

$p \wedge (r \vee p)$

$p \wedge (p \vee r)$

p

Commutative Law

Distributive Law

Negation

Domination

Identity

Commutative Law

Absorption

Therefore, using logical equivalencies we proved 6C is a **Contingency**.

8.

A) There exists at least one animal that is a dog which only eats meat.

B) There exists at least one animal that is a dog and does not eat meat.

C) If an animal is a mammal then it is a dog or it is not a dog.

9. UOD: All Animals

A)

Let $C(x)$ be the predicate “x is a cat”.

Let $P(x)$ be the predicate “x purrs”.

Let $F(x)$ be the predicate “x is furry”.

Every cat purrs and is furry.

$$\forall(x)(C(x) \rightarrow (P(x) \wedge F(x)))$$

$$\neg \forall(x)(C(x) \rightarrow (P(x) \wedge F(x)))$$

$$\exists(x) \neg (C(x) \rightarrow (P(x) \wedge F(x)))$$

$$\exists(x) (\neg (\neg C(x) \vee (P(x) \wedge F(x))))$$

$$\exists(x) (\neg \neg C(x) \wedge \neg (P(x) \wedge F(x)))$$

$$\exists(x) (\neg \neg C(x) \wedge \neg P(x) \vee \neg F(x))$$

$$\exists(x) (C(x) \wedge \neg P(x) \vee \neg F(x))$$

$$\exists(x) (C(x) \wedge P(x) \rightarrow \neg F(x))$$

Quantifier Negation

Implication Equivalence

De Morgan's Law

De Morgan's Law

Double Negation

Implication Equivalence Inverse

B)

Let $C(x)$ be the predicate “x is a cat”.

Let $M(x)$ be the predicate “x eats mice”.

Let $F(x)$ be the predicate “x can catch fish”.

There is at least one cat who doesn't eat mice and can catch fish.

$$\exists(x)(C(x) \wedge (\neg M(x) \wedge F(x)))$$

$$\neg \exists(x)(C(x) \wedge (\neg M(x) \wedge F(x)))$$

$$\forall(x) \neg (C(x) \wedge (\neg M(x) \wedge F(x)))$$

$$\forall(x) (\neg C(x) \vee \neg (\neg M(x) \wedge F(x)))$$

$$\forall(x) (\neg C(x) \vee \neg \neg M(x) \vee \neg F(x))$$

$$\forall(x) (\neg C(x) \vee M(x) \vee \neg F(x))$$

$$\forall(x) (C(x) \rightarrow M(x) \vee \neg F(x))$$

Quantifier Negation

De Morgan's Law

De Morgan's Law

Double Negation

Implication Equivalence Inverse