

PHOENIX CLEAR INSIGHT

Master Developer Build Summary

[Clarity](#) • [Readiness](#) • [Execution](#) • [Testimonials](#) • [Dashboard](#)

STATUS: READY TO HAND OFF — single cross-tool synthesis of every locked spec, fix list, and audit produced this project

This is the one document meant to travel with the codebase to a developer. It does not replace the individual locked Build Specs, PRDs, and audits already delivered for each tool — it indexes them, pulls every outstanding fix into one prioritized punch list, and states the single architectural rule that governs all of it: each tool's scoring model, band names, and outputs are separately locked and must never be blended into another tool's. Where more implementation detail is needed than fits here, the source document is named — go there for the full spec.

Prepared for: Veta P. Hurst, Esq., ICF-ACC — Phoenix Clear Insight Consulting LLC | Date: August 20, 2026

1. How to Use This Document

- Section 2 is the master punch list — every outstanding fix across all five tools, in one place, ordered P0 → P1 → P2. Start here.
- Section 3 gives each tool's corrected architecture at a glance — just enough to implement against without re-deriving it from the punch list alone.
- Section 4 covers cross-cutting security/data-handling items that touch more than one tool.
- Section 5 is a recommended build sequence.
- Appendix A lists every source document this project produced — the actual locked specs, PRDs, workflow diagrams, and audits — organized by tool, so anything summarized here can be traced back to its full original.

THE ONE RULE THAT GOVERNS ALL OF THIS

Clarity, Execution, Readiness, and Testimonials each have their own separately locked scoring model, band names, and outputs. Clarity alone has a Position 2×2 and a Friction Vector; Execution and Readiness each have a single consolidated Gap archetype instead (three equally-weighted dimensions don't split cleanly into two axes without inventing a fourth construct — considered and explicitly declined for both). Testimonials carries a real Clarity Band, not its own scoring system. The Dashboard displays each tool's own outputs in its own terms, on its own tab — never blended, never a shared band vocabulary, never a Position view forced onto a tool that doesn't have one. The root cause of nearly every finding in the original System Audit was exactly this kind of conflation. Every fix in this document assumes that rule holds.

2. Master Priority Punch List

P0 = fix before anything else. P1 = fix before public relaunch. P2 = fix opportunistically. Consolidated from the Master Developer Fix List (Clarity + security/Readiness/Execution/Admin) and every Dashboard-phase deliverable produced this project — nothing here is new beyond what's already been locked; this table just puts all of it in one ordered list for the first time.

P0 — Fix Before Anything Else

Pri	Tool	Issue	Fix Location
P0	Clarity	Client-facing results show the wrong narrative for 3 of 4 outcomes — AssessmentCompletePage.jsx/emailService.js look up the result narrative from a stale 3-key object that no longer matches the corrected archetype keys (transitioner/strategist/executor/phoenix).	AssessmentCompletePage.jsx :28; emailService.js:52,170; scoringBands.js
P0	Clarity	Results/submission page can hang indefinitely — no timeout/AbortController on the Supabase insert or the results-page email send.	AssessmentPage.jsx handleSubmit(); AssessmentCompletePage.jsx send()
P0	Clarity	Response scale shows frequency wording (Rarely...Consistently) instead of the locked 1–5 agreement scale on all 25 items.	AssessmentPage.jsx — scale labels
P0	Clarity	No consent/data-use notice shown before the assessment begins — legal-exposure gap, not just a spec gap.	Pre-intake flow, before Q1; new consent_timestamp + consent_version fields
P0	Clarity	Reverse-scoring not implemented anywhere — no question carries a reverse flag; 5 of 25 question slots need text swaps. Now fully specified — implementation-ready pseudocode exists.	assessmentQuestions.js; scoringBands.js

Pri	Tool	Issue	Fix Location
P0	Clarity	Scoring model — Option A is final. Restore ×0.8 category normalization, 20–100 total range, Transitioner/Strategist/Executor/Phoenix band names; retire the Rebuilding/Transitioning/Awakening/Rising names everywhere.	scoringBands.js
P0	Clarity	Response-scale + reverse-scoring text changes should be batched as two focused passes (4 cosmetic swaps, then 5 reverse-score replacements), not 25 separate ad hoc edits.	assessmentQuestions.js
P0	Dashboard	Live Dashboard.jsx still runs the retired 25–125 model with zero Position/Friction Vector/Growth Edge visibility for any tool (System Audit Findings 9–10).	Dashboard.jsx, RecordDetails.jsx — full corrected spec in the Dashboard Build Spec
P0	Dashboard	NEW: the client's actual outbound emailed report (buildEmailHTML/buildEmailText) is on the same retired model — reaches real clients, including federal/corporate prospects, not just internal viewers. Confirmed Resend-based, not a Kit/ConvertKit concern.	emailService.js — see Build Spec Addendum 1, §2
P0	Security	Live admin credential (phoenix@gmail.com / phoenix2026) committed in plaintext in a now-public repo — controls the Coach Console login and all client PII behind it. Standing recommendation: rotate now, independent of the rest of this sequencing.	scripts/setup-admin-user.mjs; Admin.jsx (COACH_CODE)
P0	Security	Readiness/Execution intake gated by hardcoded, plaintext client-side strings ("readiness2027"/"execution2027") — extractable from the JS bundle, no real access control.	AssessmentPage.jsx handlePasswordSubmit()
P0	Security	Row Level Security cannot be confirmed from the repo — no RLS policies appear in create_tables.sql for any of the 4 tables; all client-side calls use the public anon key. Must be confirmed directly in the Supabase dashboard.	Supabase project dashboard — not visible in code

P1 — Fix Before Public Relaunch

Pri	Tool	Issue	Fix Location
P1	Clarity	Position and Friction Vector exist nowhere in the codebase. Now fully specified — implementation-ready pseudocode including the 26.5 threshold constant.	New positionCalc.js/frictionVectorCalc.js or equivalent
P1	Clarity	Consent documentation doesn't cover the extra intake fields actually collected (gender identity, referral source, free-text field).	Build Spec Section 9 — documentation only
P1	Clarity	Two assessment URLs 404 on direct navigation (/assessment/execution, /assessment/readiness) — Vercel doesn't honor the existing Netlify-style _redirects file.	New vercel.json at repo root — SPA catch-all rewrite
P1	Clarity	Consent notice + reverse-scoring item text should be verified line-by-line against live output once implemented, as a final QA pass.	QA step, no code
P1	Readiness/Execution	Silent data loss on failed submission — errors only logged to console; UI unconditionally shows "Assessment Submitted" and resets the form, discarding the coach's ratings.	AssessmentPage.jsx GenericAssessment.handleSubmit()
P1	Readiness/Execution	Scores mislabeled as percentages — both reuse a raw 1–5 sum (range 15–75) but the UI appends "%" to it.	Dashboard.jsx admin-stat-card & score-badge; RecordDetails.jsx
P1	Testimonials	Live code has no Band/archetype auto-matching of any kind — purely a self-reported, retired 3-tier Stage dropdown. Now fully specified (hybrid auto-match by email, bandSource-tagged fallback).	Testimonials Build Spec, Sections 2–3
P1	Testimonials	Email field's stated purpose doesn't disclose it will also be used to match against Clarity records for Band auto-matching once this ships.	Testimonials Build Spec, Section 7 — consent notice

Pri	Tool	Issue	Fix Location
P1	Dashboard	CSV export has no segmentation support (System Audit Finding 11) — now specified per-tool in the Dashboard Build Spec, Module 4.	csvExport.js
P1	Dashboard	Segment field and Testimonial Matching Engine are new client-facing/coach-facing scope with no existing UI — now fully specified (Findings 6–7, Build Spec Sections 5 & 7).	Dashboard Build Spec, Sections 5, 7

P2 — Fix Opportunistically

Pri	Tool	Issue	Fix Location
P2	Clarity	Growth Edge card exists but isn't formally tied to the spec's definition (lowest of 5 category scores, fixed tie-break order). Ready to implement now.	AssessmentCompletePage.jsx — Growth Edge card
P2	Clarity	Placeholder Band intro/directRead copy in scoringBands.js becomes client-facing once the P0 narrative-lookup fix ships — replace with final reviewed copy.	scoringBands.js
P2	Security	Dead legacy admin code (Admin.jsx, db.js, db/index.js) is unrouted, would crash if rendered, and still carries the leaked password — delete outright.	src/pages/Admin.jsx; src/db.js; src/db/index.js
P2	Security	CSV export has no formula-injection protection for user-supplied free text (=, +, -, @ prefixes).	src/utls/csvExport.js

Confirmed working, no action needed: the /dashboard login itself (real Supabase Auth, session-based) — the exposure is what sits behind it if RLS is off (P0 above), not this gate. The #/login routing issue is also already confirmed resolved.

3. Corrected Architecture — At a Glance, Per Tool

Full detail for every row below lives in that tool's locked Build Spec (Appendix A). This section exists so a developer isn't forced to open five documents just to know which band names or category list is authoritative right now.

3.1 Clarity

Element	Locked Detail
Questions / structure	25 items, 5 categories of 5 (Strengths & Skills, Values & What Matters, Patterns & Blocks, Direction & Opportunity, Alignment & Confidence). Field keys q01–q25, zero-padded, stored as a keyed object, not a positional array.
Response scale	1 = Strongly Disagree ... 5 = Strongly Agree, applied to all 25 items. 5 reverse-scored items (one per category), reverse-adjusted at calculation time only — always store the raw response.
Category score	(raw category sum) × 0.8 → range 4–20 per category.
Band Total	Sum of 5 category scores → range 20–100. Bands: Transitioner 20–39, Strategist 40–59, Executor 60–79, Phoenix 80–100.
Position (2×2)	Inner axis = Strengths & Skills + Alignment & Confidence. Outer axis = Values & What Matters + Direction & Opportunity. Patterns & Blocks is held out — narrative-only, feeds Friction Vector instead. Threshold = 26.5 (single named constant, of 40 max per axis). Quadrants: Low/Low = System Evaluator, High Inner/Low Outer = Strategic Planner, Low Inner/High Outer = Kinetic Operator, High/High = Momentum Builder.
Friction Vector	4 archetypes drawn from Patterns & Blocks + the lower of the two Position axes: Self-Discounter, Vision Staller, Imposter Protector, The Magnifier.
Growth Edge	The single lowest-scoring of the 5 categories. Tie-break: first-listed category in fixed order wins.
Outbound client email	buildEmailHTML()/buildEmailText() (emailService.js) via Resend — the only tool with a live client-facing report today. Corrected per Build Spec Addendum 1, §2 (P0 above).

3.2 Execution

Element	Locked Detail
Questions / structure	15 items, 3 categories of 5 (Consistency, Alignment & Authenticity, Resilience). Reuses Clarity's 1–5 agreement scale — items are already first-person statements.
Category score	$((\text{raw category sum} - 5) / 20) \times 100 \rightarrow \text{true percentage, 0–100 per category.}$
Execution Score	Average of the 3 category scores. Bands: Friction-Bound 0–24, Emergent Traction 25–49, Operational Cadence 50–74, Strategic Velocity 75–100.
Execution Gap	Single consolidated signal — the lowest of the 3 categories, named archetype (The Stop-Starter / The Autopilot / The Stall-Out). No 2×2 Position — 3 equally-weighted dimensions don't split into 2 axes without inventing a 4th construct; explicitly declined.
New field	Program Checkpoint (required): Week 3 / Week 6 / Week 9 / Week 12 / Program Completion — enables a real multi-point Execution Trajectory.
Outbound client email	None exists today — confirmed by direct search, no AssessmentCompletePage-equivalent. Documented as current-state fact, not a bug; new scope if ever needed.

3.3 Readiness

Element	Locked Detail
Questions / structure	15 items, 3 categories of 5 (Self-Awareness & Capability, Emotional Stability & Capacity, Commitment & Investment). Coach-entered, third-person data about the client, not client self-report.
Response scale	New unified intensity scale: 1 = Not at all ... 5 = Extremely (Clarity's agreement scale doesn't fit third-person phrasing).
Category score	$((\text{raw category sum} - 5) / 20) \times 100 \rightarrow \text{true percentage. This also makes the live "\%" display correct once the raw-sum-labeled-as-percent bug (P1) is fixed.}$
Readiness Score	Average of the 3 category scores. Bands: Guarded 0–24, [25–49 unnamed mid band], Willing 50–74, All In 75–100.
Readiness Gap	Single consolidated signal, same rationale as Execution Gap — no 2×2 Position. Archetypes: The Uncertain Mirror / The Overloaded / The Hesitant Investor.
Consent mechanism	Folded into existing coaching-engagement paperwork, not a digital consent screen — third-person data, lower urgency than the client-facing tools.

3.4 Testimonials

Element	Locked Detail
Story structure	Before / Shift / After open narrative fields — no fixed-choice question set, no category scoring.
Band replacement	Stage (retired 3-tier: Awakening/Dreaming/Phoenix Momentum) is replaced by the client's real Clarity Band — never a new Friction Vector tag, and not both (considered, declined — Friction Vector tagging would require manual coach judgment per story, out of scope).
Matching engine	Hybrid: auto-matched from the client's own historical Clarity submissions by email where found; falls back to a self-reported dropdown where not. Every Band is tagged bandSource: "verified" or "self-reported" — never dropped, never blended.
Band movement (before/after)	Shown only when bandSource is "verified" for both points — 2+ matching Clarity submissions on file, earliest vs. most recent.
Show My Band	Opt-out, checked by default alongside Consent to Publish — client can suppress public display even with a verified match; data is still stored internally.

Element	Locked Detail
Consent notice	Updated to disclose the email field is also used server-side for Clarity-record Band matching — still never displayed publicly.

3.5 Dashboard

Element	Locked Detail
Architecture rule	One console, 4 tabs (Clarity/Readiness/Execution/Testimonials), each showing that tool's own outputs in its own terms — never blended (Section 1's standing rule).
Data layer	Corrected scoring/Band/Position/Friction Vector/Growth Edge read from each tool's own corrected data layer — Phase 1 of the build, everything else depends on it.
Client Segmentation	Federal / Corporate / Individual Executive. Client-facing, captured on the pre-intake form of all 4 tools — on Clarity, next to the existing Company/Agency Affiliation field; on the other three (which have no Affiliation field), a new standalone field.
Testimonial Matching Engine	Tier 1 = same Segment + exact Band. Tier 2 = exact Band, any Segment. Tier 3 = adjacent Band, any Segment. Zero-match empty state. bandSource always shown on matched cards.
Full Response Record (NEW — Addendum 1)	Client Detail dropdown, per record: Coach View (every question numbered, grouped by real category, Clarity/Execution/Readiness) and Client Email View (renders the actual corrected outbound email — Clarity only; Execution/Readiness show an honest "not yet built" state, since neither has a live outbound email).
Third-party integrations	Kit and Acuity are real, current operations; Stan Store is potential/future. This build only ships a static "View Booking" convenience-link placeholder — the actual API/webhook integration work is a separate workflow-layer project, sequenced after this Dashboard build.
PDF export	@react-pdf/renderer recommended over window.print() for Module 3's board-ready export (polish-tier, not blocking).

4. Cross-Cutting: Security & Data Handling

- Rotate the exposed admin credential (phoenix@gmail.com / phoenix2026) in Supabase now — this is independent of every other sequencing decision in this document and controls real client PII today.
- Confirm Row Level Security is enabled on all 4 Supabase tables with policies matching who should read/write each one — cannot be verified from the repo, must be checked directly in the Supabase dashboard.
- Move Readiness/Execution access gating server-side (reuse the real Supabase Auth session behind /dashboard, or a short-lived server-issued token) instead of the current hardcoded client-side strings.
- Add formula-injection protection to every CSV export (Clarity, Readiness, Execution, Testimonials, and the new Dashboard segmented exports) — prefix any cell value starting with =, +, -, or @ with a leading apostrophe.
- Delete the three dead legacy files (Admin.jsx, db.js, db/index.js) — unrouted, would crash if rendered, and still carry the leaked password as a client-side gate.
- Confirm the repo is set back to private once the credential rotation above is complete — it was made public for this code audit.

5. Recommended Build Sequence

- 1. Security POs first, independent of everything else — rotate the admin credential, confirm RLS, move access gating server-side. None of this depends on any other item in this document.

- 2. Clarity data-layer corrections (scoring model, reverse-scoring, response scale, consent notice, narrative-lookup fix) — everything downstream (Position, Friction Vector, Growth Edge, the Dashboard, the corrected outbound email) depends on this being right first.
- 3. Position, Friction Vector, Growth Edge implementation, using the now-corrected data layer.
- 4. Readiness and Execution corrections (percentage mislabel, silent-failure handling, their own now-locked Build Specs) — can run in parallel with step 3 since they don't share Clarity's scoring code.
- 5. Testimonials Band-matching engine (replaces Stage) — depends on Clarity's corrected Band data existing to match against.
- 6. Dashboard data layer — read from the now-corrected outputs of steps 2–5 (Build Spec Sections 2–4).
- 7. Dashboard UI modules — Cohort Intelligence Bar, Record List, Client Detail Inspection Panel (including the new Full Response Record dropdown), Export & Segmentation (Build Spec Section 8, Addendum 1 Section 3).
- 8. Client Segmentation field on all 4 pre-intake forms + the corresponding consent notice updates (Consent Notice Addendum).
- 9. Testimonial Matching Engine UI (depends on step 5's Band data and step 8's Segment data both existing).
- 10. Outbound email correction (Build Spec Addendum 1, §2) — corrected buildEmailHTML()/buildEmailText() so future Clarity clients receive the corrected report. Can run any time after step 3.
- 11. Polish tier: @react-pdf/renderer board-ready export, CSV formula-injection protection, dead-code deletion, placeholder-copy replacement.
- 12. Third-party integrations (Kit/Acuity/Stan Store) — explicitly a separate project, sequenced to start only after this entire build is complete.

Appendix A: Full List of Source Documents

Every locked spec, PRD, diagram, and audit this project produced. Go to these for anything this summary compressed.

Clarity

Element	Locked Detail
Master Developer Fix List	The single authoritative source for every Clarity + security/Readiness/Execution/Admin fix in Section 2 of this document, including full implementation-ready pseudocode for scoring, Position, and Friction Vector.
Clarity Final Build Specification	Locked architecture: bands, categories, Position, Friction Vector, Growth Edge, CSV schema.
Clarity PRD	Personas (including the Federal/Corporate program-sponsor persona), success metrics, release phasing.

Execution

Element	Locked Detail
Execution Final Build Spec	Locked architecture, category scoring, Execution Gap, Program Checkpoint field, CSV schema.
Execution PRD, Developer Workflow diagram, Coach/Client Journey guide	Full rebuild treatment, same pattern as Clarity.

Readiness

Element	Locked Detail
Readiness Final Build Spec	Locked architecture, category scoring, Readiness Gap, coach-entered consent mechanism, CSV schema.

Element	Locked Detail
Readiness PRD, Developer Workflow diagram, Coach/Client Journey guide	Full rebuild treatment, same pattern as Clarity.

Testimonials

Element	Locked Detail
Testimonials Final Build Spec	Locked Band-matching engine, Show My Band opt-out, Band movement tracking, consent notice.
Testimonials PRD	Full rebuild treatment, same pattern as Clarity.

Dashboard

Element	Locked Detail
Phoenix Dashboard System Audit & Gap Analysis	11 findings comparing the original Gemini technical draft against every locked spec above.
Phoenix Dashboard Final Build Spec (Locked v2)	Full architecture: data layer, Segmentation, Testimonial Matching Engine, UI modules, integrations.
Build Spec Addendum 1	Kit-vs-Resend clarification, the outbound-email finding, Full Response Record module spec.
Interactive Dashboard.jsx mockup	High-fidelity, browser-tested reference for the corrected UI, including the Full Response Record dropdown.
Consent Notice Addendum	Exact before/insert/after consent-copy changes for Segment, across all 4 tools.
Dashboard PRD, Developer Workflow diagram, Coach/Admin Guide	Full rebuild treatment, same pattern as the other four tools.