## [ITC-CSCC 2023] DeepBET suitable papers list

## May 2023

[1-41]

## References

- [1] T. Eguchi, Y. Kanamoto, M. Tomioka, D. Tashima, S. Kumagai, Effect of ball milling on the electrochemical performance of activated carbon with a very high specific surface area, Batteries 6 (2) (2020) 22.
- [2] D. R. Lobato-Peralta, A. Ayala-Cortés, A. Longoria, D. E. Pacheco-Catalán, P. U. Okoye, H. I. Villafán-Vidales, C. A. Arancibia-Bulnes, A. K. Cuentas-Gallegos, Activated carbons obtained by environmentally friendly activation using solar energy for their use in neutral electrolyte supercapacitors, Journal of Energy Storage 52 (2022) 104888.
- [3] H. A. Rahman, S. X. Chin, Physical and chemical properties of the rice straw activated carbon produced from carbonization and koh activation processes, Sains Malays 48 (2) (2019) 385–391.
- [4] Y. Tan, Z. Xu, L. He, H. Li, Three-dimensional high graphitic porous biomass carbon from dandelion flower activated by k2feo4 for supercapacitor electrode, Journal of Energy Storage 52 (2022) 104889.
- [5] J. J. Lado, R. L. Zornitta, I. Vazquez Rodriguez, K. Malverdi Barcelos, L. A. Ruotolo, Sugarcane biowaste-derived biochars as capacitive deionization electrodes for brackish water desalination and water-softening applications, ACS sustainable chemistry & engineering 7 (23) (2019) 18992–19004.
- [6] A. Jain, S. Tripathi, Nano-porous activated carbon from sugarcane waste for supercapacitor application, Journal of Energy Storage 4 (2015) 121–127.
- [7] J. Shao, G. Zhu, L. Xie, S. Tao, Y. Zhang, J. Zhang, H. Wang, L. Zhang, C. Chen, One-step production of n, s co-doped honeycomb-like activated carbon from instant dry yeast for high gravimetric and volumetric performance supercapacitors, Diamond and Related Materials 127 (2022) 109165.

- [8] Y.-j. Luo, Y.-y. Wang, X. Hui, J.-l. Du, M.-f. Zhu, L.-m. Zhang, Z.-m. Sun, Electro-enhanced adsorption of as (v) by activated carbon in three-dimensional electrode reactor, Transactions of Nonferrous Metals Society of China 32 (6) (2022) 2080–2090.
- [9] F. Mbarki, T. Selmi, A. Kesraoui, M. Seffen, Low-cost activated carbon preparation from corn stigmata fibers chemically activated using h3po4, zncl2 and koh: Study of methylene blue adsorption, stochastic isotherm and fractal kinetic, Industrial Crops and Products 178 (2022) 114546.
- [10] T. Thuan, P. Thinh, B. Quynh, H. T. Cong, D. Tam, L. Bach, Production of activated carbon from sugarcane bagasse by chemical activation with zncl2: Preparation and characterization study, Research Journal of Chemical Sciences 6 (5) (2016) 42–47.
- [11] Y. Shen, N. Zhang, Y. Fu, Synthesis of high-performance hierarchically porous carbons from rice husk for sorption of phenol in the gas phase, Journal of environmental management 241 (2019) 53–58.
- [12] O. D. Caicedo-Salcedo, D. P. Vargas-Delgadillo, L. Giraldo, J. C. Moreno-Piraján, Data of preparation and characterization of activated carbon using two activant agents and mango seed as precursor material, Data in brief 27 (2019) 104769.
- [13] J. Bai, C. Qin, Y. Xu, Y. Du, G. Ma, M. Ding, Biosugarcane-based carbon support for high-performance iron-based fischer-tropsch synthesis, Iscience 24 (7) (2021) 102715.
- [14] J.-Y. Choi, S. E. Shim, S.-J. Park, Effect of ball milling and koh activation on electrochemical properties of pitch-based carbon fibers, Bulletin of the Korean Chemical Society 36 (10) (2015) 2464–2468.
- [15] B. Wei, T. Wei, C. Xie, K. Li, F. Hang, Promising activated carbon derived from sugarcane tip as electrode material for high-performance supercapacitors, RSC advances 11 (45) (2021) 28138–28147.
- [16] H. Zhu, D. Wu, G. Zhang, B. Li, A. Wang, K. Sun, Oaks-derived activated carbon by trace alkali-induced catalytic steam activation for electrochemical capacitor applications, Journal of Energy Storage 53 (2022) 105090.
- [17] H. Itoi, S. Tazawa, H. Hasegawa, Y. Tanabe, H. Iwata, Y. Ohzawa, Study of the pore structure and size effects on the electrochemical capacitor behaviors of porous carbon/quinone derivative hybrids, RSC advances 9 (47) (2019) 27602–27614.
- [18] M. Ghaedi, A. G. Nasab, S. Khodadoust, M. Rajabi, S. Azizian, Application of activated carbon as adsorbents for efficient removal of methylene blue: kinetics and equilibrium study, Journal of Industrial and Engineering Chemistry 20 (4) (2014) 2317–2324.

- [19] M. Singh, A. Gupta, S. Sundriyal, P. Dubey, K. Jain, S. Dhakate, Activated green carbon-based 2-d nanofabric mats for ultra-flexible all-solid-state supercapacitor, Journal of Energy Storage 49 (2022) 104193.
- [20] R. Chen, Z. He, L. Li, F. Wu, B. Xu, M. Xie, Pore size effect of carbon electrodes on the electrochemical double-layer capacitance in litfsi/2oxazolidinone complex electrolyte, The Journal of Physical Chemistry C 116 (3) (2012) 2594–2599.
- [21] H. A. Hamouda, S. Cui, X. Dai, L. Xiao, X. Xie, H. Peng, G. Ma, Synthesis of porous carbon material based on biomass derived from hibiscus sabdariffa fruits as active electrodes for high-performance symmetric supercapacitors, RSC advances 11 (1) (2021) 354–363.
- [22] S. Sahoo, et al., Experimental investigation on different activated carbons as adsorbents for co2 capture, Thermal Science and Engineering Progress 33 (2022) 101339.
- [23] Q. Ji, H. Li, High surface area activated carbon derived from chitin for efficient adsorption of crystal violet, Diamond and Related Materials 118 (2021) 108516.
- [24] F. Koyuncu, F. Güzel, İ. I. G. İnal, High surface area and supermicroporous activated carbon from capsicum (capsicum annuum l.) industrial processing pulp via single-step koh-catalyzed pyrolysis: Production optimization, characterization and its some water pollutants removal and supercapacitor performance, Diamond and Related Materials 124 (2022) 108920.
- [25] S. Zhang, J. Ren, T. Gu, H. Guo, H. Wang, M. Imran, R.-P. Ren, Y.-K. Lv, Porous nicos nanosheets decorated activated carbon cloth for flexible asymmetric supercapacitors, Diamond and Related Materials 127 (2022) 109154.
- [26] D. Wang, D. Zhu, J. Pan, Z. Guo, C. Yang, H. Tian, Y. Xue, Integration of preparation of k, na-embedded activated carbon and reduction of zn-bearing dusts, International Journal of Mining Science and Technology 32 (3) (2022) 627–636.
- [27] D. Mohan, S. Rajput, V. K. Singh, P. H. Steele, C. U. Pittman Jr, Modeling and evaluation of chromium remediation from water using low cost biochar, a green adsorbent, Journal of hazardous materials 188 (1-3) (2011) 319–333.
- [28] A. H. Jawad, S. Surip, Upgrading low rank coal into mesoporous activated carbon via microwave process for methylene blue dye adsorption: Box behnken design and mechanism study, Diamond and Related Materials 127 (2022) 109199.

- [29] G. Folaranmi, M. Tauk, M. Bechelany, P. Sistat, M. Cretin, F. Zaviska, Investigation of fine activated carbon as a viable flow electrode in capacitive deionization, Desalination 525 (2022) 115500.
- [30] M. Danish, R. Hashim, M. M. Ibrahim, M. Rafatullah, O. Sulaiman, Surface characterization and comparative adsorption properties of cr (vi) on pyrolysed adsorbents of acacia mangium wood and phoenix dactylifera l. stone carbon, Journal of Analytical and Applied Pyrolysis 97 (2012) 19–28.
- [31] P. Chingombe, B. Saha, R. Wakeman, Surface modification and characterisation of a coal-based activated carbon, Carbon 43 (15) (2005) 3132–3143.
- [32] P. Ozpinar, C. Dogan, H. Demiral, U. Morali, S. Erol, C. Samdan, D. Yildiz, I. Demiral, Activated carbons prepared from hazelnut shell waste by phosphoric acid activation for supercapacitor electrode applications and comprehensive electrochemical analysis, Renewable Energy 189 (2022) 535–548.
- [33] Y. A. Neolaka, Y. Lawa, J. Naat, A. A. Riwu, H. Darmokoesoemo, B. A. Widyaningrum, M. Iqbal, H. S. Kusuma, Indonesian kesambi wood (schleichera oleosa) activated with pyrolysis and h2so4 combination methods to produce mesoporous activated carbon for pb (ii) adsorption from aqueous solution, Environmental Technology & Innovation 24 (2021) 101997.
- [34] X. You, M. Misra, S. Gregori, A. K. Mohanty, Preparation of an electric double layer capacitor (edlc) using miscanthus-derived biocarbon, ACS Sustainable Chemistry & Engineering 6 (1) (2018) 318–324.
- [35] G.-B. Hong, S.-C. Hu, A. Shiue, S.-K. Chen, G. Leggett, Organic acid modified activated carbon filter media for removal of isopropanol in the cleanroom, Optik 255 (2022) 168733.
- [36] F. Rahmawati, A. F. Ridassepri, A. T. Wijayanta, K. Nakabayashi, J. Miyawaki, T. Miyazaki, Carbon from bagasse activated with water vapor and its adsorption performance for methylene blue, Applied Sciences 11 (2) (2021) 678.
- [37] H. Rustamaji, T. Prakoso, H. Devianto, P. Widiatmoko, W. H. Saputera, Urea nitrogenated mesoporous activated carbon derived from oil palm empty fruit bunch for high-performance supercapacitor, Journal of Energy Storage 52 (2022) 104724.
- [38] J. Zhou, L. Bao, S. Wu, W. Yang, H. Wang, Chitin based heteroatom-doped porous carbon as electrode materials for supercapacitors, Carbohydrate Polymers 173 (2017) 321–329.
- [39] C. Young, J. Lin, J. Wang, B. Ding, X. Zhang, S. M. Alshehri, T. Ahamad, R. R. Salunkhe, S. A. Hossain, J. H. Khan, et al., Significant effect of pore sizes on energy storage in nanoporous carbon supercapacitors, Chemistry— A European Journal 24 (23) (2018) 6127–6132.

- [40] J. Mi, X.-R. Wang, R.-J. Fan, W.-H. Qu, W.-C. Li, Coconut-shell-based porous carbons with a tunable micro/mesopore ratio for high-performance supercapacitors, Energy & Fuels 26 (8) (2012) 5321–5329.
- [41] A. Thambidurai, J. K. Lourdusamy, J. V. John, S. Ganesan, Preparation and electrochemical behaviour of biomass based porous carbons as electrodes for supercapacitors—a comparative investigation, Korean Journal of Chemical Engineering 31 (2014) 268–275.