

```
SQL Plus
Enter user-name: system
Enter password:
Last Successful login time: Thu Jul 09 2026 09:41:38 +05:30

Connected to:
Oracle Database 21c Express Edition Release 21.0.0.0.0 - Production
Version 21.3.0.0.0

SQL> create table Emp_detail(eno number (3) ,ename varchar (30) ,dept varchar (50) ,salary number);
Table created.

SQL> insert into Emp_detail values (1,'XXX','CS',90000);
1 row created.

SQL> insert into Emp_detail values (2,'YYY','CS',70000);
1 row created.

SQL> insert into Emp_detail values (3,'ZZZ','CSE',75000);
1 row created.

SQL> insert into Emp_detail values (4,'ABC','IT',50000);
1 row created.

SQL> insert into Emp_detail values (5,'XYZ','English',60000);
1 row created.

SQL> select * from Emp_detail;
```

28°C
Mostly sunny

Search

9:58 am
9/7/2026


```
SQL Plus
SQL> desc Emp_detail;
Name
Null?    Type
-----
-----
-----
-----
-----
-----
-----
-----
-----
ENO
NUMBER(3)
ENAME
VARCHAR2(30)
DEPT
VARCHAR2(50)
SALARY
NUMBER

SQL> select avg (salary) "average salary" from Emp_detail;

average salary
-----
          69000

SQL> select max (salary) "maximum salary" from Emp_detail;

maximum salary
-----
          90000
```

```
SQL Plus
SQL> select min (salary) "minimum salary" from Emp_detail;

minimum salary
-----
          50000

SQL> select count (eno) "no of emp" from Emp_detail;

no of emp
-----
          5

SQL> select sum (salary) "sum of salary" from Emp_detail;

sum of salary
-----
        345000

SQL> SELECT abs (20) "absolute value" FROM Dual ;

absolute value
-----
          20

SQL> SELECT round (1738.56) "round" FROM Dual ;

round
-----
    1739

SQL> SELECT power (3,2) "power" FROM Dual ;
```

28°C
Mostly sunny

Search

9:58 am
9/7/2026

```
SQL Plus
power
-----
9

SQL> SELECT sqrt (25) "square root" FROM Dual ;

square root
-----
5

SQL> SELECT exp (5) "exponent" FROM Dual ;

exponent
-----
148.413159

SQL> SELECT extract (year from date'2018-07-07') "year" FROM Dual;

year
-----
2018

SQL> SELECT extract (month from sysdate) "month" FROM Dual ;

month
-----
7

SQL> SELECT greatest (4,10,20) "number" FROM Dual ;

number
-----
20
```



```
SQL Plus
SQL> SELECT least (4,10,20) "number" FROM Dual ;

  number
-----
      4

SQL> SELECT mod (15,8) "number" FROM Dual ;

  number
-----
      7

SQL> SELECT trunc (138.356,1) "number" FROM Dual ;

  number
-----
  138.3

SQL> SELECT floor (28.6) "number" FROM Dual ;

  number
-----
     28

SQL> SELECT ceil (38.6) "number" FROM Dual ;

  number
-----
     39

SQL> SELECT lower (ename) FROM Emp ;
SELECT lower (ename) FROM Emp
```



```
SQL Plus
SQL> SELECT lower (ename) FROM Emp_detail ;

LOWER(ENAME)
-----
xxx
yyy
zzz
abc
xyz

SQL> SELECT initcap (ename) FROM Emp_detail ;

INITCAP(ENAME)
-----
Xxx
Yyy
Zzz
Abc
Xyz

SQL> SELECT upper (ename) FROM Emp_detail ;

UPPER(ENAME)
-----
XXX
YYY
ZZZ
ABC
XYZ

SQL> SELECT substr ('welcome',3,2) FROM Dual ;
```



```
SQL Plus
x + v

SU
--
lc

SQL> SELECT ascii ('a') FROM Dual ;

ASCII('A')
-----
          97

SQL> SELECT length ('ABC') FROM Dual ;

LENGTH('ABC')
-----
              3

SQL> SELECT last_day (sysdate) FROM Dual ;

LAST_DAY(
-----
31-JUL-26

SQL> SELECT add_months (sysdate, 5) FROM Dual ;

ADD_MONTH
-----
09-DEC-26

SQL> SELECT months_between ('02-feb-1992','08-oct-1992') FROM Dual;

MONTHS_BETWEEN('02-FEB-1992','08-OCT-1992')
-----
```

2 28°C
Mostly sunny

Search

9:59 am
9/7/2026

SQL Plus

09-DEC-26

SQL> SELECT months_between ('02-feb-1992','08-oct-1992') FROM Dual;

MONTHS_BETWEEN('02-FEB-1992','08-OCT-1992')

-8.1935484

SQL> SELECT next_day ('04-jul-2018','tuesday') FROM Dual ;

NEXT_DAY(

10-JUL-18

SQL> SELECT to_date ('04-jul-2018','dd-mm-yy') FROM Dual ;

TO_DATE('

04-JUL-18

SQL> SELECT ltrim ('table name','a') FROM Dual ;

LTRIM('TAB

table name

SQL> SELECT rtrim ('table name','a') FROM Dual ;

RTRIM('TAB

table name

SQL> |

2

28°C

Mostly sunny

Search

9:59 am

9/7/2026