

```
SQL Plus
Connected to:
Oracle Database 21c Express Edition Release 21.0.0.0.0 - Production
Version 21.3.0.0.0

SQL> create table stdatas(ID varchar2(10),Name varchar2(20),Age number(2),Gender varchar2(1),Department varchar2(20),Marks number(3),
Email varchar2(20));

Table created.

SQL> insert into stdatas values('&ID','&Name',&Age,'&Gender','&Department',&Marks,'&Email');
Enter value for id: 01
Enter value for name: Vidhya
Enter value for age: 18
Enter value for gender: F
Enter value for department: CS
Enter value for marks: 90
Enter value for email: vidhya@gamil.com
old 1: insert into stdatas values('&ID','&Name',&Age,'&Gender','&Department',&Marks,'&Email')
new 1: insert into stdatas values('01','Vidhya',18,'F','CS',90,'vidhya@gamil.com')

1 row created.

SQL> /
Enter value for id: 02
Enter value for name: Bharathi
Enter value for age: 18
Enter value for gender: F
Enter value for department: IT
Enter value for marks: 80
Enter value for email: bharathi@gamil.com
old 1: insert into stdatas values('&ID','&Name',&Age,'&Gender','&Department',&Marks,'&Email')
new 1: insert into stdatas values('02','Bharathi',18,'F','IT',80,'bharathi@gamil.com')
```



```
SQL Plus
Enter value for marks: 80
Enter value for email: bharathi@gamil.com
old 1: insert into stdatas values('&ID','&Name',&Age,'&Gender','&Department',&Marks,'&Email')
new 1: insert into stdatas values('02','Bharathi',18,'F','IT',80,'bharathi@gamil.com')

1 row created.

SQL> /
Enter value for id: 03
Enter value for name: Nikitha
Enter value for age: 20
Enter value for gender: F
Enter value for department: CS
Enter value for marks: 95
Enter value for email: nikitha@gamil.com
old 1: insert into stdatas values('&ID','&Name',&Age,'&Gender','&Department',&Marks,'&Email')
new 1: insert into stdatas values('03','Nikitha',20,'F','CS',95,'nikitha@gamil.com')

1 row created.

SQL> /
Enter value for id: 04
Enter value for name: Nithya
Enter value for age: 22
Enter value for gender: F
Enter value for department: CSE
Enter value for marks: 85
Enter value for email: nithya@gamil.com
old 1: insert into stdatas values('&ID','&Name',&Age,'&Gender','&Department',&Marks,'&Email')
new 1: insert into stdatas values('04','Nithya',22,'F','CSE',85,'nithya@gamil.com')

1 row created.
```

30°C
Mostly sunny

Search

1:06 pm
27/6/2026

 SQL Plus

```
Enter value for gender: F
Enter value for department: CSE
Enter value for marks: 85
Enter value for email: nithya@gamil.com
old 1: insert into stdatas values('&ID','&Name',&Age,'&Gender','&Department',&Marks,'&Email')
new 1: insert into stdatas values('04','Nithya',22,'F','CSE',85,'nithya@gamil.com')
```

```
1 row created.
```

```
SQL> select * from stdatas;
```

ID	NAME	AGE	G	DEPARTMENT	MARKS
EMAIL					

01	Vidhya	18 F CS	90
vidhya@gamil.com			

02	Bharathi	18 F IT	80
bharathi@gamil.com			

```
03      Nikitha      20 F CS      95
nikitha@gamil.com
```

ID	NAME	AGE	G	DEPARTMENT	MARKS
EMAIL					

04	Nithya	22 F CSE	85
nithya@gamil.com			



 Search



1:07 pm
27/6/2026

 SQL Plus

```
SQL> select * from stdatas where Marks>90;
```

ID	NAME	AGE	G	DEPARTMENT	MARKS
03	Nikitha	20	F	CS	95

```
SQL> select * from stdatas where Marks<=90;
```

ID	NAME	AGE	G	DEPARTMENT	MARKS

EMAIL					

01	Vidhya	18	F	CS	90
vidhya@gamil.com					
02	Bharathi	18	F	IT	80
bharathi@gamil.com					
04	Nithya	22	F	CSE	85
nithya@gamil.com					

```
SQL> select * from stdatas where Marks BETWEEN 80 AND 95;
```

ID	NAME	AGE	G	DEPARTMENT	MARKS
-----	-----	-----	-	-----	-----
EMAIL					

SQL Plus

×

+

▼

—

📄

×

SQL> select * from stdatas where Marks BETWEEN 80 AND 95;

ID	NAME	AGE	G	DEPARTMENT	MARKS
01	Vidhya	18	F	CS	90
02	Bharathi	18	F	IT	80
03	Nikitha	20	F	CS	95

ID	NAME	AGE	G	DEPARTMENT	MARKS
04	Nithya	22	F	CSE	85

SQL> select * from stdatas where Department IN('CS','IT');

ID	NAME	AGE	G	DEPARTMENT	MARKS
01	Vidhya	18	F	CS	90

1

30°C

Mostly sunny

🪟

🔍 Search

🌅

🖨

👥

📁

🌀

📅

🌐

🖱

🔋

1:08 pm

27/6/2026

SQL Plus

×

+

▼

—

📄

×

SQL> select * from stdatas where Department IN('CS','IT');

ID	NAME	AGE	G	DEPARTMENT	MARKS
01	Vidhya	18	F	CS	90
02	Bharathi	18	F	IT	80
03	Nikitha	20	F	CS	95

EMAIL

vidhya@gamil.com

bharathi@gamil.com

nikitha@gamil.com

SQL> select * from stdatas where Department NOT IN('CS','IT');

ID	NAME	AGE	G	DEPARTMENT	MARKS
04	Nithya	22	F	CSE	85

EMAIL

nithya@gamil.com

SQL> select * from stdatas where Department='CS' AND Marks>80;

ID	NAME	AGE	G	DEPARTMENT	MARKS
----	------	-----	---	------------	-------

EMAIL

1

30°C

Mostly sunny

🪟

🔍 Search

🌅

🖨

👥

📁

🌀

📅

🌐

🖱

🔊

🔋

1:08 pm

27/6/2026

SQL Plus

×

+

▼

—

📄

×

SQL> select * from stdatas where Department='CS' AND Marks>80;

ID	NAME	AGE	G	DEPARTMENT	MARKS
01	Vidhya vidhya@gamil.com	18	F	CS	90
03	Nikitha nikitha@gamil.com	20	F	CS	95

SQL> select * from stdatas where Department='CS' OR Marks>80;

ID	NAME	AGE	G	DEPARTMENT	MARKS
01	Vidhya vidhya@gamil.com	18	F	CS	90
03	Nikitha nikitha@gamil.com	20	F	CS	95
04	Nithya nithya@gamil.com	22	F	CSE	85

SQL> select * from stdatas where NOT Department='CS';

1

30°C

Mostly sunny

🪟

🔍 Search

🌅

🖨

👥

📁

🌀

📅

🌐

🖱

^

🔇

🌐

🔊

🔋

1:09 pm

27/6/2026


```
SQL Plus
1 row created.

SQL> /
Enter value for st_id: 2
Enter value for name: Nikki
Enter value for age: 18
old 1: insert into s1 values('&St_id','&Name',&Age)
new 1: insert into s1 values('2','Nikki',18)

1 row created.

SQL> create table s2(St_id varchar2(20),Name varchar2(20),Age number(2));

Table created.

SQL> insert into s2 values('&St_id','&Name',&Age);
Enter value for st_id: 3
Enter value for name: Pooja
Enter value for age: 19
old 1: insert into s2 values('&St_id','&Name',&Age)
new 1: insert into s2 values('3','Pooja',19)

1 row created.

SQL> /
Enter value for st_id: 4
Enter value for name: Parnika
Enter value for age: 20
old 1: insert into s2 values('&St_id','&Name',&Age)
new 1: insert into s2 values('4','Parnika',20)

1 row created.
```

30°C
Mostly sunny

Search

1:10 pm
27/6/2026

```
SQL Plus
SQL> /
Enter value for st_id: 4
Enter value for name: Parnika
Enter value for age: 20
old 1: insert into s2 values('&St_id','&Name',&Age)
new 1: insert into s2 values('4','Parnika',20)

1 row created.

SQL> select * from s1 UNION select * from s2;

ST_ID          NAME          AGE
-----
1            Vidhi          17
2            Nikki          18
3            Pooja          19
4            Parnika        20

SQL> select * from s1 UNION ALL select * from s2;

ST_ID          NAME          AGE
-----
1            Vidhi          17
2            Nikki          18
3            Pooja          19
4            Parnika        20
4            Parnika        20

SQL> select * from s1 INTERSECT select * from s2;

no rows selected
```



SQL Plus

ST_ID

NAME

AGE

1

Vidhi

17

2

Nikki

18

3

Pooja

19

4

Parnika

20

4

Parnika

20

SQL> select * from s1 INTERSECT select * from s2;

no rows selected

SQL> /

no rows selected

SQL> insert into s1 values('&St_id','&Name',&Age);

Enter value for st_id: 3

Enter value for name: Pooja

Enter value for age: 19

old 1: insert into s1 values('&St_id','&Name',&Age)

new 1: insert into s1 values('3','Pooja',19)

1 row created.

SQL> select * from s1 INTERSECT select * from s2;

ST_ID

NAME

AGE

3

Pooja

19

SQL> |

30°C

Mostly sunny

Search

1:11 pm

27/6/2026