GitHub Repository: https://github.com/VIDISHA006/delivery-worker-insurance • **Demo Video (2 min):** https://youtu.be/hj3z3mhUQ7Q?feature=shared

GigShield

Parametric Income Protection

for India's Q-Commerce Delivery Partners

DEVTrails 2026 | Phase 1 | Q-Commerce | Guidewire: 100 pts

Rs. 89/wk	2 hrs	Zero	100 pts
Max premium	**Payout SLA**	**Claims to file**	**GW bonus**
1.7% of income	Trigger to UPI	Fully automated	All 4 components

The Mission

When a monsoon stops Ravi from working, GigShield ensures it does not stop him from eating.

Automated • Transparent • Instant • Built for India's 3 million Q-commerce delivery workers

Table of Contents

Contents

1 Persona, Requirement & Application Workflow . . . 3
- 1.1 Why Q-Commerce? . . . 3
- 1.2 Primary Persona — Ravi Kumar . . . 3
- 1.3 Scenario Walkthroughs . . . 3
- 1.4 Application Workflow . . . 4
- 1.5 UI Wireframes — Mobile App & Admin Portal . . . 4

2 Weekly Premium Model & Parametric Triggers . . . 4
- 2.1 Why Weekly? The Gig Worker Cash Cycle . . . 5
- 2.2 Actuarial Model — Worked Calculation . . . 5
- 2.3 Dual-Trigger System . . . 5

3 Platform Choice: Mobile-First Architecture . . . 6

4 AI and ML Integration Plan . . . 6
- 4.1 Architecture Principle . . . 7

5 Tech Stack & Guidewire Integration . . . 7
- 5.1 Full Technology Stack . . . 8
- 5.2 Guidewire Integration — 100 Bonus Points . . . 8

6 Analytics Dashboard . . . 8
- 6.1 Dashboard KPIs . . . 9
- 6.2 Trust Feedback Loop . . . 9

7 Onboarding, Renewal & Compliance . . . 9
- 7.1 Optimised Onboarding — Under 4 Minutes . . . 9
- 7.2 Weekly Renewal and Lapse Handling . . . 10
- 7.3 Regulatory Compliance . . . 10

8 6-Week Development Plan . . . 10

9 Adversarial Defense & Anti-Spoofing Strategy . . . 12
- 9.1 The Threat Model . . . 13
- 9.2 Multi-Signal Fraud Architecture — Beyond GPS . . . 13
- 9.3 Ring Detection — Identifying Coordinated Syndicates . . . 14
- 9.4 UX Balance — Protecting Honest Workers . . . 14

10 Key Differentiators & Why GigShield Wins . . . 15

Executive Summary

India's Q-commerce delivery partners (Zepto, Blinkit) lose **20–30% of monthly income** when extreme weather, hazardous air quality, or civic disruptions halt operations — with **zero financial protection**. **GigShield** automatically detects qualifying disruptions via real-time environmental APIs (IMD, CPCB, Google Maps) and disburses income-replacement payouts directly to a worker's UPI account within **2 hours of trigger confirmation** — no claims filing, no paperwork. Built on **Guidewire Cloud (AWS)** for enterprise-grade reliability. *Coverage:* ***Loss of income only*** *— vehicle repair, health, and accident costs explicitly excluded per DEVTrails rules.*

GitHub: `github.com/VIDISHA006/delivery-worker-insurance` **Video:** `youtu.be/hj3z3mhUQ7Q`

The Problem at a Glance

3M+
Q-Commerce workers in India
Zepto, Blinkit, Dunzo, Swiggy Instamart

Rs. 740
Lost per rainfall event
14.2% of weekly income gone

0%
Financial protection today
No ESIC, no insurance, no safety net

1 Persona, Requirement & Application Workflow

1.1 Why Q-Commerce?

We focus exclusively on **Q-Commerce delivery partners (Zepto / Blinkit)**. This segment is the most vulnerable for three compounding reasons:

- **Hyperlocal exposure:** 10-minute delivery windows mean any sub-zone weather event immediately halts *all* operations with zero rerouting option.
- **No employer safety net:** Self-employed contractors with no ESIC, no paid leave, no sick days.
- **Maximum outdoor exposure:** Riders wait at open dark-stores between assignments — maximum AQI, heat, and rain exposure.



1.2 Primary Persona — Ravi Kumar

Meet Ravi Kumar — Zepto Partner, Bengaluru (Indiranagar)

Name	Ravi Kumar	**Device**	Budget Android (4G)
Age	28	**Vehicle**	2-wheeler (petrol)
Platform	Zepto	**Banking**	Jan Dhan account + UPI
City/Zone	Bengaluru — Indiranagar	**Insurance**	**None**
Deliveries/wk	approx. 60	**Savings**	Less than 2 weeks income
Weekly income	Rs. 5,200	**Family**	Wife + 1 child

Real disruption event — July 14, 2024 (IMD verified data):

08:00	09:30	11:00	14:00	Result
IMD: 62mm rain in 6 hrs	Maps: Level 5 congestion	Zepto suspends zone	Operations resume	Rs. 740 lost.

1.3 Scenario Walkthroughs

Scenario A: Rainfall

IMD confirms 50mm+. Maps shows Level 4+ congestion. Dual-trigger fires. GPS validated.

Rs. 321 to UPI in 2 hrs.

Scenario B: AQI

CPCB confirms AQI 312. IMD wind below 5km/h. Policy active. Trigger fires.

70% payout processed automatically.

Scenario C: Fraud Blocked

Claims flood in zone A. GPS shows movement 18km away in dry zone. Anomaly score fires.

Payout held. Flagged for review.

1.4 Application Workflow



1.5 UI Wireframes — Mobile App & Admin Portal



Fig 1: Worker onboarding — zone + premium



Fig 2: Jutro admin portal — live KPI dashboard

2 Weekly Premium Model & Parametric Triggers

2.1 Why Weekly? The Gig Worker Cash Cycle

Gig workers operate on a strict **week-to-week cash cycle**: earnings arrive every 7 days, all expenses (fuel, food, rent) are managed on this rhythm. An annual or monthly premium is financially incompatible with this reality.

GigShield weekly model advantages:

- Deducted via **UPI AutoPay** every Monday 06:00 — zero effort
- Workers **pause coverage** on off-weeks — no lock-in, no penalty
- Rs. 52–89/week = **1.0–1.7% of income** — well within the 3–5% affordability threshold (SEWA parametric insurance research)
- Aligns payout cycle with earnings cycle: trigger fires mid-week, payout arrives before next Monday earnings drop



2.2 Actuarial Model — Worked Calculation

Actuarial Math: Bengaluru Zone, FY 2024–25 (IMD Historical Data)

$$\begin{aligned}
\text{Payable disruption events/year (IMD Bengaluru)} &= 8 \text{ events} \\
\text{Average income loss per event (Ravi's zone)} &= \text{Rs. } 600 \\
\text{Expected Annual Payout per worker} &= 8 \times 600 = \textbf{Rs. 4,800} \\
\text{Target loss ratio (industry benchmark)} &= 65\% \\
\text{Required Annual Premium} &= \frac{4{,}800}{0.65} = \text{Rs. } 7{,}384 \\
\text{Weekly Base Premium (pan-India)} &= \frac{7{,}384}{52} \approx \text{Rs. } 142/\text{wk} \\
\text{Bengaluru zone multiplier (XGBoost output)} &= 0.37\text{–}0.63 \\
\textbf{Effective weekly premium range} &= \textbf{Rs. 52–89/wk}
\end{aligned}$$

Note: Even the highest-risk zone premium (Rs. 89) represents 1.7% of Ravi's weekly income — within the 3% affordable threshold cited in SEWA's parametric insurance pilots for daily-wage workers in India.

2.3 Dual-Trigger System

Basis risk policy: No parametric system can fully eliminate basis risk. GigShield's dual-trigger approach *significantly reduces* it by requiring two independent data signals before any payout fires. Residual basis risk is disclosed at onboarding in plain-language Hindi / Kannada / English. This acknowledgement distinguishes us from naive single-trigger designs and signals insurance-domain literacy to judges.

Trigger Table — Exact Thresholds and Payout Percentages

Disruption	Primary Signal	Secondary Proxy	Logic	Payout	Amount*
Heavy Rainfall	IMD: ≥50mm / 6 hrs in geozone	Google Maps: Level 4+ congestion	AND	80%	Rs. 321
Extreme Heat	IMD: ≥40℃ for 2 days	CPCB Heat Index: Extreme Caution	AND	60%	Rs. 241
Hazardous AQI	CPCB AQI ≥300 for 1 day	IMD Wind <5 km/h (no dispersal)	AND	70%	Rs. 281
Curfew / Strike	Official Govt. order (gazette)	All three APIs: below threshold	OR	100%	Rs. 401

*Based on Rs. 89/wk premium × 4.5 income-replacement factor × payout %



Why NOT use Zepto's internal delivery density?

Zepto's platform API is private and inaccessible. Using it would make GigShield non-deployable at launch. We use **Google Maps real-time road congestion (Level 0–5)** as an independent, verifiable, court-admissible proxy. If roads are impassable, deliveries are impossible regardless of platform status. This design also works across Zepto, Blinkit, and Dunzo without any platform-specific data-sharing agreements.

3 Platform Choice: Mobile-First Architecture

Decision: React Native (Worker App) + Jutro Web Portal (Insurer Admin)

React Native for workers — because:

- 98% of Q-commerce workers use smartphones as their *only* computing device
- Background GPS for fraud validation needs native mobile APIs unavailable in a browser
- Offline capability essential in low-connectivity zones
- UPI AutoPay mandate via Razorpay React Native SDK
- Instant push notifications pierce the notification shade immediately

Jutro for insurer admin — because:

- Jutro is a React-based *web* framework — architecturally correct for a desktop admin portal (not a mobile app)
- Native Guidewire Cloud API integration (ClaimCenter, Rating)
- Analytics dashboard, fraud review queue, and policy management console are admin tools — web is appropriate
- Earns 25-point Guidewire bonus in the architecturally correct role

4 AI and ML Integration Plan

4.1 Architecture Principle

The payout trigger is **strictly deterministic** — auditable by IRDAI regulators and explainable to workers in plain language. AI operates in two supporting layers only.

Model 1 — Dynamic Premium Engine (XGBoost Gradient Boosting Regressor)

Purpose	Predict weekly disruption probability per zone; output zone risk multiplier
Training data	3 years IMD weather history, CPCB AQI records, BBMP ward-level flood frequency data
Features	Zone ID, week-of-year, rolling 30-day rainfall, elevation, historical disruption count, 7-day AQI forecast
Output	Risk score (0.0–2.0) $\times$ base premium = final weekly premium
Retraining	Monthly on updated IMD and CPCB data

Model 2 — Fraud Detection Engine (Isolation Forest + Hard Rules)

Purpose	Detect GPS spoofing, duplicate claims, claim rings
Algorithm	Unsupervised Isolation Forest + deterministic pre-filter rules
Hard rules	(a) Claim zone $\neq$ GPS zone at trigger time: flag. (b) More than 3 claims from same device in 30 days: flag. (c) Claim filed more than 6 hours after trigger window closes: reject.
Features	GPS trace, claim frequency, device fingerprint, network signal strength, zone weather vs. claimed disruption type
Output	Anomaly score; above threshold $\Rightarrow$ hold payout for manual review

Model 3 — Onboarding Risk Profiler (Logistic Regression)

Purpose	Assign new workers to a risk tier at signup
Input	Zone, historical weather severity, declared working hours
Output	Risk tier (Low / Medium / High) seeds initial XGBoost multiplier

[PRICING] ML Layer 1 — XGBoost dynamic weekly premium engine

[FRAUD] ML Layer 2 — Isolation Forest anomaly scoring on every claim

[TRIGGER] Deterministic rules-based payout — IRDAI-auditable, zero AI

5 Tech Stack & Guidewire Integration

5.1 Full Technology Stack

Layer	Technology	Role and Notes
Worker mobile app	React Native (Expo)	iOS + Android; offline support; background GPS
Insurer admin portal	Guidewire Jutro Digital Platform	Web; React-based; **Guidewire Cloud on AWS**
Backend API	FastAPI (Python 3.11)	REST + async; hosted on **Guidewire Cloud (AWS)**
Primary database	PostgreSQL	Policies, claims, worker profiles
Cache / state	Redis	Trigger state cache; session management
ML pipeline	scikit-learn + XGBoost (Python)	Deployed as Guidewire Functions
Weather API	OpenWeatherMap + IMD datastore	Rainfall, temperature; free tier
AQI API	CPCB AQI REST API	Official India air quality data
Traffic proxy	Google Maps Platform	Road congestion Level 0–5 per geozone
Payments	Razorpay Sandbox + UPI AutoPay	Mock in Phase 1; live UPI from Phase 3
KYC	Aadhaar e-KYC via Setu / Digio	DigiLocker-linked eKYC at onboarding

5.2 Guidewire Integration — 100 Bonus Points

100-Point Bonus Strategy — 25 Points Each

Guidewire Component	How GigShield Uses It	Points
Jutro Digital Platform	Builds the insurer admin portal — policy management, fraud review queue, analytics dashboard — using Jutro's React component library connected to Guidewire Cloud APIs. Deployed as a web application (Jutro's correct context; not conflated with React Native).	25 pts
Autopilot Workflow Service	Orchestrates the full claim-to-payout pipeline via ClaimCenter cloud API: trigger event → fraud check → coverage validation → payout approval → UPI disbursement. Exception routing handles flagged claims. Invoked through ClaimCenter, its native host.	25 pts
Rating Engine	Executes dynamic weekly premium calculations. The XGBoost risk score is passed as an input variable into the Guidewire Rating engine, which applies zone rate tables and the weekly multiplier to produce the final quoted premium.	25 pts
Functions (Serverless)	Runs the Isolation Forest fraud detection model on every inbound claim. Also runs the three-signal trigger validation (IMD + CPCB + Google Maps) on a 15-minute polling schedule. Stateless, auto-scaling, event-driven.	25 pts
Total Guidewire Bonus Points Claimed		**100 pts**

6 Analytics Dashboard

6.1 Dashboard KPIs

The insurer-facing dashboard (built on Jutro) surfaces eight key metrics:

KPI	Definition	Target
Combined Loss Ratio	(Claims + Expenses) / Premiums	<80%
Avg. payout latency	Trigger to UPI credit	≤2 hrs
Fraud detection rate	Flagged / total claims	<3%
Zone trigger map	Triggers per zone per week (heatmap)	Live
Policy renewal rate	Workers renewing next week	>70%
Premium collection	Successful AutoPay / attempted	>95%
Basis risk events	Triggers where GPS was inactive	<5%
Active workers/zone	Policyholders per delivery zone	Live

6.2 Trust Feedback Loop

Trust Feedback Loop — Continuous Improvement Engine

After every payout, GigShield sends Ravi a **3-question micro-survey in Kannada or Hindi** via SMS and in-app notification. Questions cover: (1) Did you experience a real income loss? (2) Was the payout amount fair? (3) Did the app respond in time?

Survey responses aggregate into a **Zone Trust Score** visible on the Jutro admin dashboard. This score feeds back into the XGBoost model to:

- Refine trigger thresholds for zones with repeated basis-risk complaints
- Flag zones where payouts feel unfair relative to actual disruption (signal of poor proxy calibration)
- Improve Isolation Forest fraud detection by learning from worker-reported false flags



7 Onboarding, Renewal & Compliance

7.1 Optimised Onboarding — Under 4 Minutes

1. **Phone OTP verification** — identity anchor; links to UPI handle automatically
2. **Aadhaar e-KYC** via Setu DigiLocker API — instant, paperless
3. **Platform ID input** — worker enters Zepto partner ID; GigShield validates
4. **Zone confirmation** — GPS pre-fills delivery zone; worker confirms or adjusts on map
5. **Risk quote** — XGBoost scores zone in under 1 second; premium shown in Rs./week
6. **Plan selection** — policy document in Hindi, Kannada, and English

7. **UPI AutoPay mandate** — Razorpay SDK handles setup; deducted every Monday 06:00
8. **Basis risk disclosure** — plain-language screen explaining triggers and residual risk

7.2 Weekly Renewal and Lapse Handling

Renewal Policy

Coverage window	Monday 00:01 to Sunday 23:59 upon successful deduction
AutoPay failure	SMS + in-app alert; 24-hour grace period to pay manually
After grace	Policy lapses for that week; reactivates the following Monday
No penalties	No lock-in, no cancellation fee; workers control their coverage
Re-profiling	Workers lapsing more than 4 consecutive weeks re-profiled at next activation

7.3 Regulatory Compliance

IRDAI Regulatory Sandbox Pathway

GigShield will seek approval under the **IRDAI Insurance Regulatory Sandbox** (Regulation 2019, amended 2023), which specifically enables parametric and index-based insurance experiments. Product classification: General Insurance — income protection sub-type. We will partner with a licensed non-life insurer (Bajaj Allianz or ICICI Lombard, both with existing parametric product experience) as the underwriting entity. GigShield operates as the technology platform and licensed distribution layer (POSP).

8 6-Week Development Plan

Phase	Timeline	Key Deliverables	Success Criteria
Phase 1	Wks 1–2 Mar 4–20	Idea Document, README.md, 2-min demo video, Figma prototype (onboarding + dashboard), public GitHub repo	Submitted by Mar 20 EOD
Phase 2	Wks 3–4	FastAPI backend, PostgreSQL schema, Guidewire Rating integration, IMD + CPCB + Maps API wiring, React Native onboarding screens	Policy creation and premium quote working end-to-end
Phase 3	Week 5	XGBoost model on IMD data, Isolation Forest fraud engine, Autopilot workflow in ClaimCenter, trigger logic tested	Fraud flag fires on GPS spoof test case
Phase 4	Week 6	Razorpay payout sandbox, Jutro admin portal, full end-to-end demo, analytics dashboard, stress test: 100 concurrent trigger events	Full demo: onboard to payout in under 2 minutes on video

DEVTrails Economy — Survival Strategy (Seed: DC 100,000)

Seed capital	**DC 100,000**
Mandatory 6-week burn (non-negotiable)	− DC 75,000
Free cash (before revenue)	DC 25,000

The solvency problem: Our strategic budget of DC 28,000 exceeds free cash of DC 25,000 by DC 3,000. Without revenue, we go bankrupt. **Revenue solves this.**

Budget Item	Purpose	DC Cost
Architecture Review (Phase 2)	Validate ML pipeline and Guidewire integration	DC 8,000
API Credits (IMD + CPCB + Maps)	Real data for trigger testing across 6 weeks	DC 6,000
UI/UX Review (Phase 3)	Polish React Native + Jutro screens for demo	DC 5,000
Stress Testing Credits	100-concurrent-trigger load test in Phase 4	DC 4,000
Reserve	Buffer for unexpected blockers	DC 5,000
Total strategic spend		**DC 28,000**
Total 6-week cost (burn + spend)		**DC 103,000**

Projected revenue (conservative)	
4-Star ratings in Phase 2 & 3 (DC 62,000 each)	+ DC 124,000
First-to-Finish Bounty (Phase 4)	+ DC 8,000
Net position after 6 weeks	**DC 29,000 profit**

Conclusion: Seed (DC 100,000) + Revenue (DC 132,000) − Total cost (DC 103,000) = **DC 29,000 end-balance.** We remain solvent and profitable throughout the hackathon.



9 Adversarial Defense & Anti-Spoofing Strategy

24-Hour Crisis Response: A syndicate of 500 workers using GPS-spoofing apps and coordinated Telegram groups has exploited a competitor's parametric platform, draining its liquidity pool via mass false payouts. Simple GPS verification is officially obsolete. GigShield's response is below.

9.1 The Threat Model



The attack has three layers that any single-signal defense fails against:

- **Layer 1 — GPS Spoofing:** Mock-GPS apps broadcast a fabricated location (e.g., flooded Indiranagar) while the device sits at home in a dry zone 15km away.
- **Layer 2 — Coordination:** Telegram groups synchronise the attack window so 200+ claims arrive within minutes of a real weather trigger, overwhelming manual review queues.
- **Layer 3 — Pattern Laundering:** Ring members rotate devices, SIMs, and partner IDs to avoid hitting per-account velocity limits.

9.2 Multi-Signal Fraud Architecture — Beyond GPS

The 6-Signal Verification Stack

#	Signal	What it detects	Spoof resistance
1	GPS coordinates	Baseline location cross-check	Weak alone — easily faked
2	Accelerometer + gyroscope	Detects stationary phone vs. real riding motion (vibration, turns, stops)	Cannot be faked by a GPS app; requires hardware-level exploit
3	Cell-tower triangulation	Independent location via network (no app permission needed)	Disagrees with spoofed GPS if worker is truly at home
4	Ambient noise fingerprint	Microphone samples background noise; heavy rain has a distinct audio signature	Hard to fake; silence at home vs. rainfall audio at site
5	Network signal strength	Genuine outdoor workers in storms show degraded 4G RSSI; indoor workers have strong stable Wi-Fi	Device reports RSSI honestly; no GPS spoof app alters this
6	Peer-zone density check	Cross-references how many other *verified* workers are claiming the same disruption at the same time	Ring detection: anomalous 100%+ correlated claim bursts

9.3 Ring Detection — Identifying Coordinated Syndicates

Beyond per-claim signals, GigShield's Isolation Forest model is augmented with a **Graph Anomaly Layer** that treats claims as a network:

- **Temporal clustering:** If >15 claims arrive from the same geo-zone within a 10-minute window following a trigger, the batch is quarantined and individually re-scored.
- **Device graph edges:** Shared device fingerprints, same-SSID Wi-Fi history, or overlapping Bluetooth scan logs across multiple partner IDs indicate a device-sharing ring.
- **Velocity fingerprinting:** Legitimate riders show irregular claim intervals correlated with weather events. Ring members show suspiciously uniform claim timing within seconds of each other.
- **Telegram signal (passive):** Anomalous claim spikes that precede a weather alert (not follow it) indicate advance coordination; the system flags pre-trigger claims with elevated suspicion.



9.4 UX Balance — Protecting Honest Workers

The False-Positive Problem and How We Solve It

A genuine worker in a real storm will also have degraded GPS, weak network signal, and noisy accelerometer data. Our system is designed **never to punish an honest worker for bad weather causing bad telemetry.**

Three-tier claim resolution:

Tier	Score	Outcome	Experience
GREEN	0.0 – 0.45 (clean)	Instant automatic payout within 2 hours	No friction; payout arrives silently
AMBER	0.45 – 0.70 (uncertain)	Payout held 24 hours; worker prompted to confirm location via a 10-second passive liveness check (move phone slightly, capture ambient audio)	One-tap confirmation; payout releases on pass; worker is told “verification in progress” not “fraud suspected”
RED	0.70+ (high risk)	Claim quarantined; escalated to human review; worker notified within 4 hours; reason given; appeal option available	Worker sees reason code; can upload evidence; decision in 24 hours

Network-drop grace rule: If a worker’s GPS signal drops entirely during a confirmed weather event (IMD + Maps dual-trigger already fired), GigShield uses the *last known verified location* for up to 45 minutes before requiring re-verification. This protects legitimate workers in flood zones where mobile networks genuinely fail.

10 Key Differentiators & Why GigShield Wins

Differentiator	Why It Wins Points
Dual-Trigger Design	Two independent data signals required before any payout fires. Significantly reduces basis risk. No dependency on private platform APIs. Every trigger is auditable and court-admissible.
Named Explainable AI	XGBoost (pricing) and Isolation Forest (fraud) are named with specific training data and feature sets. Trigger logic is deterministic. Satisfies both IRDAI auditability requirements and worker trust needs simultaneously.
Public API Stack	Every trigger uses publicly accessible APIs (IMD, CPCB, Google Maps). Launches across Zepto, Blinkit, and Dunzo without platform-specific agreements.
Correct Guidewire Architecture	Jutro on the web admin portal (not React Native). Autopilot via ClaimCenter. Rating for the premium engine. Functions for ML inference. Every component in its architecturally correct role — maximises the 100-pt bonus.
Worker-First Design	4-minute onboarding. Hindi / Kannada / English UI. UPI AutoPay with no active effort. No lock-in. Designed for a Rs. 5,200/week earner on a budget Android.
Actuarially Grounded	Premium formula is worked through with real IMD data, not hand-waved. Rs. 142/wk base with 0.37–0.63 zone multiplier to reach the Rs. 52–89 range. Loss ratio target of 65% stated and justified.
Trust Feedback Loop	Post-payout micro-survey (Kannada / Hindi, 3 questions) aggregates into a Zone Trust Score that retrains the XGBoost model monthly. Continuous improvement built into the architecture.
Real-time Curfew Detection	Strike / curfew triggers use live news APIs and District Admin social alerts as the *primary* signal (gazette = post-hoc confirmation). Ensures the 2-hour payout SLA is achievable even for sudden civic disruptions.

GigShield's Promise to Every Ravi in India

When a monsoon stops Ravi from working, GigShield ensures it does not stop him from eating.

Automated • Transparent • Instant • Built for India's 3 million Q-commerce delivery workers