

Cucumber Report

13-May-2026, 4:43:29 pm

Start : May 13, 4:43:11.930 pm

End : May 13, 4:43:27.195 pm

Duration : 15.265 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 0


PASSED - 8
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>VIGNESHWARAN_M_13-05-2026_QAFox_SearchFeature</u>	15.265 s	3	2	1	0	9	8	1	0

#	Feature Name	Scenario Name
1	<u>VIGNESHWARAN_M_13-05-2026_QAFox_SearchFeature</u>	<u>Scenario Outline with Data-Driven Testing</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SearchWithOutline	3	2	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>VIGNESHWARAN_M_13-05-2026_QAFox_SearchFeature</u>	3	2	1	0	15.265 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>VIGNESHWARAN_M_13-05-2026_QAFox_SearchFeature</u>	<u>Scenario Outline with Data-Driven Testing</u>	3	3	0	0	6.136 s
2		<u>Scenario Outline with Data-Driven Testing</u>	3	3	0	0	4.180 s
3		<u>Scenario Outline with Data-Driven Testing</u>	3	2	1	0	4.868 s

VIGNESHWARAN_M_13-05-2026_QAFox_SearchFeature


FAILED	DURATION - 15.265 s	Scenarios		Steps	
/ 4:43:11.930 pm // 4:43:27.195 pm /		Total - 3		Total - 9	
		Pass - 2		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Scenario Outline with Data-Driven Testing

PASSED DURATION - 6.136 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:43:11.939 pm // 4:43:18.075 pm /			
VIGNESHWARAN_M_13-05-2026_QAFox_SearchFeature			
@SearchWithOutline			


#	Step / Hook Details	Status	Duration
1	Given the user launches the application	PASSED	1.795 s
2	When give the search key "iPhone" and click enter	PASSED	0.742 s
3	Then the assertion should be as "contain"	PASSED	0.014 s

Scenario Outline with Data-Driven Testing

PASSED DURATION - 4.180 s			Steps	
/ 4:43:18.112 pm // 4:43:22.292 pm /			Total - 3	
VIGNESHWARAN_M_13-05-2026_QAFox_SearchFeature			Pass - 3	
@SearchWithOutline			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given the user launches the application	PASSED	1.876 s
2	When give the search key "Samsung" and click enter	PASSED	0.812 s
3	Then the assertion should be as "contain"	PASSED	0.004 s

Scenario Outline with Data-Driven Testing

FAILED DURATION - 4.868 s			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:43:22.327 pm // 4:43:27.195 pm /				
VIGNESHWARAN_M_13-05-2026_QAFox_SearchFeature				
@SearchWithOutline				

#	Step / Hook Details	Status	Duration
1	Given the user launches the application	PASSED	1.448 s
2	When give the search key "Nik" and click enter	PASSED	1.590 s
3	Then the assertion should be as "not contain"	FAILED	0.028 s
	<pre>java.lang.AssertionError: expected [not contain] but found [contain] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at definitions.SearchStepDefinition.the_assertion_should_be_as(SearchStepDefinition.java:21) at ?.the assertion should be as "not contain"(file:///D:/EXPLEO%20SMARTCLIFF/Phase%20-%207%20Automation%20Testing/Assessment-3/cucumber/src/test/resources/features/search.feature:7) * Not displayable characters are replaced by '?'. </pre>		