

VIKAMI

PRODUCT SAFETY & REGULATORY DOCUMENT

CLARTÉ COVER PINK

PRODUCT CODE	PHYSICAL FORM	SIGNAL WORD	PRIMARY HAZARDS
CP-2026-ES	Powder	Warning	Combustible dust; serious eye irritation; skin sensitization Category 1

1

IDENTIFICATION

GHS product identifier	CLARTÉ COVER PINK
Technical product identifier	Bubble Free Medium Set, Cover Pink, Methacrylate Polymer/Copolymer Blend
Product code	CP-2026-ES
Other means of identification	Not available.
Product type	Powder.
Recommended use	Cosmetic use only.
Supplier details	VIKAMI #15, 1011 57 Avenue NE Calgary, AB T2E 8X9, Canada +1 403-207-0208 info@vikami.com www.vikami.com
Emergency telephone number	Not available.

2

HAZARDS IDENTIFICATION

Classification of the substance or mixture	Eye Damage / Irritation - Category 2A Skin sensitizer - Category 1
OSHA defined hazards	Combustible dust; may form combustible dust concentrations in air; explosion hazard.



Signal word	Warning
Hazard statements	H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.
Precautionary statements - prevention	P240 - Ground and bond container and receiving equipment. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands and exposed skin thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statements - response	P302+P352 - IF ON SKIN: Wash with soap and water. P305+P351+P338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing. P333+P313 - If skin irritation or a rash occurs: Get medical advice/attention. P337+P313 - Get medical advice/attention. P363 - Wash contaminated clothing before reuse.
Disposal	P501 - Dispose of contents/container to an authorized disposal facility.

3

COMPOSITION / INFORMATION ON INGREDIENTS

The following composition is transferred from the source SDS dated 2015-09-24. The separate ingredient list dated 2024-03-04 contains additional colorants and different percentage ranges.

Chemical name	CAS No.	Weight-%	GHS ratings
2-Propenoic acid, 2-methyl-, ethyl ester, polymer with methyl 2-methyl-2-propenoate	25685-29-4	40 - 50	Eye Damage / Irritation 2B (H320)
2-Propenoic acid, 2-methyl-, ethyl ester, homopolymer	9003-42-3	40 - 50	Eye Damage / Irritation 2B (H320)
Benzoyl Peroxide	94-36-0	1 - 5	Eye Damage / Irritation 2A (H319); Skin Sensitizer 1 (H317)

4

FIRST-AID MEASURES

General advice	Provide the SDS to medical personnel for treatment.
Inhalation	Remove victim to fresh air. Seek immediate medical attention.
Eye contact	If product gets in the eyes, flush with lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.
Skin contact	Rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.
Clothing	Remove contaminated clothing and wash thoroughly before reuse.
Ingestion	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk immediately. If the patient is vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Provide an estimate of the time at which the material was ingested and the amount swallowed. Get medical attention immediately.

5 FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water, chemical (alcohol-resistant) foam, dry chemical, or carbon dioxide.
Unsuitable extinguishing media	Water may not be effective in extinguishing this fire.
Specific hazards arising from the chemical	Polymers are combustible dusts. Care should be taken to avoid creating explosive concentrations in the air. Follow grounding and bonding procedures.
Special fire-fighting procedures	Avoid extinguishing methods which may generate dust clouds. Water stream can disperse dust into air, producing a fire hazard and possible explosion hazard if exposed to an ignition source. Firefighters should wear self-contained breathing apparatus.
Protective equipment and precautions for firefighters	Polymer dust is combustible. The explosive limits of polymer particles suspended in air are approximately those of coal dust. Polymers are sensitive to static discharge; follow grounding and bonding procedures. Polymers are not sensitive to mechanical impacts.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions	Before cleaning any spill or leak, wear appropriate PPE specified in Section 8. Keep airborne particulates at a minimum. Deny entry to unprotected individuals. Remove contaminated clothing and wash thoroughly before reuse.
Environmental precautions	Extinguish all ignition sources. Keep spills and cleaning runoff out of municipal sewers and open bodies of water. U.S. CERCLA reporting may apply for reportable releases. The source SDS lists the U.S. Coast Guard National Response Center at (800) 424-8802.
Methods for containment	Prevent further leakage or spillage if safe to do so. Dike and contain spill with inert material such as sand or earth. May contaminate water supply.
Methods for cleaning up	Maximize ventilation and secure all sources of ignition. Use local ventilation with a minimum capture velocity of 100 ft/min (30 m/min) at point of product release. Place into appropriate closed containers for disposal in accordance with local, state and federal regulations. Wash affected areas with plenty of warm water and soap. The source SDS states that it is not a RCRA hazardous waste.

7 HANDLING AND STORAGE

Advice on safe handling	Use in well-ventilated areas. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Use good personal hygiene and housekeeping. Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.
Storage conditions	Store containers in a cool, dry location away from direct sunlight, heat, sparks, flame, other light sources, or sources of intense heat. The temperature should remain at or under 72°F (22°C). Storing above the recommended temperature may cause product performance issues. Store in accordance with National Fire Protection Association recommendations.
Incompatible materials	Strong oxidizers; strong oxidizing agents.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical name / CAS No.	OSHA exposure limits	ACGIH exposure limits	Other exposure limits
2-Propenoic acid, 2-methyl-, ethyl ester, polymer with methyl 2-methyl-2-propenoate 25685-29-4	Not listed in source SDS	Not listed in source SDS	Not listed in source SDS
2-Propenoic acid, 2-methyl-, ethyl ester, homopolymer 9003-42-3	Not listed in source SDS	Not listed in source SDS	Not listed in source SDS
Benzoyl Peroxide 94-36-0	5 mg/m ³ TWA	5 mg/m ³ TWA	NIOSH: 5 mg/m ³ TWA

Engineering controls	Use local explosion-proof ventilation adequate to keep employee exposure to airborne concentrations below exposure limits. The source SDS refers to the ACGIH document Industrial Ventilation, A Manual of Recommended Practices.
Respiratory protection	A respirator should be worn whenever workplace conditions warrant use of a respirator. If dust conditions are present, an N95 respirator dust mask is required. If necessary, use respiratory protection authorized under applicable governing standards.
Eye / face protection	Wear safety glasses or chemical goggles when splashing is possible. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.
Skin and body protection	Select protective equipment according to the concentration and amount of the dangerous substance. Handle with gloves. Nitrile rubber is specified in the source SDS. Full contact: minimum layer thickness 0.4 mm, breakthrough time 480 min. Splash contact: minimum layer thickness 0.11 mm, breakthrough time 120 min.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. An eyewash station and safety shower are recommended. Food, beverages and tobacco products should not be carried, stored or consumed where this material is in use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Pink
Physical state	Powder
Odor	Faint
Flash point	577°F / 303°C
Flammable limit (air volume %, lower/upper)	0% listed in source SDS
Evaporation rate	No data available
Boiling range (low - high)	N/A
Specific gravity	2.02

10 STABILITY AND REACTIVITY

Material stability	Stable.
Incompatible materials	Strong oxidizers.
Hazardous decomposition products	Methacrylate monomer and oxides of carbon when burned.
Possibility of hazardous reactions	Hazardous polymerization will not occur.

11 TOXICOLOGICAL INFORMATION

Mixture toxicity	No quantified mixture toxicity data provided in the source SDS.
Component toxicity	No additional component toxicity values provided in the source SDS.
Routes of exposure	Inhalation; eye contact; ingestion.
Target organs	Eyes; skin; respiratory system.
Effects of overexposure	Not otherwise specified in the source SDS.
Product components listed as carcinogenic	None. The source SDS lists no carcinogen rating data.

12

ECOLOGICAL INFORMATION

Component ecotoxicity	No component ecotoxicity data were provided in the source SDS.
-----------------------	--

13

DISPOSAL CONSIDERATIONS

Disposal of wastes	Dispose of waste material in accordance with federal, state and local regulations. It is the responsibility of the generator to determine at the time of disposal whether the product meets the criteria of a hazardous waste. Waste disposal options in the source SDS include landfilling solids at permitted sites or incinerating in a chemical incinerator equipped with an afterburner and scrubber. Use registered transporters.
Contaminated packaging	Reuse of empty drums or containers is not recommended. Employees should be advised of potential hazards associated with residual material. Dispose of all empty containers properly in accordance with applicable regulations.

14

TRANSPORT INFORMATION

DOT	Not Regulated, Polymer, NOS.
IATA	Not Regulated, Polymer, NOS.
IMDG	Not Regulated, Polymer, NOS.

15

REGULATORY INFORMATION

California Proposition 65	The source SDS states: None.
SARA 313	Benzoyl Peroxide, CAS 94-36-0.
US State Right-to-Know Regulations	The source SDS states: None.
EINECS	All components listed: Yes.
SARA Hazard categories	No.
TSCA Inventory	All components listed: Yes.

16

OTHER INFORMATION

HMIS / NFPA hazard rating	Health 1; Flammability 1; Instability 0; PPE B.
Issued / revised	2026-09-04
Previous technical issue	2015-09-24
Version	1.0
Technical sources	Transferred from source Safety Data Sheet dated 2015-07-20 / revised 2015-09-24 and confidential ingredient list dated 2024-03-04.
Notice	The technical information in this VIKAMI-formatted SDS is transferred from the supplied source documents. It is intended as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not a warranty or quality specification. The source SDS notes that its information relates only to the specific material designated and may not be valid when used in combination with other materials or processes unless specified.

Note: The 2024 ingredient list provides additional colorants and different percentage ranges from the 2015 SDS composition table. This document preserves the SDS composition as supplied rather than silently reconciling those two source documents.