

code of real estate website:

```
<!doctype html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Bootstrap demo</title>
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet"
  integrity="sha384-
9ndCyUaIbzAi2FUVXJi0CjmCapSm07SnpJef0486qhlLnuZ2cdeRh002iuK6FUUVM"
crossorigin="anonymous">
</head>

<body>
  <div>
    <nav class="navbar navbar-expand-lg bg-body-secondary">
      <div class="container-fluid">
        <a class="navbar-brand" href="#">contact</a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNavAltMarkup"
        aria-controls="navbarNavAltMarkup" aria-expanded="false" aria-
label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
          <div class="navbar-nav">
            <a class="nav-link active" aria-current="page" href="#">Home</a>
            <a class="nav-link" href="#">Features</a>
            <a class="nav-link" href="#">Pricing</a>
            <a class="nav-link">Disabled</a>
          </div>
        </div>
      </div>
    </nav>
  </div>
  <hr>
  <br>
  <div id="carouselExampleCaptions" class="carousel slide">
    <div class="carousel-indicators">
      <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-
slide-to="0" class="active"
      aria-current="true" aria-label="Slide 1"></button>
      <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-
slide-to="1"
      aria-label="Slide 2"></button>
```

code of real estate website:

```
<button type="button" data-bs-target="#carouselExampleCaptions" data-bs-
slide-to="2"
  aria-label="Slide 3"></button>
</div>
<div class="carousel-inner">
  <div class="carousel-item active">
    
    <div class="carousel-caption d-none d-md-block">
      <h5>First slide label</h5>
      <p>Some representative placeholder content for the first slide.</p>
    </div>
  </div>
  <div class="carousel-item">
    
    <div class="carousel-caption d-none d-md-block">
      <h5>Second slide label</h5>
      <p>Some representative placeholder content for the second slide.</p>
    </div>
  </div>
  <div class="carousel-item">
    
    <div class="carousel-caption d-none d-md-block">
      <h5>Third slide label</h5>
      <p>Some representative placeholder content for the third slide.</p>
    </div>
  </div>
</div>
<button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleCaptions" data-bs-slide="prev">
  <span class="carousel-control-prev-icon" aria-hidden="true"></span>
  <span class="visually-hidden">Previous</span>
</button>
<button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleCaptions" data-bs-slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="visually-hidden">Next</span>
</button>
</div>
<br>
<hr>
<main>

<section class="py-5 text-center container">
  <div class="row py-lg-5">
    <div class="col-lg-6 col-md-8 mx-auto">
```

code of real estate website:

```
<h1 class="fw-light">Album example</h1>
<p class="lead text-body-secondary">Something short and leading
about the collection below—its contents, the
creator, etc. Make it short and sweet, but not too short so folks
don't simply skip over it entirely.</p>
<p>
  <a href="#" class="btn btn-primary my-2">Main call to action</a>
  <a href="#" class="btn btn-secondary my-2">Secondary action</a>
</p>
</div>
</div>
</section>

<div class="album py-5 bg-body-tertiary">
  <div class="container">

    <div class="row row-cols-1 row-cols-sm-2 row-cols-md-3 g-3">
      <div class="col">
        <div class="card shadow-sm">
          
          <title>Placeholder</title>
          <rect width="100%" height="100%" fill="#55595c"></rect><text
x="50%" y="50%" fill="#eceeef"
dy=".3em"></text>
        </div>
        <div class="card-body">
          <p class="card-text">This is a wider card with supporting text
below as a natural lead-in to additional
content. This content is a little bit longer.</p>
          <div class="d-flex justify-content-between align-items-
center">
            <div class="btn-group">
              <button type="button" class="btn btn-sm btn-outline-
secondary">View</button>
              <button type="button" class="btn btn-sm btn-outline-
secondary">Edit</button>
            </div>
          </div>
        </div>
      </div>
      <div class="col">
        <div class="card shadow-sm">
          
          <title>Placeholder</title>
          <rect width="100%" height="100%" fill="#55595c"></rect><text
x="50%" y="50%" fill="#eceeef"
dy=".3em"></text>
```

code of real estate website:

```
</svg>
<div class="card-body">
  <p class="card-text">This is a wider card with supporting text
below as a natural lead-in to additional
  content. This content is a little bit longer.</p>
  <div class="d-flex justify-content-between align-items-
center">
    <div class="btn-group">
      <button type="button" class="btn btn-sm btn-outline-
secondary">view for prize</button>
      <button type="button" class="btn btn-sm btn-outline-
secondary">Edit</button>
    </div>
  </div>
</div>
</div>
<div class="col">
  <div class="card shadow-sm">
    
    <title>Placeholder</title>
    <rect width="100%" height="100%" fill="#55595c"></rect><text
x="50%" y="50%" fill="#eceeef"
    dy=".3em"></text>
  </div>
  <div class="card-body">
    <p class="card-text">This is a wider card with supporting text
below as a natural lead-in to additional
    content. This content is a little bit longer.</p>
    <div class="d-flex justify-content-between align-items-
center">
      <div class="btn-group">
        <button type="button" class="btn btn-sm btn-outline-
secondary">view for prize</button>
        <button type="button" class="btn btn-sm btn-outline-
secondary">Edit</button>
      </div>
    </div>
  </div>
</div>
</div>
<div class="col">
  <div class="card shadow-sm">
    
    <title>Placeholder</title>
    <rect width="100%" height="100%" fill="#55595c"></rect><text
x="50%" y="50%" fill="#eceeef"
```

code of real estate website:

```
dy=".3em"></text>
</svg>
<div class="card-body">
  <p class="card-text">This is a wider card with supporting text
below as a natural lead-in to additional
  content. This content is a little bit longer.</p>
  <div class="d-flex justify-content-between align-items-
center">
    <div class="btn-group">
      <button type="button" class="btn btn-sm btn-outline-
secondary">view for prize</button>
      <button type="button" class="btn btn-sm btn-outline-
secondary">Edit</button>
    </div>
  </div>
</div>
</div>
<div class="col">
  <div class="card shadow-sm">
    
    <title>Placeholder</title>
    <rect width="100%" height="100%" fill="#55595c"></rect><text
x="50%" y="50%" fill="#eceeef"
    dy=".3em"></text>
  </svg>
  <div class="card-body">
    <p class="card-text">This is a wider card with supporting text
below as a natural lead-in to additional
    content. This content is a little bit longer.</p>
    <div class="d-flex justify-content-between align-items-
center">
      <div class="btn-group">
        <button type="button" class="btn btn-sm btn-outline-
secondary">view for prize</button>
        <button type="button" class="btn btn-sm btn-outline-
secondary">Edit</button>
      </div>
    </div>
  </div>
</div>
<div class="col">
  <div class="card shadow-sm">
    
    <title>Placeholder</title>
    <rect width="100%" height="100%" fill="#55595c"></rect><text
x="50%" y="50%" fill="#eceeef"
```

code of real estate website:

```
        dy=".3em"></text>
      </svg>
      <div class="card-body">
        <p class="card-text">This is a wider card with supporting text
below as a natural lead-in to additional
        content. This content is a little bit longer.</p>
        <div class="d-flex justify-content-between align-items-
center">
          <div class="btn-group">
            <button type="button" class="btn btn-sm btn-outline-
secondary">view for prize</button>
            <button type="button" class="btn btn-sm btn-outline-
secondary">Edit</button>
          </div>
        </div>
      </div>
    </div>

    <div class="col">
      <div class="card shadow-sm">
        
        <title>Placeholder</title>
        <rect width="100%" height="100%" fill="#55595c"></rect><text
x="50%" y="50%" fill="#eceeef"
        dy=".3em"></text>
      </svg>
      <div class="card-body">
        <p class="card-text">This is a wider card with supporting text
below as a natural lead-in to additional
        content. This content is a little bit longer.</p>
        <div class="d-flex justify-content-between align-items-
center">
          <div class="btn-group">
            <button type="button" class="btn btn-sm btn-outline-
secondary">view for prize</button>
            <button type="button" class="btn btn-sm btn-outline-
secondary">Edit</button>
          </div>
        </div>
      </div>
    </div>
  </div>
  <div class="col">
    <div class="card shadow-sm">
      
      <title>Placeholder</title>
```

code of real estate website:

```
<rect width="100%" height="100%" fill="#55595c"></rect><text
x="50%" y="50%" fill="#eceeef"
  dy=".3em"></text>
</svg>
<div class="card-body">
  <p class="card-text">This is a wider card with supporting text
below as a natural lead-in to additional
  content. This content is a little bit longer.</p>
  <div class="d-flex justify-content-between align-items-
center">
    <div class="btn-group">
      <button type="button" class="btn btn-sm btn-outline-
secondary">view for prize</button>
      <button type="button" class="btn btn-sm btn-outline-
secondary">Edit</button>
    </div>
    <small class="text-body-secondary">9 mins</small>
  </div>
</div>
</div>
<div class="col">
  <div class="card shadow-sm">
    
    <title>Placeholder</title>
    <rect width="100%" height="100%" fill="#55595c"></rect><text
x="50%" y="50%" fill="#eceeef"
  dy=".3em"></text>
    </svg>
    <div class="card-body">
      <p class="card-text">This is a wider card with supporting text
below as a natural lead-in to additional
      content. This content is a little bit longer.</p>
      <div class="d-flex justify-content-between align-items-
center">
        <div class="btn-group">
          <button type="button" class="btn btn-sm btn-outline-
secondary" >view for prize</button>
          <button type="button" class="btn btn-sm btn-outline-
secondary" >Edit</button>
        </div>
      </div>
    </div>
  </div>
</div>
</div>
```

code of real estate website:

```
</main>
<hr>
<div class="elementor-image">
   </div>

  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"
  integrity="sha384-
geWF76RCwLtnZ8qwWowPQNguL3RmwHVBC9FhGdlKrxdiJJigb/j/68SIy3Te4Bkz"
  crossorigin="anonymous"></script>
</body>

</html>
```