


Vinay Kumar 1BM18CS153

1)map()



The screenshot shows a terminal window titled 'vinay@ubuntu: ~' with the following output:

```
vinay@ubuntu:~$ start-all.sh
starting org.apache.spark.deploy.master.Master, logging to /opt/spark/logs/spark-vinay-org.apache.spark.deploy.master.Master-1-ubuntu.out
vinay@localhost:~$ ssh localhost
localhost: starting org.apache.spark.deploy.worker.Worker, logging to /opt/spark/logs/spark-vinay-org.apache.spark.deploy.worker.Worker-1-ubuntu.out
vinay@ubuntu:~$ spark-shell
21/05/22 08:41:12 WARN Utils: Your hostname, ubuntu resolves to a loopback address: 127.0.1.1; using 192.168.110.128 instead (on interface ens33)
21/05/22 08:41:12 WARN Utils: Set SPARK_LOCAL_IP if you need to bind to another address
21/05/22 08:41:16 WARN NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
Using Spark's default log4j profile: org/apache/spark/log4j-defaults.properties
Setting default log level to "WARN".
To adjust logging level use sc.setLogLevel(newLevel). For SparkR, use setLogLevel(newLevel).
Spark context Web UI available at http://192.168.110.128:4040
Spark context available as 'sc' (master = local[*], app id = local-1621698086579).
Spark session available as 'spark'.
Welcome to

      ____              __
     / __ \____  _____  ____
    /  /_/ __ \|_  / __ \_  / __ \
   /  /_/_  \ \_  /  /_/ _  /  /_/
  /____/____/____/____/____/____/

Spark version 3.1.1

Using Scala version 2.12.10 (OpenJDK 64-Bit Server VM, Java 1.8.0_292)
Type in expressions to have them evaluated.
Type :help for more information.


scala> val input = sc.parallelize(List(1,2,3,4))
input: org.apache.spark.rdd.RDD[Int] = ParallelCollectionRDD[0] at parallelize at <console>:24

scala> val result = input.map(x => x*x)
result: org.apache.spark.rdd.RDD[Int] = MapPartitionsRDD[1] at map at <console>:25

scala> println(result.collect().mkString(", "))
1,4,9,16

scala>
```

2)flatMap()



The screenshot shows a terminal window titled 'vinay@ubuntu: ~' with the following output:

```
vinay@ubuntu:~$ spark-shell
21/05/22 08:50:28 WARN Utils: Your hostname, ubuntu resolves to a loopback address: 127.0.1.1; using 192.168.110.128 instead (on interface ens33)
21/05/22 08:50:28 WARN Utils: Set SPARK_LOCAL_IP if you need to bind to another address
21/05/22 08:50:32 WARN NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
Using Spark's default log4j profile: org/apache/spark/log4j-defaults.properties
Setting default log level to "WARN".
To adjust logging level use sc.setLogLevel(newLevel). For SparkR, use setLogLevel(newLevel).
21/05/22 08:50:40 WARN Utils: Service 'SparkUI' could not bind on port 4040. Attempting port 4041.
Spark context Web UI available at http://192.168.110.128:4041
Spark context available as 'sc' (master = local[*], app id = local-1621698040623).
Spark session available as 'spark'.
Welcome to

      ____              __
     / __ \____  _____  ____
    /  /_/ __ \|_  / __ \_  / __ \
   /  /_/_  \ \_  /  /_/ _  /  /_/
  /____/____/____/____/____/____/

Spark version 3.1.1


Using Scala version 2.12.10 (OpenJDK 64-Bit Server VM, Java 1.8.0_292)
Type in expressions to have them evaluated.
Type :help for more information.

scala> val lines = sc.parallelize(List("hello world", "hi"))
lines: org.apache.spark.rdd.RDD[String] = ParallelCollectionRDD[0] at parallelize at <console>:24

scala> val words = lines.flatMap(line => line.split(" "))
words: org.apache.spark.rdd.RDD[String] = MapPartitionsRDD[1] at flatMap at <console>:25

scala>
```

3)filter()



```
vinay@ubuntu:~$ spar-shell
spar-shell: command not found
vinay@ubuntu:~$
vinay@ubuntu:~$ spark-shell
21/05/22 08:52:03 WARN Utils: Your hostname, ubuntu resolves to a loopback address: 127.0.1.1; using 192.168.110.128 instead (on interface ens33)
21/05/22 08:52:03 WARN Utils: Set SPARK_LOCAL_IP if you need to bind to another address
21/05/22 08:52:07 WARN NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
Using Spark's default log4j profile: org/apache/spark/log4j-defaults.properties
Setting default log level to "WARN".
To adjust logging level use sc.setLogLevel(newLevel). For SparkR, use setLogLevel(newLevel).
Spark context Web UI available at http://192.168.110.128:4040
Spark context available as 'sc' (master = local[*], app id = local-1621698734912).
Spark session available as 'spark'.
Welcome to

      ____              __
     / __ \____  ____  /  /
    /  /_/ __ \/ __ \/_  /
   /  __/ ___/ / ___/ /  /
  /____/_/  /_____/___/

version 3.1.1


Using Scala version 2.12.10 (OpenJDK 64-Bit Server VM, Java 1.8.0_292)
Type in expressions to have them evaluated.
Type :help for more information.

scala> val input = sc.parallelize(List(1,2,3,4))
input: org.apache.spark.rdd.RDD[Int] = ParallelCollectionRDD[0] at parallelize at <console>:24

scala> val result = input.filter(x => x != 1)
result: org.apache.spark.rdd.RDD[Int] = MapPartitionsRDD[1] at filter at <console>:25

scala> println(result.collect().mkString(","))
2,3,4
scala>
```

4 distinct()



```
vinay@ubuntu:~$ spark-shell
21/05/22 08:55:53 WARN Utils: Your hostname, ubuntu resolves to a loopback address: 127.0.1.1; using 192.168.110.128 instead (on interface ens33)
21/05/22 08:55:53 WARN Utils: Set SPARK_LOCAL_IP if you need to bind to another address
21/05/22 08:55:57 WARN NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
Using Spark's default log4j profile: org/apache/spark/log4j-defaults.properties
Setting default log level to "WARN".
To adjust logging level use sc.setLogLevel(newLevel). For SparkR, use setLogLevel(newLevel).
21/05/22 08:56:08 WARN Utils: Service 'SparkUI' could not bind to port 4040. Attempting port 4041.
Spark context Web UI available at http://192.168.110.128:4041
Spark context available as 'sc' (master = local[*], app id = local-1621698968512).
Spark session available as 'spark'.
Welcome to

      ____              __
     / __ \____  ____  /  /
    /  /_/ __ \/ __ \/_  /
   /  __/ ___/ / ___/ /  /
  /____/_/  /_____/___/

version 3.1.1


Using Scala version 2.12.10 (OpenJDK 64-Bit Server VM, Java 1.8.0_292)
Type in expressions to have them evaluated.
Type :help for more information.

scala> val input4 = sc.parallelize(List(1,2,2,3,3,4))
input4: org.apache.spark.rdd.RDD[Int] = ParallelCollectionRDD[0] at parallelize at <console>:24

scala> val result = input4.distinct()
result: org.apache.spark.rdd.RDD[Int] = MapPartitionsRDD[3] at distinct at <console>:25

scala> println(result.collect().mkString(","))
4,2,1,3
scala>
```

5) union()



The screenshot shows a terminal window titled 'vinyay@ubuntu: ~' with the following output:

```
vinyay@ubuntu:~$ spark-shell
21/05/22 08:58:07 WARN Utils: Your hostname, ubuntu resolves to a loopback address: 127.0.0.1; using 192.168.110.128 instead (on interface ens33)
21/05/22 08:58:07 WARN Utils: Set SPARK_LOCAL_IP if you need to bind to another address
21/05/22 08:58:11 WARN NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
Using Spark's default log4j profile: org/apache/spark/log4j-defaults.properties
Setting default log level to "WARN".
To adjust logging level use sc.setLogLevel(newLevel). For SparkR, use setLogLevel(newLevel).
Spark context Web UI available at http://192.168.110.128:4040
Spark context available as 'sc' (master = local[*], app id = local-1621699105407).
Spark session available as 'spark'.
Welcome to
      ____              __
     /  _/             /  |
    /  /_   _____/   | _   _
   /   _/          / ___/ | | | |
  /____/         /____/_|_|_|_|

version 3.1.1

Using Scala version 2.12.10 (OpenJDK 64-Bit Server VM, Java 1.8.0_292)
Type in expressions to have them evaluated.
Type :help for more information.

scala> val input4 = sc.parallelize(List(1,2,3))
input4: org.apache.spark.rdd.RDD[Int] = ParallelCollectionRDD[0] at parallelize at <console>:24


scala> val input5 = sc.parallelize(List(3,4,5))
input5: org.apache.spark.rdd.RDD[Int] = ParallelCollectionRDD[1] at parallelize at <console>:24

scala> val result = input4.union(input5)
result: org.apache.spark.rdd.RDD[Int] = UnionRDD[2] at union at <console>:27

scala> println(result.collect().mkString(","))
1,2,3,3,4,5

scala>
```

6 intersection()



The screenshot shows a terminal window titled 'vinyay@ubuntu: ~' with the following output:

```
vinyay@ubuntu:~$ spark-shell
21/05/22 08:58:32 WARN Utils: Your hostname, ubuntu resolves to a loopback address: 127.0.0.1; using 192.168.110.128 instead (on interface ens33)
21/05/22 08:58:32 WARN Utils: Set SPARK_LOCAL_IP if you need to bind to another address
21/05/22 08:58:37 WARN NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
Using Spark's default log4j profile: org/apache/spark/log4j-defaults.properties
Setting default log level to "WARN".
To adjust logging level use sc.setLogLevel(newLevel). For SparkR, use setLogLevel(newLevel).
21/05/22 08:58:46 WARN Utils: Service 'SparkUI' could not bind on port 4040. Attempting port 4041.
21/05/22 08:58:46 WARN Utils: Service 'SparkUI' could not bind on port 4041. Attempting port 4042.
Spark context Web UI available at http://192.168.110.128:4042
Spark context available as 'sc' (master = local[*], app id = local-1621699126797).
Spark session available as 'spark'.
Welcome to
      ____              __
     /  _/             /  |
    /  /_   _____/   | _   _
   /   _/          / ___/ | | | |
  /____/         /____/_|_|_|_|

version 3.1.1

Using Scala version 2.12.10 (OpenJDK 64-Bit Server VM, Java 1.8.0_292)
Type in expressions to have them evaluated.
Type :help for more information.

scala> val input4 = sc.parallelize(List(1,2,3))
input4: org.apache.spark.rdd.RDD[Int] = ParallelCollectionRDD[0] at parallelize at <console>:24


scala> val input5 = sc.parallelize(List(3,4,5))
input5: org.apache.spark.rdd.RDD[Int] = ParallelCollectionRDD[1] at parallelize at <console>:24

scala> val result = input4.intersection(input5)
result: org.apache.spark.rdd.RDD[Int] = MapPartitionsRDD[7] at intersection at <console>:27

scala> println(result.collect().mkString(","))
3

scala>
```

7)subtract()



```
vinay@ubuntu:~$ spark-shell
21/05/22 08:58:18 WARN Utils: Your hostname, ubuntu resolves to a loopback address: 127.0.1.1; using 192.168.110.128 instead (on interface ens33)
21/05/22 08:58:18 WARN Utils: Set SPARK_LOCAL_IP if you need to bind to another address
21/05/22 08:58:22 WARN NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
Using Spark's default log4j profile: org/apache/spark/log4j-defaults.properties
Setting default log level to "WARN".
To adjust logging level use sc.setLogLevel(newLevel). For SparkR, use setLogLevel(newLevel).
21/05/22 08:58:35 WARN Utils: Service 'SparkUI' could not bind to port 4040. Attempting port 4041.
Spark context Web UI available at http://192.168.110.128:4041
Spark context available as 'sc' (master = local[*], app id = local-1621699116039).
Spark session available as 'spark'.
Welcome to

      ____              __
     /  _/   ____  ____/  /
    /  /_  / __ \/_  /_  /
   /  __/ / ___/ / __/  /
  /_____/ /____/ /____/

version 3.1.1

Using Scala version 2.12.10 (OpenJDK 64-Bit Server VM, Java 1.8.0_292)
Type in expressions to have them evaluated.
Type :help for more information.

scala> val input4 = sc.parallelize(List(1,2,3))
input4: org.apache.spark.rdd.RDD[Int] = ParallelCollectionRDD[0] at parallelize at <console>:24


scala> val inputs5 = sc.parallelize(List(3,4,5))
inputs5: org.apache.spark.rdd.RDD[Int] = ParallelCollectionRDD[1] at parallelize at <console>:24

scala> val result = input4.subtract(inputs5)
result: org.apache.spark.rdd.RDD[Int] = MapPartitionsRDD[5] at subtract at <console>:27

scala> println(result.collect().mkString(","))
2,1

scala>
```

8)cartesian()



```
vinay@ubuntu:~$ spark-shell
21/05/22 09:02:13 WARN Utils: Your hostname, ubuntu resolves to a loopback address: 127.0.1.1; using 192.168.110.128 instead (on interface ens33)
21/05/22 09:02:13 WARN Utils: Set SPARK_LOCAL_IP if you need to bind to another address
21/05/22 09:02:17 WARN NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
Using Spark's default log4j profile: org/apache/spark/log4j-defaults.properties
Setting default log level to "WARN".
To adjust logging level use sc.setLogLevel(newLevel). For SparkR, use setLogLevel(newLevel).
Spark context Web UI available at http://192.168.110.128:4040
Spark context available as 'sc' (master = local[*], app id = local-1621699344735).
Spark session available as 'spark'.
Welcome to

      ____              __
     /  _/   ____  ____/  /
    /  /_  / __ \/_  /_  /
   /  __/ / ___/ / __/  /
  /_____/ /____/ /____/

version 3.1.1

Using Scala version 2.12.10 (OpenJDK 64-Bit Server VM, Java 1.8.0_292)
Type in expressions to have them evaluated.
Type :help for more information.

scala> val input4 = sc.parallelize(List(1,2,3))
input4: org.apache.spark.rdd.RDD[Int] = ParallelCollectionRDD[0] at parallelize at <console>:24

scala> val inputs5 = sc.parallelize(List(3,4,5))
inputs5: org.apache.spark.rdd.RDD[Int] = ParallelCollectionRDD[1] at parallelize at <console>:24

scala> val result = input4.cartesian(inputs5)
result: org.apache.spark.rdd.RDD[(Int, Int)] = CartesianRDD[2] at cartesian at <console>:27

scala> println(result.collect().mkString(","))
(1,3),(1,4),(1,5),(2,3),(3,3),(2,4),(2,5),(3,4),(3,5)

scala>
```