

GE23131-Programming Using C-2024

Quiz navigation

1

2

3

Show one page at a time

Finish review

Status	Finished
Started	Monday, 23 December 2024, 5:33 PM
Completed	Thursday, 21 November 2024, 7:58 PM
Duration	31 days 21 hours

Question **1**

Correct

Marked out of 3.00

 [Flag question](#)

Write a program that prints a simple chessboard.

Input format:

The first line contains the number of inputs T.
The lines after that contain a different values for size of the chessboard

Output format:

Print a chessboard of dimensions size * size. Print a Print W for white spaces and B for black spaces.

Input:

- 2
- 3

Output:

WBW

BWB

WBW

WBWBW

BWBWB

WBWBW

BWBWB

WBWBW

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int n,a;
4     scanf("%d",&n);
5     while(n!=0)
6     {
7         scanf("%d",&a);
8         for(int i=0;i<a;i++)
9         {
10             for(int j=0;j<a;j++)
11             {
12                 if((i+j)%2==0)
13                     printf("W");
14                 else
15                     printf("B");
16             }
17             printf("\n");
18         }
19         n--;
20     }
21 }
```

	Input	Expected	Got	
✓	2	WBW	WBW	✓
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	

Passed all tests! ✓

Question **2**

Correct

Marked out of 5.00

 [Flag question](#)

Let’s print a chessboard!

Write a program that takes input:

The first line contains T, the number of test cases
Each test case contains an integer N and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

2

2 W

3 B

Output:

WB

BW

BWB

WBW

BWB

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,a;
5     char ch;
6     scanf("%d",&n);
7     while(n!=0)
8     {
9         scanf("%d %c",&a,&ch);
10        for(int i=0;i<a;i++)
11        {
12            for(int j=0;j<a;j++)
13            {
14                if(ch=='W')
15                {
16                    if((i+j)%2==0)
17                        printf("W");
```

```
21         else
22         {
23             if((i+j)%2==0)
24             printf("B");
25             else
26             printf("W");
27         }
28     }
29     printf("\n");
30 }
31 n--;
32 }
33 }
```

	Input	Expected	Got	
✓	2	WB	WB	✓
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Passed all tests! ✓

Question **3**

Correct

Marked out of
7.00

🚩 [Flag question](#)

Decode the logic and print the Pattern that corresponds to given input.

If N= 3

then pattern will be :

****4050809**

******607**

If N= 4, then pattern will be:

1020304017018019020

****50607014015016**

******809012013**

*******10011**

Constraints

$2 \leq N \leq 100$

Input Format

First line contains T, the number of test cases

Each test case contains a single integer N

Output

First line print Case #i where i is the test case number

In the subsequent line, print the pattern

3
3
4
5

Output

Case #1
10203010011012
**4050809
****607
Case #2
1020304017018019020
**50607014015016
****809012013
*****10011
Case #3
102030405026027028029030
**6070809022023024025
****10011012019020021
*****13014017018
*****15016

Answer: (penalty regime: 0 %)

```
4 int t,n,x,y,z=1,i,ans,c;
5 scanf("%d",&t);
6 while(z<=t)
7 {
8     scanf("%d",&n);
9     printf("Case #%d\n",z);
10    y=1;
11    i=1;
12    c=0;
13    while(y<=n)
14    {
15        x=1;
16        ans=(n*n);
17        ans=ans-c;
18        while(x<=2*n)
19        {
20            if(x<=n)
21            {
22                if(x<y)
23                    printf("**");
24                else if(x<=n)
25                {
26                    printf("%d",i*10);
27                    i++;
28                }
29            }
30            else
31            {
32                if((x+y)==(2*n)+1)
33                {
34                    printf("%d",(ans+y));
35                    ans++;
36                    c++;
37                }
38                else if(x+y<=(2*n)+1)
39                {
40                    printf("%d",(ans+y)*10);
41                    ans++;
42                    c++;
43                }
44            }
45        }
```



```
48     y++;  
49     printf("\n");  
50 }  
51 z++;  
52 }
```

	Input	Expected	Got	
✓	3	Case #1	Case #1	✓
	3	10203010011012	10203010011012	
	4	**4050809	**4050809	
	5	****607	****607	
		Case #2	Case #2	
		1020304017018019020	1020304017018019020	
		**50607014015016	**50607014015016	
		****809012013	****809012013	
		*****10011	*****10011	
		Case #3	Case #3	
		102030405026027028029030	102030405026027028029030	
		**6070809022023024025	**6070809022023024025	
		****10011012019020021	****10011012019020021	
		*****13014017018	*****13014017018	
		*****15016	*****15016	

Passed all tests! ✓

Finish review