Use case scenarios

We have described different use cases to determine a business object model. We have broken them apart in a few categories. Account management, customer orders, database management, monitoring, virtual machine management.

Account management

Account registration
Actor: user

The user can register an account during the order process to complete the order.

Logging in
Actor: user

The user can login to an area where the service can be managed. (optional)

Logging out
Actor: user

The user can logout. (optional)

Account termination
Actor: user, administrator

The user (optional) and admin can both end a subscription of the user.

Overview users
Actor: administrator

The administrator can view and manage the users services.

Customer orders

Choose SLA package
Actor: user

The user can choose the desired SLA in the order process.

Choose CPU
Actor: user

The user can choose the desired CPU in the order process.

Choose RAM
Actor: user

The user can choose the desired RAM in the order process.

Choose disk allocation
Actor: user

The user can choose the desired disk allocation size in the order process.

Read and accept customer agreement
Actor: user

The user is able to read and accept the customer agreement in the order process. The accepting is mandatory to continue the order.

Connect to database
Actor: order system

The order system can, if the order is completed, connect to the database to store the desired specifications.

Confirmation of order
Actor: order system

The order system can automatically email a confirmation of the order to the administrator and to the customer.

Database management

Adding entry
Actor: order system

The order system can create an entry in the database to store the desired specifications.

Editing entry
Actor: administrator

The administrator can edit the database entry if the customer desires a change in specifications.

Deleting entry
Actor: administrator

The administrator can delete the entry in the database if a termination request has been received or the customer agreement has been violated.

Reading entry
Actor: KVM

The KVM hypervisor can read entries from the database to create the correct virtual machines.

Monitoring

System performance
Actor: administrator

The administrator can view the system performance to guard the optimal user experience.

View connection logs
Actor: administrator

The administrator can view logs of connections and logins.

VM Management

Connect to database
Actor: KVM

The KVM hypervisor can connect to the database to read entries.

Create VPS with specs from database
Actor: KVM

The KVM hypervisor can create a VPS virtual machine according to the specifications stored in the database for the respective customer.

Start VPS
Actor: KVM, administrator, user

The hypervisor can start the VPS on request of the administrator or user.

Stop VPS
Actor: KVM, administrator, user

The hypervisor can stop the VPS on request of the administrator or user.

Restart VPS
Actor: KVM, administrator, user

The hypervisor can restart the VPS on request of the administrator or user.

Erase VPS
Actor: KVM, administrator

The hypervisor can delete the VPS on request of the administrator.

Automatic VPS backup
Actor: KVM

The hypervisor can automatically backup the VPS of the customer.

Lock VPS in case of abuse or payment problems
Actor: administrator

The administrator can lock the VPS in case of abuse or payment problems. This is done by shutting down the VPS and preventing the (re)start from the user login area.