

Employee Data Analyst Dashboard

Python vs R — Side-by-Side Code & Output

20 chart types generated from Employee_Data_Analyst.csv (300 records)

PYTHON

```
import matplotlib
matplotlib.use("Agg") # headless: every chart is
                        # saved to file, not popped up
import matplotlib.pyplot as plt
import seaborn as sns
import pandas as pd
import numpy as np
import os

sns.set_style("whitegrid")

OUT_DIR = "dashboard_charts"
os.makedirs(OUT_DIR, exist_ok=True)

# -----
# Load data (adjust the path if the CSV is elsewhere)
# -----
df = pd.read_csv("Employee_Data_Analyst.csv",
                 skiprows=2)
df = df.drop(columns=[c for c in df.columns if
                      'Unnamed' in c])
df.columns = [c.strip() for c in df.columns]

role_order = ['Intern', 'Analyst', 'Team Lead',
              'Manager', 'Executive']

def save(fig, name):
    fig.tight_layout()
    fig.savefig(os.path.join(OUT_DIR, name), dpi=150,
                bbox_inches='tight')
    plt.close(fig)

# 1. Bar - employee count by Department
fig, ax = plt.subplots(figsize=(6, 4.5))
dept_counts = df['Department'].value_counts()
ax.bar(dept_counts.index, dept_counts.values,
       color='steelblue')
ax.set_title("Employees by Department")
ax.tick_params(axis='x', rotation=45)
save(fig, "01_bar_department.png")

# 2. Bar - employee count by JobRole
fig, ax = plt.subplots(figsize=(6, 4.5))
role_counts =
    df['JobRole'].value_counts().reindex(role_order)
ax.bar(role_counts.index, role_counts.values,
       color='darkorange')
ax.set_title("Employees by Job Role")
ax.tick_params(axis='x', rotation=45)
save(fig, "02_bar_jobrole.png")

# 3. Grouped bar - Attrition by Department
fig, ax = plt.subplots(figsize=(7, 4.5))
```

R

```
library(ggplot2)
library(dplyr)
library(tidyr)
library(reshape2)

dir.create("dashboard_charts", showWarnings = FALSE)

# -----
# Load data
# -----
df <- read.csv("Employee_Data_Analyst.csv", skip = 2)
df <- df[, !grepl("^X", names(df))]
names(df) <- trimws(names(df))
names(df) <- gsub("\\.", " ", names(df))
names(df) <- trimws(names(df))
names(df)[names(df) == "Education Level"] <-
  "EducationLevel"
names(df)[names(df) == "Years At Company"] <-
  "YearsAtCompany"
names(df)[names(df) == "Monthly Income"] <-
  "MonthlyIncome"
names(df)[names(df) == "Job Satisfaction"] <-
  "JobSatisfaction"
names(df)[names(df) == "Work Life Balance"] <-
  "WorkLifeBalance"
names(df)[names(df) == "Performance Rating"] <-
  "PerformanceRating"
names(df)[names(df) == "Distance From Home"] <-
  "DistanceFromHome"
names(df)[names(df) == "Training Times Last Year"] <-
  "TrainingTimesLastYear"
names(df)[names(df) == "Num Projects"] <-
  "NumProjects"

role_order <- c('Intern', 'Analyst', 'Team Lead',
               'Manager', 'Executive')

save_plot <- function(p, name, width = 6, height =
  4.5) {
  ggsave(file.path("dashboard_charts", name), plot =
    p, width = width, height = height, dpi = 150)
}

# 1. Bar - employees by Department
dept_counts <- as.data.frame(table(df$Department))
colnames(dept_counts) <- c('Department', 'Count')
p1 <- ggplot(dept_counts, aes(x=Department, y=Count))
+
  geom_col(fill="steelblue") + labs(title="Employees
    by Department") +
  theme_minimal(base_size=13) +
  theme(axis.text.x=element_text(angle=45, hjust=1))
save_plot(p1, "01_bar_department.png")
```

```

grp = df.groupby(['Department',
                  'Attrition']).size().unstack(fill_value=0)
x = np.arange(len(grp.index))
width = 0.35
ax.bar(x - width/2, grp['Yes'], width, label='Yes',
       color='indianred')
ax.bar(x + width/2, grp['No'], width, label='No',
       color='seagreen')
ax.set_xticks(x); ax.set_xticklabels(grp.index,
                                     rotation=45)
ax.set_title("Attrition by Department (Grouped)")
ax.legend(title="Attrition")
save(fig, "03_grouped_bar_attrition.png")

# 4. Stacked bar - Gender by Department
fig, ax = plt.subplots(figsize=(7, 4.5))
gstack = df.groupby(['Department',
                    'Gender']).size().unstack(fill_value=0)
bottom = np.zeros(len(gstack))
for gender in gstack.columns:
    ax.bar(gstack.index, gstack[gender],
           bottom=bottom, label=gender)
    bottom += gstack[gender].values
ax.set_title("Gender Mix by Department (Stacked)")
ax.tick_params(axis='x', rotation=45)
ax.legend(title="Gender")
save(fig, "04_stacked_bar_gender.png")

# 5. Pie - Gender distribution
fig, ax = plt.subplots(figsize=(6, 6))
gender_counts = df['Gender'].value_counts()
ax.pie(gender_counts.values,
      labels=gender_counts.index, autopct='%1.0f%%',
      colors=sns.color_palette('Set2'))
ax.set_title("Gender Distribution")
save(fig, "05_pie_gender.png")

# 6. Pie - Education Level distribution
fig, ax = plt.subplots(figsize=(6, 6))
edu_counts = df['Education Level'].value_counts()
ax.pie(edu_counts.values, labels=edu_counts.index,
      autopct='%1.0f%%',
      colors=sns.color_palette('Set3'))
ax.set_title("Education Level Distribution")
save(fig, "06_pie_education.png")

# 7. Histogram - Age distribution
fig, ax = plt.subplots(figsize=(6, 4.5))
ax.hist(df['Age'], bins=15, color='mediumpurple',
       edgecolor='black')
ax.set_title("Age Distribution")
ax.set_xlabel("Age")
save(fig, "07_hist_age.png")

# 8. Histogram - Monthly Income distribution

```

```

# 2. Bar - employees by Job Role
role_counts <- as.data.frame(table(factor(df$JobRole,
levels=role_order)))
colnames(role_counts) <- c('JobRole', 'Count')
p2 <- ggplot(role_counts, aes(x=JobRole, y=Count)) +
  geom_col(fill="darkorange") + labs(title="Employees
by Job Role") +
  theme_minimal(base_size=13) +
  theme(axis.text.x=element_text(angle=45, hjust=1))
save_plot(p2, "02_bar_jobrole.png")

# 3. Grouped bar - Attrition by Department
grp <- df %>% count(Department, Attrition)
p3 <- ggplot(grp, aes(x=Department, y=n,
  fill=Attrition)) +
  geom_col(position=position_dodge()) +
  scale_fill_manual(values=c(Yes="indianred",
    No="seagreen")) +
  labs(title="Attrition by Department (Grouped)",
    y="Count") +
  theme_minimal(base_size=13) +
  theme(axis.text.x=element_text(angle=45, hjust=1))
save_plot(p3, "03_grouped_bar_attrition.png", width=7)

# 4. Stacked bar - Gender by Department
gstack <- df %>% count(Department, Gender)
p4 <- ggplot(gstack, aes(x=Department, y=n,
  fill=Gender)) +
  geom_col() + labs(title="Gender Mix by Department
(Stacked)", y="Count") +
  theme_minimal(base_size=13) +
  theme(axis.text.x=element_text(angle=45, hjust=1))
save_plot(p4, "04_stacked_bar_gender.png", width=7)

# 5. Pie - Gender distribution
gender_counts <- as.data.frame(table(df$Gender))
colnames(gender_counts) <- c('Gender', 'Count')
p5 <- ggplot(gender_counts, aes(x="", y=Count,
  fill=Gender)) +
  geom_col(width=1) + coord_polar("y") +
  labs(title="Gender Distribution") +
  theme_void(base_size=13)
save_plot(p5, "05_pie_gender.png", width=6, height=6)

# 6. Pie - Education Level distribution
edu_counts <- as.data.frame(table(df$EducationLevel))
colnames(edu_counts) <- c('EducationLevel', 'Count')
p6 <- ggplot(edu_counts, aes(x="", y=Count,
  fill=EducationLevel)) +
  geom_col(width=1) + coord_polar("y") +
  labs(title="Education Level Distribution") +
  theme_void(base_size=13)
save_plot(p6, "06_pie_education.png", width=6,
  height=6)

```

```

fig, ax = plt.subplots(figsize=(6, 4.5))
ax.hist(df['Monthly Income'], bins=20,
        color='darkcyan', edgecolor='black')
ax.set_title("Monthly Income Distribution")
ax.set_xlabel("Monthly Income")
save(fig, "08_hist_income.png")

# 9. Box plot - Monthly Income by Department
fig, ax = plt.subplots(figsize=(7, 4.5))
sns.boxplot(data=df, x='Department', y='Monthly
Income', hue='Department',
            palette='Set2', legend=False, ax=ax)
ax.set_title("Income Spread by Department")
ax.tick_params(axis='x', rotation=45)
save(fig, "09_box_income_department.png")

# 10. Violin plot - Job Satisfaction by Attrition
fig, ax = plt.subplots(figsize=(6, 4.5))
sns.violinplot(data=df, x='Attrition',
               y='JobSatisfaction', hue='Attrition',
               palette='Set3', legend=False, ax=ax)
ax.set_title("Job Satisfaction by Attrition")
save(fig, "10_violin_satisfaction.png")

# 11. Scatter - Age vs Monthly Income
fig, ax = plt.subplots(figsize=(6, 4.5))
ax.scatter(df['Age'], df['Monthly Income'], alpha=0.4,
           color='darkorange', s=20)
ax.set_title("Age vs Monthly Income")
ax.set_xlabel("Age"); ax.set_ylabel("Income")
save(fig, "11_scatter_age_income.png")

# 12. Bubble chart - Years At Company vs Income,
size=NumProjects, color=Attrition
fig, ax = plt.subplots(figsize=(7, 4.5))
colors_map = {'Yes': 'firebrick', 'No': 'steelblue'}
for att, sub in df.groupby('Attrition'):
    ax.scatter(sub['Years At Company'], sub['Monthly
Income'],
              s=sub['Num Projects'] * 10, alpha=0.4,
              color=colors_map[att], label=att)
ax.set_title("Tenure vs Income (bubble = Num
Projects)")
ax.set_xlabel("Years At Company");
ax.set_ylabel("Income")
ax.legend(title="Attrition")
save(fig, "12_bubble_tenure_income.png")

# 13. Correlation heatmap - numeric variables
fig, ax = plt.subplots(figsize=(7.5, 6.5))
numeric_cols = ['Age', 'Years At Company', 'Monthly
Income', 'JobSatisfaction',
                'Work Life Balance', 'Performance
Rating', 'Distance From Home',
                'Training Times Last Year', 'Num

```

```

# 7. Histogram - Age
p7 &lt;- ggplot(df, aes(x=Age)) +
  geom_histogram(bins=15, fill="mediumpurple",
                 color="black") +
  labs(title="Age Distribution") +
  theme_minimal(base_size=13)
save_plot(p7, "07_hist_age.png")

# 8. Histogram - Monthly Income
p8 &lt;- ggplot(df, aes(x=MonthlyIncome)) +
  geom_histogram(bins=20, fill="darkcyan",
                 color="black") +
  labs(title="Monthly Income Distribution") +
  theme_minimal(base_size=13)
save_plot(p8, "08_hist_income.png")

# 9. Box plot - Income by Department
p9 &lt;- ggplot(df, aes(x=Department, y=MonthlyIncome,
fill=Department)) +
  geom_boxplot(show.legend=FALSE) + labs(title="Income
Spread by Department") +
  theme_minimal(base_size=13) +
  theme(axis.text.x=element_text(angle=45, hjust=1))
save_plot(p9, "09_box_income_department.png", width=7)

# 10. Violin - Job Satisfaction by Attrition
p10 &lt;- ggplot(df, aes(x=Attrition, y=JobSatisfaction,
fill=Attrition)) +
  geom_violin(show.legend=FALSE) + labs(title="Job
Satisfaction by Attrition") +
  theme_minimal(base_size=13)
save_plot(p10, "10_violin_satisfaction.png")

# 11. Scatter - Age vs Monthly Income
p11 &lt;- ggplot(df, aes(x=Age, y=MonthlyIncome)) +
  geom_point(alpha=0.4, color="darkorange") +
  labs(title="Age vs Monthly Income") +
  theme_minimal(base_size=13)
save_plot(p11, "11_scatter_age_income.png")








# 12. Bubble - Tenure vs Income, size=NumProjects,
color=Attrition
p12 &lt;- ggplot(df, aes(x=YearsAtCompany,
y=MonthlyIncome, size=NumProjects, color=Attrition))
+
  geom_point(alpha=0.4) +
  scale_color_manual(values=c(Yes="firebrick",
No="steelblue")) +
  labs(title="Tenure vs Income (bubble = Num
Projects)") +
  theme_minimal(base_size=13)
save_plot(p12, "12_bubble_tenure_income.png", width=7)

# 13. Correlation heatmap - numeric variables


```

<pre> Projects'] corr = df[numeric_cols].corr() sns.heatmap(corr, cmap='coolwarm', center=0, ax=ax, annot=True, fmt='.2f', annot_kws={'size': 7}, cbar_kws={'shrink': 0.8}) ax.set_title("Correlation Heatmap") ax.tick_params(axis='x', rotation=45, labels=8) ax.tick_params(axis='y', labels=8) save(fig, "13_heatmap_correlation.png") # 14. Density plot - Monthly Income by Gender fig, ax = plt.subplots(figsize=(6, 4.5)) for gender in df['Gender'].unique(): sns.kdeplot(df[df['Gender'] == gender]['Monthly Income'], ax=ax, label=gender, fill=True, alpha=0.25) ax.set_title("Income Density by Gender") ax.legend(title="Gender") save(fig, "14_density_income_gender.png") # 15. Line chart - Average Income by Years At Company fig, ax = plt.subplots(figsize=(6, 4.5)) avg_income = df.groupby('Years At Company')['Monthly Income'].mean().sort_index() ax.plot(avg_income.index, avg_income.values, marker='o', color='seagreen') ax.set_title("Avg Income by Tenure") ax.set_xlabel("Years At Company"); ax.set_ylabel("Average Income") save(fig, "15_line_avg_income_tenure.png") # 16. Stacked area - Attrition proportion across tenure bins fig, ax = plt.subplots(figsize=(6, 4.5)) df['TenureBin'] = pd.cut(df['Years At Company'], bins=[-1, 3, 6, 9, 12, 15], labels=['0-3', '4-6', '7-9', '10-12', '13-15']) prop = df.groupby(['TenureBin', 'Attrition'], observed=True).size().unstack(fill_value=0) prop = prop.div(prop.sum(axis=1), axis=0) ax.stackplot(prop.index.astype(str), prop['Yes'], prop['No'], labels=['Yes', 'No'], colors=['indianred', 'seagreen']) ax.set_title("Attrition Proportion by Tenure Bin") ax.legend(title="Attrition") ax.set_ylim(0, 1) save(fig, "16_stacked_area_attrition.png") # 17. Treemap - Department headcount share (manual, no extra dependency) fig, ax = plt.subplots(figsize=(7, 3.5)) dept_totals = df['Department'].value_counts() </pre>	<pre> numeric_cols &lt;- c('Age', 'YearsAtCompany', 'MonthlyIncom e', 'JobSatisfaction', 'WorkLifeBalance', 'PerformanceRatin g', 'DistanceFromHome', 'TrainingTimesLastYear', 'NumProjects') corr_mat &lt;- round(cor(df[, numeric_cols]), 2) corr_long &lt;- melt(corr_mat) p13 &lt;- ggplot(corr_long, aes(x=Var1, y=Var2, fill=value)) + geom_tile() + geom_text(aes(label=value), size=3) + scale_fill_gradient2(low="blue", mid="white", high="red", midpoint=0) + labs(title="Correlation Heatmap", x="", y="") + theme_minimal(base_size=12) + theme(axis.text.x=element_text(angle=45, hjust=1)) save_plot(p13, "13_heatmap_correlation.png", width=7.5, height=6.5) # 14. Density - Income by Gender p14 &lt;- ggplot(df, aes(x=MonthlyIncome, fill=Gender)) + geom_density(alpha=0.3) + labs(title="Income Density by Gender") + theme_minimal(base_size=13) save_plot(p14, "14_density_income_gender.png") # 15. Line - Avg Income by Tenure avg_income &lt;- df %>% group_by(YearsAtCompany) %>% summarise(MonthlyIncome=mean(MonthlyIncome)) p15 &lt;- ggplot(avg_income, aes(x=YearsAtCompany, y=MonthlyIncome)) + geom_line(color="seagreen") + geom_point(color="seagreen") + labs(title="Avg Income by Tenure") + theme_minimal(base_size=13) save_plot(p15, "15_line_avg_income_tenure.png") # 16. Stacked area - Attrition proportion by tenure bin df\$TenureBin &lt;- cut(df\$YearsAtCompany, breaks=c(-1,3,6,9,12,15), labels=c('0-3','4-6','7-9','10-12','13-15')) prop &lt;- df %>% count(TenureBin, Attrition) %>% group_by(TenureBin) %>% mutate(Proportion = n / sum(n)) p16 &lt;- ggplot(prop, aes(x=TenureBin, y=Proportion, fill=Attrition, group=Attrition)) + geom_area(position="stack") + scale_fill_manual(values=c(Yes="indianred", No="seagreen")) + labs(title="Attrition Proportion by Tenure Bin") + theme_minimal(base_size=13) save_plot(p16, "16_stacked_area_attrition.png") # 17. Treemap - Department headcount share (manual geom_rect) </pre>
---	---


<pre> sizes = dept_totals.values labels = dept_totals.index norm_sizes = sizes / sizes.sum() x_cursor = 0 colors_tm = sns.color_palette('Set2', len(labels)) for lbl, sz, col in zip(labels, norm_sizes, colors_tm): ax.barh(0, sz, left=x_cursor, color=col, edgecolor='white') ax.text(x_cursor + sz / 2, 0, f"{lbl}\n{int(sz*sizes.sum())}", ha='center', va='center', fontsize=9) x_cursor += sz ax.set_xlim(0, 1); ax.set_ylim(-1, 1) ax.axis('off') ax.set_title("Department Headcount Share (Treemap)") save(fig, "17_treemap_department.png") # 18. Radar chart - Avg JobSatisfaction / WorkLifeBalance / PerformanceRating by Department fig = plt.figure(figsize=(6.5, 6.5)) ax = fig.add_subplot(111, projection='polar') metrics = ['JobSatisfaction', 'Work Life Balance', 'Performance Rating'] angles = np.linspace(0, 2 * np.pi, len(metrics), endpoint=False).tolist() angles += angles[:1] for dept in df['Department'].unique()[1:4]: # limit to 4 depts to keep it legible vals = df[df['Department'] == dept][metrics].mean().tolist() vals += vals[:1] ax.plot(angles, vals, linewidth=1.5, label=dept) ax.fill(angles, vals, alpha=0.08) ax.set_xticks(angles[:-1]) ax.set_xticklabels(metrics) ax.set_title("Dept Avg Ratings (Radar)", pad=25) ax.legend(loc='upper right', bbox_to_anchor=(1.35, 1.1)) save(fig, "18_radar_department_ratings.png") # 19. Funnel - Job Role hierarchy headcount fig, ax = plt.subplots(figsize=(6.5, 4.5)) funnel_counts = df['JobRole'].value_counts().reindex(role_order) max_val = funnel_counts.max() for i, (role, cnt) in enumerate(funnel_counts.items()): ax.barh(i, cnt, left=-cnt / 2, height=0.6, color=sns.color_palette('Blues', len(role_order))[i]) ax.text(0, i, f"{role}: {cnt}", ha='center', va='center', fontsize=10) ax.set_yticks([]) ax.set_xlim(-max_val / 2 - 10, max_val / 2 + 10) </pre>	<pre> dept_tot &lt;- df %>% count(Department) %>% arrange(desc(n)) %>% mutate(frac = n / sum(n), xmax = cumsum(frac), xmin = lag(xmax, default=0)) p17 &lt;- ggplot(dept_tot) + geom_rect(aes(xmin=xmin, xmax=xmax, ymin=0, ymax=1, fill=Department), color="white") + geom_text(aes(x=(xmin+xmax)/2, y=0.5, label=paste0(Department, "\n", n)), size=3.5) + labs(title="Department Headcount Share (Treemap)") + theme_void(base_size=13) + theme(legend.position="none") save_plot(p17, "17_treemap_department.png", width=7, height=3.5) # 18. Radar - Avg ratings by Department (first 4 departments) metrics &lt;- c('JobSatisfaction', 'WorkLifeBalance', 'PerformanceRating') top_depts &lt;- unique(df\$Department)[1:4] radar_df &lt;- df %>% filter(Department %in% top_depts) %>% group_by(Department) %>% summarise(across(all_of(metrics), mean)) %>% pivot_longer(cols=all_of(metrics), names_to="Metric", values_to="Value") p18 &lt;- ggplot(radar_df, aes(x=Metric, y=Value, group=Department, color=Department)) + geom_polygon(fill=NA, linewidth=0.8) + geom_point(size=2) + coord_polar() + labs(title="Dept Avg Ratings (Radar)", x="", y="") + theme_minimal(base_size=12) save_plot(p18, "18_radar_department_ratings.png", width=6.5, height=6.5) # 19. Funnel - Job Role hierarchy headcount (manual, centered bars) funnel_df &lt;- as.data.frame(table(factor(df\$JobRole, levels=role_order))) colnames(funnel_df) &lt;- c('JobRole', 'Count') p19 &lt;- ggplot(funnel_df, aes(x=JobRole, y=Count)) + geom_col(aes(y=Count), fill="steelblue", width=0.6) + geom_col(aes(y=-Count), fill="steelblue", width=0.6) + geom_text(aes(y=0, label=paste0(JobRole, ": ", Count)), size=3.5) + coord_flip() + labs(title="Job Role Funnel", x="", y="") + theme_minimal(base_size=13) + theme(axis.text.y=element_blank()) save_plot(p19, "19_funnel_jobrole.png", width=6.5) # 20. ECDF - Monthly Income </pre>
<pre> ax.set_title("Job Role Funnel") save(fig, "19_funnel_jobrole.png") # 20. ECDF - Monthly Income fig, ax = plt.subplots(figsize=(6, 4.5)) sorted_income = np.sort(df['Monthly Income']) ecdf_y = np.arange(1, len(sorted_income) + 1) / len(sorted_income) ax.plot(sorted_income, ecdf_y, color='darkorange') ax.set_title("ECDF - Monthly Income") ax.set_xlabel("Monthly Income"); ax.set_ylabel("Cumulative Proportion") save(fig, "20_ecdf_income.png") print(f"All 20 charts saved individually to ./{OUT_DIR}/ - no overlap, no shared cramped grid.") </pre>	<pre> p20 &lt;- ggplot(df, aes(x=MonthlyIncome)) + stat_ecdf(color="darkorange") + labs(title="ECDF - Monthly Income", y="Cumulative Proportion") + theme_minimal(base_size=13) save_plot(p20, "20_ecdf_income.png") cat("All 20 charts saved individually to ./dashboard_charts/ - no overlap, no shared cramped grid.\n") </pre>
Output	Output




Gender Distribution




Gender Distribution




Education Level Distribution




Education Level Distribution




Age Distribution




Age Distribution



















Monthly Income Distribution



Monthly Income Distribution








Department Headcount Share (Treemap)



Department Headcount Share (Treemap)




Dept Avg Ratings (Radar)




Dept Avg Ratings (Radar)




Job Role Funnel



Job Role Funnel



ECDF - Monthly Income



ECDF - Monthly Income

