

**FACE Prep**

System -
Coding |
REC | 3
Feb

Course Progress

Go Back

Back To Practice

Save

Q1

Select Language : C (GCC 9.2.0)

```
1 #include <stdio.h>
2
3 int main() {
4     int pages, frames;
5
6     printf("Enter number of pages in reference string: \n");
7     scanf("%d", &pages);
8
9     int ref[pages];
10    printf("Enter the reference string: \n");
11    for (int i = 0; i < pages; i++) {
12        scanf("%d", &ref[i]);
13    }
14
15    printf("Enter number of frames: \n");
16    scanf("%d", &frames);
17
18    int frame[frames];
```

Test Cases

Run Sample Cases

Run All Cases

Custom Test Case

Custom Test

Success

Input :

Expected Output :

```
7
1 3 0 3 5 6 3
3
```

```
Enter number of pages in
reference string:
Enter the reference
string:
Enter number of frames:
```

Output :

```
Enter number of pages in reference string:
Enter the reference string:
```

FIFO Page Replacement Algorithm

Write a C program to implement the FIFO Page Replacement Algorithm. The program should take the number of frames and a reference string (sequence of page requests) as input. For each page in the reference string, determine if it results in a 'Page Hit' or a 'Page Fault'. Display the state of the frames after each request and calculate the total number of page faults and hits.

Input Format

1. The first line of input contains an integer representing the number of pages in the reference string.
2. The second line contains the page reference string as a sequence of integers.
3. The third line contains an integer representing the number of available frames.

Output Format

The total number of Page

Completed

**FACE Prep**

System -
Coding |
REC | 3
Feb

Course Progress

Go Back

Back To Practice

Save

Q1

Select Language : C (GCC 9.2.0)

```
1 #include <stdio.h>
2
3 int main() {
4     int pages, frames;
5
6     printf("Enter number of pages in reference string: \n");
7     scanf("%d", &pages);
8
9     int ref[pages];
10    printf("Enter the reference string: \n");
11    for (int i = 0; i < pages; i++) {
12        scanf("%d", &ref[i]);
13    }
14
15    printf("Enter number of frames: \n");
16    scanf("%d", &frames);
17
18    int frame[frames];
```

Test Cases

Run Sample Cases

Run All Cases

Custom Test Case

Custom Test

Success

Input :

Expected Output :

5
1 2 3 4 5
5

Enter number of pages in
reference string:
Enter the reference
string:
Enter number of frames:

Output :

Enter number of pages in reference string:
Enter the reference string:

LRU Page Replacement Algorithm

Write a C program to implement the LRU Page Replacement Algorithm. The program should accept a reference string and the number of frames. For each page request, identify whether it results in a Hit or a Fault. If a Fault occurs and the frames are full, replace the page that was accessed least recently. Display the frame status at each step and calculate the total number of Page Faults and Hits

Input Format

1. The first line of input contains an integer representing the number of pages in the reference string. \
2. The second line contains the page reference string as a sequence of integers.
3. The third line contains an integer representing the number of available frames.

Output Format