GENVOICE CARE: AI-POWERED ELDERLY MONITORING SYSTEM

AKSHAYA G - 24619236

SRUTHI E - 24619255

ARCHANA RV - 23619237

VELS INSTITUTE OF SCIENCE, TECHNOLOGY & ADVANCED STUDIES (VISTAS)

MINI PROJECT REPORT

Submitted to the

SCHOOL OF ENGINEERING

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

(ARTIFICIAL INTELLIGENCE AND MACHINE LEARNING)

in Partial fulfillment of the requirements for the award of the degree of

BACHELOR OF TECHNOLOGY

IN

ARTIFICIAL INTELLIGENCE AND MACHINE LEARNING

VELS INSTITUTE OF SCIENCE, TECHNOLOGY AND ADVANCED STUDIES (VISTAS)

CHENNAI – 600 117

OCTOBER 2026

BONAFIDE CERTIFICATE

Certified that this project report **"GENVOICE CARE: AI-POWERED ELDERLY MONITORING SYSTEM"**, is the Bonafide work of **AKSHAYA G - 24619236, SRUTHI E - 24619255, ARCHANA RV - 23619237** carried out the project under my supervision. Certified further, that to the best of my knowledge the work reported here does not form part of any other project report or dissertation on the basis of which a degree or award was conferred on an earlier occasion on this or any other candidate.

SIGNATURE OF THE HOD

Dr. K. Ulaga Priya M.E., Ph.D
Associate Professor & Head
Of Department AI&ML
School of Engineering
VISTAS
Chennai

SIGNATURE OF THE SUPERVISOR

Dr. R. Anandan
Prof-Research Dept CSE AIML
School of Engineering
VISTAS
Chennai

Submitted for the Project Work and Viva - Voce examination held on.....

at Vels Institute of Science, Technology and Advanced Studies (VISTAS), Chennai – 600 117.

INTERNAL EXAMINER **EXTERNAL EXAMINER**

ACKNOWLEDGEMENT

It is certainly a great delight and proud privilege to acknowledge the help and support I received from the positive minds around me in making this venture a successful one. The infrastructural support with all kinds of lab facilities have been a motivating factor in this completion of project work, all because of **FOUNDER & CHAIRMAN, Shri. Dr. ISHARI K. GANESH**, with great pleasure that I take this opportunity to thank him.

I am grateful to our **HEAD OF THE DEPARTMENT, Dr. K. Dr.Ulaga Priya**, for her continuous support for the project, from initial advice and contacts in the early stages of conceptual inception, and through on-going advice and encouragement to this day.

I extend our warmest thanks to my **INTERNAL GUIDE, Dr. R. Anandan, Prof-Research Dept CSE AIML**, who has patiently guided and provided us with invaluable advice and help.

I would like to express my greatest gratitude to our Staff members, Librarian, and Non-teaching staff members of Computer Centre, who have helped and supported me throughout.

Last but not the Least, I wish to thank my parents and my friends for their individual support and interest who has inspired me and encouraged me to go in my own way, without them I would be unable to complete this project.

AKSHAYA G - 24619236
SRUTHI E - 24619255
ARCHANA RV - 23619237

Contents

S.No	Title	Page
	Acknowledgement	2
	Abbreviations	5
	Abstract	6
1. INTRODUCTION		
1.1	Overview	7
	1.1.1 Problem Statement	7
	1.1.2 Proposed Solution	7
1.2	Objectives	7
1.3	Scope	7
	1.3.1 Features Included	8
	1.3.2 Features Excluded	8
1.4	Development Timeline	8
2. LITERATURE REVIEW		
2.1	Comparative Analysis / Summary Table	8
2.2	Overall Research Gap	8
2.3	Proposed Contribution	9
2.4	Conclusion	9
3. SYSTEM DESIGN		
3.1	System Architecture	10
	3.1.1 Architecture Diagram	10
3.2	Database Design	10
3.3	API Endpoint Design	11
3.4	Technology Stack	13
4. IMPLEMENTATION		
4.1	Backend Implementation	13
4.2	Senior Mobile Application	13
	4.2.1 User Interface	13
	4.2.2 Voice Check-In Flow	14

Continued on next page

Table 1 – *Continued from previous page*

S.No	Title	Page
	4.2.3 Emergency Features	15
4.3	Caregiver Dashboard Application	15
4.4	Testing and Validation	16
	4.4.1 Backend Testing	16
	4.4.2 Mobile Testing	16
	4.4.3 Bug Fixes	16
5. RESULTS AND CONCLUSION		
5.1	Project Outcomes	17
	5.1.1 Successful Deliverables	17
	5.1.2 System Performance Analysis	17
	5.1.3 Test Results	18
5.2	Challenges Faced	18
	5.2.1 Technical Challenges	19
	5.2.2 Solutions Implemented	19
5.3	Future Enhancements	19
	5.3.1 Short-Term Enhancements (3-6 months)	19
	5.3.2 Long-Term Enhancements (6-12 months)	20
	5.3.3 Research and Validation Needs	20
5.4	Social Impact	20
5.5	Lessons Learned	20
	5.5.1 Technical Lessons	20
	5.5.2 Project Management Lessons	21
5.6	Conclusion	21

ABBREVIATIONS

Abbreviation	Full Form
AI	Artificial Intelligence
ML	Machine Learning
API	Application Programming Interface
ASGI	Asynchronous Server Gateway Interface
REST	Representational State Transfer
JSON	JavaScript Object Notation
SQLite	Structured Query Language Lite
MVVM	Model-View-ViewModel
UI	User Interface
UX	User Experience
HTTP	Hypertext Transfer Protocol
CORS	Cross-Origin Resource Sharing
SMS	Short Message Service
APK	Android Package Kit
IDE	Integrated Development Environment

ABSTRACT

A large number of people are getting older around the world. In India, the number of older adults is expected to reach 319 million by 2050, making up about 20% of the total population. At the same time, there are many jobs related to elder care that remain unfilled across the country. Traditional care systems often fail to meet all the needs of the elderly at once. They lack effective monitoring and fail to assist in proper family care management.

In order to solve these problems, we created **GenVoice Care**. This is a mobile application system designed for real-world use. It offers voice-based AI chat, live wellness assessments, and support for caregiver coordination. The system operates on the Railway cloud platform. It consists of three interconnected components. First, there is an Android app specifically tailored for seniors. It uses natural voice input through Android's SpeechRecognizer API. Second, there is a Backend server that runs on cloud using FastAPI framework with total 14 ready-to-use REST API endpoints. Third, there is an Android caregiver's dashboard with color-coding and real time monitoring system. Fourth, for voice communication part, we have used the Groq's external GPT-OSS-120B model. During testing, it provided responses within 2 to 3 seconds, enabling a more natural and smooth interaction for older adults.

For detecting health issues, we implemented a rule-based keyword check. It matches spoken words against six medical terms: pain, hurt, ache, bad, terrible, and awful. It then assigns a wellness score on an 8-point scale, with 8 for Good, 6 for Fair, and 4 for Poor. During testing in October 2026, we measured API response times across multiple endpoint calls. The average response time was approximately 661 milliseconds, with a range from 397 to 1756 milliseconds depending on the complexity of the operation. The backend successfully processed requests and maintained database connectivity throughout testing. Basic keyword detection functionality was verified through development testing, though comprehensive accuracy testing with diverse scenarios would be needed for production deployment.

The caregiver dashboard displays alerts in three priority levels: red for high priority, orange for medium, and green for normal. Data updates after a manual refresh and retrieval take about three seconds. This system is currently in production and is accessible at devoted-miracle-production-23ef.up.railway.app. It is available 24 hours a day, seven days a week. This supports the notion that voice-based monitoring for elderly users can function effectively on a larger scale. The current version is a working prototype in a cloud environment. It is intended for demonstrations and research purposes. To evaluate its clinical value in a real-world setting, further testing would be necessary. For example, involving 50 to 100 elderly individuals with diverse backgrounds. These tests would take place over several months.

Keywords: Elderly care, Voice assistant, Conversational AI, Groq API, Wellness monitoring, Caregiver coordination, Health concern detection, Machine learning, Rule-based classification, Android application, Cloud deployment, Railway platform, Production system, FastAPI, Real time monitoring

Chapter 1

INTRODUCTION

1.1 Overview of the Project

The global population is aging at an unprecedented rate. In India specifically, the number of older adults is expected to reach 319 million by 2050, making up approximately 20% of the total population. At the same time, there are many jobs related to elder care that remain unfilled across the country. According to demographic projections, the proportion of elderly individuals requiring continuous healthcare monitoring is increasing significantly. Traditional elderly care systems rely heavily on manual check-ins, scheduled visits, and reactive emergency response systems. These approaches have fundamental limitations: they cannot detect silent emergencies, they depend on the senior's ability to call for help, and they provide little insight into gradual health deterioration.

GenVoice Care addresses these limitations by introducing an AI-powered voice monitoring system that enables natural, conversational daily check-ins. The system analyzes responses for signs of health concerns using rule-based keyword detection, tracks wellness trends over time using an 8-point scoring scale, and provides caregivers with actionable insights through real-time alerts with color-coded priority levels and comprehensive dashboards. The current version is a working prototype deployed in a cloud environment, intended for demonstrations and research purposes.

1.1.1 Problem Statement

Traditional elderly monitoring systems face several critical challenges:

- **Reactive Nature:** Current systems respond to emergencies rather than detecting gradual health deterioration
- **Manual Dependency:** Seniors must actively press buttons or call for help, which fails during incapacitation
- **Limited Insight:** Caregivers receive binary alerts (emergency/no emergency) without understanding context
- **Poor Compliance:** Complex interfaces and scheduled phone calls reduce engagement rates
- **Caregiver Burden:** Family members must manually check in multiple times daily, causing anxiety and disruption

1.1.2 Proposed Solution

GenVoice Care implements a comprehensive elderly monitoring ecosystem consisting of three integrated components:

1. **Senior Mobile Application:** Natural voice-based check-in interface with morning and evening scheduled conversations
2. **Caregiver Dashboard Application:** Real-time monitoring with wellness scores, concern detection, and conversation history
3. **Backend API System:** Cloud-deployed REST API with AI conversation analysis and automated alert

generation

1.2 Objectives

The primary objectives of this project are:

1. **Natural Interaction:** Develop a voice-based conversational AI that seniors can interact with naturally, without learning complex interfaces or remembering specific commands
2. **Health Monitoring:** Implement intelligent health concern detection through conversation analysis, identifying mentions of pain, discomfort, or distress
3. **Wellness Tracking:** Create a scoring system that quantifies daily wellness based on conversation content, enabling trend analysis over time
4. **Caregiver Support:** Build a comprehensive dashboard that provides family members with actionable insights, prioritized alerts, and conversation history
5. **Cloud Deployment:** Deploy the complete system on a cloud platform (Railway) ensuring 24/7 availability and scalability
6. **Real-world Validation:** Test the system with actual API response time measurements and verify production readiness

Secondary objectives include:

7. **User Experience:** Design elderly-friendly interfaces with large fonts, high contrast colors, and minimal navigation complexity
8. **Medication Management:** Implement medication tracking and compliance monitoring integrated with daily check-ins
9. **Scalability:** Create architecture that can scale from single-user prototype to multi-tenant production system
10. **Documentation:** Provide comprehensive technical documentation for future development and deployment
11. **Demonstration:** Create a working prototype suitable for demonstration at Smart India Hackathon 2026

1.3 Scope of the Project

1.3.1 Features Included

- **Voice-Based Check-Ins:** Daily morning and evening conversational check-ins using Android SpeechRecognizer API and Groq's GPT-OSS-120B model
- **Health Concern Detection:** Automated detection of health concerns through rule-based keyword matching against six medical terms (pain, hurt, ache, bad, terrible, awful)
- **Wellness Scoring:** 8-point wellness scoring system (8=Good, 6=Fair, 4=Poor) based on conversation analysis
- **Caregiver Alerts:** Real-time alerts delivered to caregiver dashboard with color-coded priority levels (red/orange/green)
- **Medication Tracking:** Medication schedule management with compliance logging
- **Emergency Contacts:** Family member management with multiple contact methods
- **Mobile Applications:** Separate Android applications for seniors and caregivers

- **REST API Backend:** 14 endpoints deployed on Railway cloud platform with 24/7 availability
- **Conversation History:** Complete storage and retrieval of all check-in conversations
- **Dashboard Analytics:** Comprehensive caregiver dashboard showing trends, compliance, and alerts

1.3.2 Features Excluded

- **Hardware Sensors:** No wearable devices, fall detectors, or IoT sensors
- **Video Monitoring:** No video calls or camera-based monitoring
- **Electronic Health Records:** No integration with hospital or clinic EHR systems
- **Insurance Systems:** No billing, claims, or insurance integration
- **Multi-Language Support:** English-only interface in current version
- **Advanced AI Diagnostics:** No medical diagnosis or treatment recommendations
- **Prescription Management:** No automated prescription refills or pharmacy integration

1.4 Project Timeline

The project was developed during October 2-7, 2026, following an agile development approach with rapid prototyping:

- **October 2, 2026:** System architecture design, technology stack selection, database schema design, API endpoint planning, and project repository setup
- **October 3, 2026:** Complete backend API development with 14 REST endpoints, SQLite database implementation, Groq AI integration, and Postman testing verification
- **October 4, 2026:** Senior mobile application development with voice recognition, text-to-speech integration, conversation flow implementation, and critical animation crash fixes
- **October 6, 2026:** Caregiver dashboard application development with wellness scoring display, color-coded alerts, conversation history, and medication tracking views
- **October 7, 2026:** Production deployment to Railway platform, both apps synchronized with production API, complete system integration testing, and 24/7 availability verification

Chapter 2

LITERATURE REVIEW

The following literature survey reviews existing research related to conversational AI, voice-based interaction, speech recognition, elderly care, smartphone accessibility, health monitoring, and caregiver assistance. The selected studies provide the technical and research foundation for GenVoice Care AI. The final column identifies how the proposed GenVoice Care AI system can address limitations or gaps identified in the existing work.

2.1 Comparative Analysis / Summary Table

S. No.	Author – Title	Methodology	Limitations	Contribution of GenVoice Care AI to Overcome the Limitations
1	Huang et al. – Designing Conversational AI for Aging	Systematic Review	Perception-focused; lacks technical implementation	Provides a functional AI-driven smartphone control interface
2	Jakob – Voice Controlled Devices and Older Adults	Systematic Review	General device focus; limited to existing VAs	Specialized NL-based control tailored for elderly needs
3	Dragut et al. – Design of an AI-based Language Correction System	Correction System Design	Focuses solely on language correction	Integrates language support within a full care platform
4	Alotaibi & Alshahre – Role of Conversational AI Agents	Qualitative Analysis	Broad social care; lacks deep medical tracking	Combines social companionship with rigorous health logs
5	Jones et al. – Reducing Loneliness through PVAs	Empirical Study	Focused on social loneliness	Addresses both isolation and operational smartphone assistance
6	Klaassen et al. – Challenges in Speech-Based AI	Critical Review	Identifies challenges without specific tool solutions	Directly tackles UI/UX hurdles with GenVoice interface
7	Ababtain et al. – SmartCare: Mobile Application	App Development	Traditional mobile UI may be complex for some	Leverages voice-first control to simplify interaction
8	Elsaadi & Shafik – Intelligent Healthcare Platform	Platform Architecture	Complex system integration	Streamlines health management through natural dialogue

2.2 Overall Research Gap

The reviewed studies demonstrate significant progress in conversational AI, voice user interfaces, elderly healthcare, health monitoring, and assistive technologies. However, the existing approaches are generally focused on individual areas such as companionship, social support, speech recognition, health monitoring, medication management, or caregiver tracking.

A major gap remains in the integration of these capabilities with **practical natural-language smartphone control designed specifically for elderly users**. Existing voice-assistant studies identify speech-recognition, usability, privacy, and interaction challenges, while elderly-care applications provide health and caregiver functionality mainly through conventional graphical interfaces.

GenVoice Care AI addresses this gap by proposing a **voice-first elderly smartphone companion** that translates natural-language requests into smartphone actions while incorporating elderly-specific interaction and safety mechanisms.

The proposed system uses a hybrid approach in which conversational AI provides natural-language understanding, while deterministic intent classification, entity extraction, permission checking, confirmation, and action-execution layers improve reliability and safety.

2.3 Proposed Contribution

Based on the reviewed literature, GenVoice Care AI contributes the following:

1. **Natural-Language Smartphone Control:** Enables elderly users to perform supported smartphone operations without navigating complex graphical interfaces.
2. **Elderly-Oriented Conversational Interaction:** Uses simple, concise, context-aware responses and supports natural variations in user commands.
3. **Hybrid AI Architecture:** Combines conversational AI/LLM capabilities with deterministic intent classification and rule-based safety validation.
4. **Safety and Confirmation Mechanisms:** Provides explicit confirmation before sensitive operations such as calls, messages, and other potentially irreversible actions.
5. **Integrated Elderly Assistance:** Provides a foundation for combining conversational assistance, phone control, health/medication support, and caregiver assistance.
6. **Privacy and User Autonomy:** Uses permission-based caregiver access and privacy-oriented design rather than unrestricted monitoring.
7. **Accessibility:** Reduces dependence on small touch targets, complicated menus, gestures, and memorization of smartphone navigation procedures.

2.4 Conclusion

The literature survey indicates that conversational AI and voice interfaces have considerable potential to improve technology accessibility and social support for older adults. Research also demonstrates the usefulness of AI, IoT, mobile applications, and machine learning in elderly health monitoring, medication management, and caregiver support.

However, existing systems generally address these requirements separately. The reviewed literature particularly highlights challenges involving elderly speech recognition, command formulation, privacy, functional errors, and interface complexity. Existing elderly-care applications also demonstrate that health, medication, location, and caregiver functionalities can be integrated, but they commonly rely on conventional graphical interfaces.

GenVoice Care AI aims to bridge these gaps by providing a **unified, voice-first smartphone companion for elderly users**. Its primary contribution is the integration of natural-language interaction with practical smartphone control, supported by intent classification, entity extraction, confirmation mechanisms, and safety validation. The system therefore moves conversational AI from being primarily an information or companionship tool toward becoming an accessible interface for everyday smartphone assistance.

Chapter 3

SYSTEM DESIGN

3.1 System Architecture

GenVoice Care follows a three-tier client-server architecture:

1. **Presentation Layer:** Android mobile applications (senior app and caregiver app)
2. **Application Layer:** REST API backend with FastAPI framework
3. **Data Layer:** SQLite database with six normalized tables

3.1.1 Architecture Diagram

The system architecture consists of:

- **Senior Mobile App** (com.genvoice.senior) - Voice-based check-in interface
- **Caregiver Dashboard App** (com.genvoice.caregiver) - Monitoring and alerts
- **Backend API Server** - Deployed on Railway at devoted-miracle-production-23ef.up.railway.app
- **Groq AI Integration** - Natural language conversation analysis
- **SQLite Database** - Persistent storage for all system data




Figure 3.1: Three-Tier System Architecture

3.2 Database Design

Six normalized tables with seniors as central entity: (1) **seniors** - profile (senior_id, name, phone, DOB, address, emergency contact), (2) **family_members** - caregivers (family_id, relationship, contacts), (3) **check_ins** - conversations (checkin_id, transcript, wellness score, concerns), (4) **medications** - prescriptions (medication_id, name, dosage, schedule), (5) **medication_logs** - compliance tracking (log_id, taken/missed status), (6) **emergency_alerts** - alerts (alert_id, type, severity, resolution).




Figure 3.2: Entity-Relationship Diagram with six database tables

3.3 API Endpoint Design

14 REST endpoints in five categories: System (health check, dashboard), Senior Management (list, get, register), Check-In (history, submit, details), Medication (list, add, log), Emergency (get alerts, create, resolve). Figure 3.3 shows request-response flow with validation and HTTP status codes (200/201/400/500).




Figure 3.3: FastAPI Request-Response Flow

Table 3.1 lists all endpoints:

Method	Endpoint	Description	Response
System Endpoints			
GET	/health	Health check with database status	200
GET	/api/v1/dashboard/senior/{id}	Complete dashboard data for senior	200
Senior Management			
GET	/api/v1/seniors	List all registered seniors	200
GET	/api/v1/seniors/{id}	Get specific senior details	200
POST	/api/v1/seniors	Register new senior citizen	201
Check-In Management			
GET	/api/v1/seniors/{id}/checkins	Get check-in history for senior	200
POST	/api/v1/checkins	Submit new voice check-in	201
GET	/api/v1/checkins/{id}	Get specific check-in details	200
Medication Management			
GET	/api/v1/seniors/{id}/medications	List all medications for senior	200
POST	/api/v1/medications	Add new medication	201
POST	/api/v1/medications/{id}/log	Log medication taken/missed	201
Emergency Management			
GET	/api/v1/seniors/{id}/alerts	Get active emergency alerts	200
POST	/api/v1/alerts	Create new emergency alert	201
PUT	/api/v1/alerts/{id}/resolve	Mark alert as resolved	200

Table 3.1: Complete REST API Endpoints

3.4 Technology Stack

Backend: FastAPI + Uvicorn, SQLite + SQLAlchemy ORM, Groq GPT-OSS-120B (2-3s response), Python 3.12, Railway deployment.

Mobile Apps: Kotlin + Jetpack Compose, MVVM architecture, Retrofit + OkHttp networking, Android SpeechRecognizer API (senior app).

Requirements: Android 8.0+, 2GB RAM, Railway cloud (512MB RAM, 1GB storage), Windows 11 development environment.

Chapter 4

IMPLEMENTATION

4.1 Backend Implementation

The backend server uses FastAPI with 14 REST endpoints deployed on Railway cloud (https://devoted-miracle-production-23ef.up.railway.app). SQLAlchemy ORM manages six database tables. Groq AI (model: gpt-oss-120b) processes conversations with 2-3 second response time. Rule-based keyword detection scans for six medical terms (pain, hurt, ache, bad, terrible, awful) and assigns wellness scores: 8 (Good), 6 (Fair), 4 (Poor).

4.2 Senior Mobile Application

4.2.1 User Interface

The senior app features elderly-friendly design with large text (18sp+), high contrast colors, and voice-first interaction. Figure 4.1 shows the home screen with microphone button and emergency access.




Figure 4.1: Senior App - Home Screen

4.2.2 Voice Check-In Flow

Figure 4.2 displays the listening state when capturing voice input, and Figure 4.3 shows the speaking state during text-to-speech response.




Figure 4.2: Voice Listening State




Figure 4.3: Voice Speaking State

Algorithm: Voice Check-In Processing

1. Initialize SpeechRecognizer and capture audio input
2. Convert speech to text using Android SpeechRecognizer API
3. Send POST request to /api/v1/checkins with senior_id and text
4. Backend processes with Groq AI and detects keywords
5. Calculate wellness score based on concerns detected
6. Save check-in record to database
7. Return confirmation message via text-to-speech
8. If concerns detected, trigger caregiver alert

4.2.3 Emergency Features

The app includes emergency assistance accessible via button or voice command (”help” or ”emergency”). Figure 4.4 shows the emergency screen, and Figure 4.5 displays the confirmation after alert transmission.




Figure 4.4: Emergency Alert Screen




Figure 4.5: Emergency Alert Sent

4.3 Caregiver Dashboard Application

The caregiver app displays senior overview cards with wellness scores, recent check-ins, and color-coded concern alerts. Figure 4.6 shows the dashboard with Margaret Johnson’s check-in history, including Good (85) and Fair (70) scores with detected health concerns highlighted.




Figure 4.6: Caregiver Dashboard with Check-In History

Concern detection logic scans conversations for keywords and displays red/orange alerts with conversation excerpts. The dashboard refreshes manually and connects to the production backend for real-time data retrieval.

4.4 Testing and Validation

4.4.1 Backend Testing

Postman testing (October 2026) verified 14 endpoints with 100% success rate. API response times ranged 397-1756ms (average: 661ms). Health check confirms database connectivity and active senior count.

4.4.2 Mobile Testing

Both apps tested on OnePlus AC2001 device. Senior app successfully captures voice input, processes via backend, and displays AI responses. Caregiver app retrieves and displays check-in data with color-coded alerts. End-to-end flow operational from voice capture to dashboard display.

4.4.3 Bug Fixes

Three critical bugs resolved: (1) String.capitalize() deprecated - fixed with replaceFirstChar{it.uppercase()}, (2) Groq AI httpx conflict - pinned httpx==0.24.1 and groq==0.4.0, (3) LocalTunnel unreliable - migrated to Railway for permanent URL.

Chapter 5

RESULTS AND CONCLUSION

5.1 Project Outcomes

5.1.1 Successful Deliverables

GenVoice Care was successfully developed and deployed with all planned features:

1. **Production Backend API:** 14 REST endpoints deployed on Railway cloud
2. **Senior Mobile Application:** Voice-based check-in app installed and tested
3. **Caregiver Dashboard Application:** Real-time monitoring app with concern detection
4. **AI Integration:** Groq AI successfully analyzing conversations
5. **Database System:** SQLite with 6 normalized tables managing all data
6. **Complete Documentation:** README files, API docs, deployment guides

5.1.2 System Performance Analysis

The system was tested for performance metrics including API response time, endpoint reliability, and overall system availability during October 2026. Figure 5.1 shows the response time distribution with an average of 661ms across 9 API calls. Figure 5.2 illustrates 100% success rate and continuous availability since deployment. Figure 5.3 displays the wellness score distribution from 8 check-ins with the test senior.




Figure 5.1: API Response Time Distribution




Figure 5.2: System Performance Metrics




Figure 5.3: Wellness Score Distribution

5.1.3 Test Results

Sample Senior: Margaret Johnson

- Senior ID: 8e863196-9110-4a6e-89c0-f3ef0c16179d
- Total check-ins in database: 8
- Check-in data successfully stored and retrieved via API
- Family members: 1 (Sarah Johnson, daughter)
- Profile data accessible through REST endpoints

Keyword Detection Implementation:

- Detection keywords implemented: pain, hurt, ache, bad, terrible, awful
- Wellness scoring system: 8-point scale (8=Good, 6=Fair, 4=Poor)
- Color-coded alert system: Red (high priority), Orange (medium), Green (normal)
- Rule-based matching algorithm implemented in backend
- Basic functionality verified through development testing
- Comprehensive accuracy validation would be conducted in production deployment phase

5.2 Challenges Faced

5.2.1 Technical Challenges

1. **Dependency Compatibility:** Groq library required specific httpx version
2. **Android API Deprecations:** Kotlin String.capitalize() deprecated
3. **Network Configuration:** Initial Windows Firewall issues with local testing
4. **Animation Framework:** Jetpack Compose animation version conflicts

5.2.2 Solutions Implemented

1. Pinned exact dependency versions in requirements.txt
2. Updated Kotlin code to use current APIs
3. Used Railway deployment to bypass local network issues
4. Replaced animated components with static alternatives

5.3 Future Enhancements

The following enhancements would expand the system's capabilities and clinical usefulness:

5.3.1 Short-Term Enhancements (3-6 months)

1. **SMS Alert Integration:** Integrate Twilio API to send SMS notifications to caregivers when high-priority concerns are detected, ensuring alerts reach caregivers even when they are not actively using the app
2. **Multi-Senior Support:** Enable a single caregiver to monitor multiple elderly family members through a unified dashboard with filtering and sorting capabilities
3. **Wellness Trend Visualization:** Add charts and graphs showing wellness score trends over time, enabling caregivers to identify gradual health deterioration patterns
4. **Enhanced Medication Tracking:** Integrate medication reminders with check-in conversations, prompting the AI to ask about medication compliance during daily conversations

5.3.2 Long-Term Enhancements (6-12 months)

5. **Predictive Analytics:** Implement machine learning models trained on historical check-in data to predict potential health issues before symptoms become severe
6. **Video Check-In Option:** Add optional video check-ins for caregivers who want visual confirmation of their elderly family member's wellbeing
7. **Wearable Device Integration:** Connect with smartwatches or fitness trackers to incorporate physiological data (heart rate, step count, sleep patterns) into wellness assessments
8. **Multi-Language Support:** Extend the system to support regional Indian languages (Hindi, Tamil, Telugu, Bengali) to reach non-English-speaking elderly populations
9. **Healthcare Provider API Integration:** Enable secure data sharing with physicians and hospitals through FHIR-compliant APIs
10. **Fall Detection:** Integrate accelerometer-based fall detection with automatic emergency alert generation

11. **Voice Biometrics:** Implement voice pattern analysis to detect subtle changes in speech that may indicate neurological conditions like Parkinson's disease or stroke

5.3.3 Research and Validation Needs

Clinical validation would require comprehensive testing with 50-100 elderly individuals over several months to evaluate:

- User engagement rates and conversation quality over time
- Conversation pattern analysis for improved health concern detection
- AI accuracy validation against clinical assessments by healthcare professionals
- Caregiver stress reduction and quality of life improvements
- Cost-effectiveness compared to traditional monitoring approaches

5.4 Social Impact

GenVoice Care addresses significant social challenges related to India's aging population:

1. **Enabling Aging in Place:** The system allows elderly individuals to remain in their homes longer by providing continuous monitoring without requiring institutional care, preserving independence and quality of life while reducing the financial burden of assisted living facilities
2. **Reducing Caregiver Burden:** By automating daily check-ins and providing structured alerts, the system reduces the anxiety and time commitment required from family caregivers who may be juggling work, their own families, and elderly parent care simultaneously
3. **Early Health Issue Detection:** The continuous monitoring approach enables detection of gradual health deterioration that might be missed during infrequent in-person visits, potentially preventing emergency hospitalizations through earlier intervention
4. **Maintaining Social Connections:** Regular conversational check-ins provide daily social interaction for isolated elderly individuals, combating loneliness and depression which are significant health risks for this population
5. **Democratizing Access to Care Technology:** By using affordable smartphones rather than expensive specialized hardware, the system makes elderly monitoring accessible to middle-class Indian families who cannot afford premium eldercare services but want to ensure their parents' safety and wellbeing

5.5 Lessons Learned

5.5.1 Technical Lessons

1. **Cloud Deployment Simplifies Configuration:** Using Railway for deployment eliminated local network configuration issues and provided a stable production URL immediately, accelerating development compared to managing local tunneling solutions
2. **Dependency Version Pinning is Critical for AI Libraries:** The Groq AI library required specific httpx versions, and unpinned dependencies caused runtime errors. Explicitly pinning all dependency versions in requirements.txt prevented future compatibility issues
3. **MVVM Architecture Suits Mobile Healthcare Applications:** The separation of concerns provided by

MVVM made it easy to modify UI components without affecting business logic, particularly valuable when iterating on elderly-friendly interface designs

4. **SQLite is Adequate for MVP Prototypes:** While PostgreSQL would be needed for production multi-tenant deployment, SQLite provided sufficient performance and simplicity for prototype development with a single test senior
5. **Rule-Based Systems Provide Transparency:** Using simple keyword detection rather than complex ML models made the system's decision-making process transparent and debuggable, which is important for healthcare applications where explainability matters

5.5.2 Project Management Lessons

6. **Rapid Prototyping Validates Concepts Quickly:** Building a working prototype in 5 days provided concrete evidence of technical feasibility and surfaced real implementation challenges that would not have been apparent from design documents alone
7. **Real Device Testing Catches Issues Emulators Miss:** Testing on actual OnePlus AC2001 device revealed animation compatibility issues and network connectivity problems that did not occur in Android Studio emulators
8. **Early Production Deployment Enables Realistic Testing:** Deploying to Railway on day 3 allowed the remaining development time to test against a real production environment rather than discovering deployment issues at the end
9. **Documentation Should Be Written Concurrently:** Writing API documentation and deployment guides while building the system ensured accuracy and completeness, whereas retroactive documentation often misses important details
10. **Simple Features Deployed Beat Complex Features Planned:** Choosing a simple rule-based keyword detection system that could be deployed immediately proved more valuable than designing a sophisticated ML system that would have required additional weeks of development and training data collection

5.6 Conclusion

The GenVoice Care project successfully demonstrates the feasibility of AI-powered voice monitoring systems for elderly healthcare monitoring. The system achieved functional deployment with an average API response time of 661 milliseconds across tested endpoints, deployed backend infrastructure on Railway cloud platform, and implemented core features including voice-based check-ins, keyword detection, and caregiver dashboard monitoring.

The system is currently deployed at devoted-miracle-production-23ef.up.railway.app with 24/7 availability. The current version is a working prototype developed in October 2026 and is intended for demonstrations and research purposes. The system successfully demonstrates the technical feasibility of the approach with one test senior (Margaret Johnson) and 8 check-ins stored in the database. To evaluate its clinical value and validate accuracy metrics in a real-world setting, comprehensive testing with 50 to 100 elderly individuals with diverse backgrounds over several months would be necessary.

This project fulfills the requirements for Smart India Hackathon 2026 and addresses the Y Combinator problem statement "AI for the Aging Population". The combination of natural voice interfaces with Groq's GPT-OSS-120B model, rule-based health concern detection with 6 medical keywords, 8-point wellness scoring, and color-coded real-time caregiver alerts creates a foundation for a comprehensive elderly monitoring ecosystem. The prototype demonstrates that voice-based monitoring for elderly users is technically achievable and provides a solid foundation for future development and clinical validation.

Bibliography

[1] J. Zhou, P. Rau, and G. Salvendy, "Older adults' use of smart phones: An investigation of the factors influencing the acceptance of new functions," *Behaviour & Information Technology*, vol. 33, no. 6, pp. 552-560, 2014.

[2] A. L. Pradhan, K. Findlater, and A. Lazar, "Use of intelligent voice assistants by older adults with low technology use," *ACM Transactions on Computer-Human Interaction*, vol. 27, no. 4, pp. 1-27, 2020.

[3] M. Lopez, J. Bergmann, and A. Hunter, "Voice-activated virtual assistants for the older people: a review," *Digital Health*, vol. 6, pp. 1-16, 2020.

[4] F. Portet et al., "Design and evaluation of a smart home voice interface for the elderly: acceptability and objection aspects," *Personal and Ubiquitous Computing*, vol. 17, no. 1, pp. 127-144, 2013.

[5] M. Vacher, B. Lecouteux, and F. Portet, "Recognition of voice commands by multisource ASR and noise cancellation in a smart home environment," in *Proc. European Signal Processing Conference*, 2013, pp. 1-5.

[6] A. Pradhan, A. Lazar, and K. Findlater, "Phantom friend or just a box with information: Personification and ontological categorization of smart speaker-based voice assistants by older adults," *Proceedings of the ACM on Human-Computer Interaction*, vol. 4, no. CSCW2, pp. 1-21, 2020.

[7] J. Kowalski, B. Jaskulska, K. Skorupska, et al., "Older adults and voice interaction: A pilot study with Google Home," in *Proc. Extended Abstracts CHI Conference on Human Factors in Computing Systems*, 2019, pp. 1-6.

[8] S. Harada, J. Wobbrock, and J. Landay, "VoiceDraw: A hands-free voice-driven drawing application for people with motor impairments," in *Proc. ACM International Conference on Computers and Accessibility*, 2011, pp. 27-34.

[9] G. Lepicard and N. Vigouroux, "Touch screen user interfaces for older subjects: effect of the targets number and size," in *Proc. International Conference on Computers for Handicapped Persons*, 2010, pp. 592-599.

[10] "BIG Launcher: Easy Phone for Seniors," Available: `https://biglauncher.com`, Accessed: 2026.

[11] T. Bickmore, L. Caruso, K. Clough-Gorr, and T. Heeren, "It's just like you talk to a friend- relational agents for older adults," *Interacting with Computers*, vol. 17, no. 6, pp. 711-735, 2005.

[12] G. Lopez, L. Quesada, and L. Guerrero, "Alexa vs Siri vs Cortana vs Google Assistant: A comparison of speech-based natural user interfaces," in *Advances in Human Factors and Systems Interaction*, 2017, pp. 241-250.

[13] Google, "Android Speech Recognition API Documentation," Available: `https://developer.android.com/reference/android/speech/SpeechRecognizer`, Accessed: 2026.

[14] Google, "Android TextToSpeech API Documentation," Available: `https://developer.android.com/reference/android/speech/tts/TextToSpeech`, Accessed: 2026.

[15] S. Ramirez, "FastAPI framework, high performance, easy to learn, fast to code, ready for production," Available: https://fastapi.tiangolo.com, Accessed: 2026.

[16] Google, "Guide to app architecture- Android Developers," Available: https://developer.android.com/topic/architecture, Accessed: 2026.

[17] W3C, "Web Content Accessibility Guidelines (WCAG) 2.1," Available: https://www.w3.org/TR/WCAG21/, 2018.

[18] R. Vipperla, M. Wolters, K. Georgila, and S. Renals, "Speech input from older users in smart environments: Challenges and perspectives," in *Proc. International Conference on Universal Access in Human-Computer Interaction*, 2009, pp. 117-126.

[19] C. Pearl, *Designing Voice User Interfaces: Principles of Conversational Experiences*. O'Reilly Media, 2016.

[20] L. Barnard, J. Bradley, F. Hodgson, and A. Lloyd, "Learning to use new technologies by older adults: Perceived difficulties, experimentation behaviour and usability," *Computers in Human Behavior*, vol. 29, no. 4, pp. 1715-1724, 2013.