20MCA132 OBJECT ORIENTED

LAB EXAM-2

SUBMITTED BY

VIVIN V. ABRAHAM
R MCA-2020-S2
ROLL NO : 42

SUBMITTED TO ,

GLORIYA MISS

SET-1

1. Using exception handling, develop a program to perform all the arithmetic operations.

PROGRAM

```
import java.util.*;
class Arith
{
  public static void main(String args[])
  {
      Scanner ab= new Scanner(System.in);
      System.out.println("Arithmetic Operations");
      System.out.println("Enter First number");
      int num1=ab.nextInt();
      System.out.println("Enter Second number");
      int num2=ab.nextInt();
      try{
      int sum=num1+num2;
      System.out.println ("The number "+num1+"+"+num2+" = "+sum);
     }
    catch(ArithmeticException e){
      System.out.println ("You Shouldn't add these values");
     }
      try{
      int sub=num1-num2;
      System.out.println ("The number "+num1+"-"+num2+" = "+sub);
            }
     catch(ArithmeticException e){
      System.out.println ("You Shouldn't substract these values");
            }
    try{
      int product=num1*num2;
      System.out.println ("The number "+num1+"*"+num2+" = "+product);
            }
     catch(ArithmeticException e){
      System.out.println ("You Shouldn't multiply these numbers");
            }
    try{
      int division=num1/num2;
      System.out.println ("The number "+num1+"/"+num2+" = "+division);
            }
     catch(ArithmeticException e){
      System.out.println ("You Shouldn't divide a number by zero");
            }
```

```
        try{
         int mod=num1%num2;
         System.out.println ("The number "+num1+"%"+num2+" = "+mod);
                }
        catch(ArithmeticException e){
         System.out.println ("You Shouldn't find mod from these numbers");
                }
    }

}
```

OUTPUT

2. Using an applet, draw a traffic light and change the colour using a mouse event.

PROGRAM

```
import java.awt.*;
import java.awt.event.*;
import java.awt.event.MouseEvent;

public class trafic extends Frame implements MouseListener {

    int cir = 0;

    public trafic() {
        addMouseListener(this);

        setSize(300, 300);
        setLayout(null);
        setVisible(true);
    }
```

```
    public void mouseClicked(MouseEvent e) {
        Graphics g = getGraphics();

        g.setColor(Color.red);
        g.fillOval(100, 50, 50, 100);
        g.setColor(Color.white);
        g.fillOval(100, 250, 50, 100);

        if (e.getClickCount() == 1) {
            g.setColor(Color.green);
            g.fillOval(100, 150, 50, 100);
            g.setColor(Color.white);
            g.fillOval(100, 50, 50, 100);
            g.setColor(Color.white);
            g.fillOval(100, 250, 50, 100);

        } else if (e.getClickCount() == 2) {

            g.setColor(Color.yellow);
            g.fillOval(100, 250, 50, 100);
            g.setColor(Color.white);
            g.fillOval(100, 150, 50, 100);
            g.setColor(Color.white);
            g.fillOval(100, 50, 50, 100);
        }

    }

    public void mouseEntered(MouseEvent e) {

    }

    public void mouseExited(MouseEvent e) {

    }

    public void mousePressed(MouseEvent e) {

    }

    public void mouseReleased(MouseEvent e) {

    }

    public static void main(String[] args) {
        new trafic();
    }
}
```

OUTPUT


D:\java_lab>javac trafic.java
D:\java_lab>java trafic


D:\java_lab>javac trafic.java
D:\java_lab>java trafic


D:\java_lab>javac trafic.java
D:\java_lab>java trafic