



UNIVERSITÄT  
BAYREUTH

– P&E Master's Programme –  
Chair of Philosophy, Computer  
Science & Artificial Intelligence

---

# Automating the Modelling of Transformative Artificial Intelligence Risks

*“An Epistemic Framework for Leveraging Frontier AI Systems to Upscale Conditional  
Policy Assessments in Bayesian Networks on a Narrow Path towards Existential Safety”*

A thesis submitted at the Department of Philosophy  
for the degree of *Master of Arts in Philosophy & Economics*

---

**Author:**

Valentin Jakob Meyer  
Valentin.meyer@uni-bayreuth.de  
*Matriculation Number:* 1828610  
*Tel.:* +49 (1573) 4512494  
Pielmühler Straße 15  
52066 Lappersdorf

**Supervisor:**

Dr. Timo Speith

*Word Count:*  
30.000

*Source / Identifier:*  
Document URL

26th of May 2025

# Contents

<b>Preface</b>	<b>4</b>
<b>Abstract</b>	<b>5</b>
<b>Outline(s): Table of Contents</b>	<b>6</b>
<b>1 Introduction</b>	<b>7</b>
1.1 Abstract . . . . .	7
1.2 Motivation: Problem Statement . . . . .	7
1.3 Motivation: Research Question . . . . .	7
1.4 Scope: Aim & Context of the Research . . . . .	7
1.5 Significance of the Research: Theory of Change . . . . .	7
1.6 Thesis Statement & Position: (Aim of the Paper) . . . . .	8
1.7 Overview: Structure & Approach of the Paper (Roadmap — Theory of Change) . . . . .	8
1.8 Table of Contents . . . . .	8
1.9 Problem Statement — Motivation . . . . .	8
1.10 Aim of the Paper . . . . .	9
1.10.1 Research Question & Scope . . . . .	9
1.10.2 Significance of the Research . . . . .	9
1.11 Theory of Change — Approach & Structure of the Paper . . . . .	9
1.11.1 The Coordination Crisis in AI Governance . . . . .	10
1.11.2 1.2 Research Question and Scope . . . . .	10
1.11.3 1.3 The Multiplicative Benefits Framework . . . . .	10
1.11.4 1.4 From Theory to Practice: A Roadmap . . . . .	10
1.12 Overview / Table of Contents . . . . .	10
<b>2 Context</b>	<b>11</b>
2.1 Background Considerations . . . . .	12
2.2 Literature, Concepts & Terminology . . . . .	12
2.2.1 DAG / BayesNets . . . . .	12
2.2.2 State of the art (MTAIR) — Explanation . . . . .	12
2.3 Theoretical Foundations . . . . .	12
2.3.1 <b>AI Existential Risk: The Carlsmith Model</b> . . . . .	12
2.3.2 <b>The Epistemic Challenge of Policy Evaluation</b> . . . . .	12
2.3.3 <b>Argument Mapping and Formal Representations</b> . . . . .	12
2.3.4 <b>Bayesian Networks as Knowledge Representation</b> . . . . .	12
2.3.5 <b>The MTAIR Framework: Achievements and Limitations</b> . . . . .	12
2.3.6 <b>“A Narrow Path”: Conditional Policy Proposals in Practice</b> . . . . .	12

2.3.7	(Intro) Example — Rain/Sprinkler/Lawn . . . . .	12
2.4	Methodology . . . . .	13
2.4.1	From World Models to Computational Representation . . . . .	13
2.5	Practical Real World Examples . . . . .	13
2.5.1	Rain-Sprinkler-Grass DAG . . . . .	13
<b>3</b>	<b>AMTAIR</b>	<b>15</b>
3.1	Rain-Sprinkler-Grass Example . . . . .	15
3.2	Software Implementation . . . . .	15
3.2.1	System Architecture (and Data Flow) Overview . . . . .	15
3.2.2	Automated Extraction Pipeline: . . . . .	16
3.2.3	The Two-Stage Extraction from Carlsmith . . . . .	16
3.2.4	Network Construction and Visualization . . . . .	18
3.3	Inference & Extensions . . . . .	19
3.3.1	Probabilistic Inference Engine . . . . .	19
3.3.2	Policy Evaluation Interface . . . . .	19
3.3.3	Prediction Market Integration Module . . . . .	19
3.4	Results & Analysis: From Theory to Application . . . . .	19
3.4.1	Extraction Quality Assessment . . . . .	19
3.4.2	Computational Performance Analysis . . . . .	19
3.4.3	Case Study: The Carlsmith Model Formalized . . . . .	19
3.4.4	Comparative Analysis of AI Governance Worldviews . . . . .	19
3.4.5	Policy Impact Evaluation: Proof of Concept . . . . .	19
3.5	Insights & Findings . . . . .	19
3.5.1	Automated Modeling Pipeline — From Academic Papers to Political Strategy . . . . .	19
3.5.2	Project Scaling — Workflow Pipeline & Automation . . . . .	19
3.5.3	Computational Complexity — Computational Tractability . . . . .	20
3.5.4	External Validation — Manual Extraction & Processing . . . . .	21
<b>4</b>	<b>Discussion</b>	<b>22</b>
<b>5</b>	<b>Discussion — Exchange, Controversy &amp; Influence</b>	<b>23</b>
5.1	Challenges & Problems — Red Teaming Problems, Failures & Downsides . . . . .	23
5.2	Implications & Impact — Uptake, Feedback Loops, Uptake & Success — Green Teaming — . . . . .	23
5.3	Known Unknowns & Unknown Unknowns — Input Data Example: Modeling Author Worldviews from Bibliographies Instead of Individual Papers . . . . .	24
5.4	Discussion: Implications and Limitations . . . . .	24
<b>6</b>	<b>Conclusion</b>	<b>25</b>
6.1	The Current State of Things & How to Continue . . . . .	25
6.2	Summary — Key Takeaways & Findings . . . . .	25
6.2.1	Assessing Policy Effects: . . . . .	25
6.2.2	Conditional Probability: . . . . .	25
6.2.3	Methodology: . . . . .	25
6.2.4	Purpose: . . . . .	25
6.3	Outlook — Outlook & Next Steps / Further Research . . . . .	26
6.3.1	Scaling Up: . . . . .	26

6.3.2	Collaboration: . . . . .	26
6.3.3	Technological Enhancements: . . . . .	26
6.3.4	Potential Impact: . . . . .	26
6.3.5	Limitations of the Analysis . . . . .	26
6.3.6	Policy Implications & Recommendations . . . . .	26
6.3.7	Areas for Future Research . . . . .	26
6.3.8	Open Questions — Central/Remaining Questions & Feedback . . .	26
6.3.9	Outlook — Outlook & Next Steps / Further Research . . . . .	27
6.4	Conclusion: Toward an Adaptive AI Governance Framework . . . . .	27
6.4.1	Key Contributions and Findings . . . . .	27
6.4.2	Limitations of the Current Implementation . . . . .	27
6.4.3	Policy Implications and Recommendations . . . . .	27
6.4.4	Future Research Directions . . . . .	27
6.4.5	Concluding Reflections . . . . .	27
<b>Frontmatter</b>		<b>28</b>
	<b>Acknowledgments</b> . . . . .	28
<b>Prefatory Apparatus: Illustrations and Terminology — Quick References</b>		<b>29</b>
	List of Tables . . . . .	29
	List of Graphics & Figures . . . . .	30
	List of Abbreviations . . . . .	30
	Checklists . . . . .	31
	“Usual paper requirements” . . . . .	31
	. . . . .	31
	(Format:) ~ Anything that makes it easier to understand . . . . .	31
<b>7</b>	<b>Quarto Syntax</b>	<b>33</b>
7.1	Headings & Potential Headings . . . . .	33
<b>Bibliography (References)</b>		<b>36</b>
<b>Appendices</b>		<b>37</b>
<b>A</b>	<b>Appendices</b>	<b>37</b>
A.1	Appendix A: Technical Implementation Details . . . . .	37
A.2	Appendix B: Model Validation Procedures . . . . .	37
A.3	Appendix C: Case Studies . . . . .	37
A.4	Appendix D: Ethical Considerations . . . . .	37
<b>B</b>	<b>appendixA</b>	<b>38</b>

# Preface

This is a Quarto book.

To learn more about Quarto books visit <https://quarto.org/docs/books>.

# Abstract

## Outline(s): Table of Contents

# Chapter 1

## Introduction

### 10% of Grade: ~ 14% of text ~ 4200 words ~ 10 pages

- introduces and motivates the core question or problem
- provides context for discussion (places issue within a larger debate or sphere of
- states precise thesis or position the author will argue for
- provides roadmap indicating structure and key content points of the essay

### 1.1 Abstract

[x] introduces and motivates the core question or problem

### 1.2 Motivation: Problem Statement

AIs are (on the path to) getting smarter than humans  
Humanities (de-centralized) collective information processing, sense-making AND c  
BUT new technology/AI also enables new modes/methods of collective information pr  
therefore this thesis/AMTAIR aspires to be an epistemic tool that enables/empower

### 1.3 Motivation: Research Question

- [ ] provides context for discussion (places issue within a larger debate or sphere of relevance)

### 1.4 Scope: Aim & Context of the Research

### 1.5 Significance of the Research: Theory of Change

- [ ] states precise thesis or position the author will argue for



## 1.6 Thesis Statement & Position: (Aim of the Paper)

AMTAIR is a new epistemic tool/framework that enables/empowers humanities collective information processing, comprehension and thereby enables the necessary coordination ... (to compete with AIs?)

[ ] provides roadmap indicating structure and key content points of the essay

## 1.7 Overview: Structure & Approach of the Paper (Roadmap — Theory of Change)

## 1.8 Table of Contents

## 1.9 Problem Statement — Motivation

Continued AI Progress:

- Rapid advancements in AI technology increase both potential benefits and risks.

Existential Risks (AI X-Risk):

- Advanced AI systems could pose significant threats if misaligned with human values.

Complexity Challenges:

- The intricate nature of AI systems complicates policy formulation and understanding.

Limitations of Current Approaches:

- MTAIR's Reliance on Human Labor:
  - Modeling Transformative AI Risks (MTAIR) is constrained by manual cognitive efforts.
- Need for Automation:
  - Scaling and automating risk modeling is essential to keep pace with AI developments.

Opportunity:

- Leveraging new technologies to enhance our ability to model and mitigate AI risks.

## 1.10 Aim of the Paper

### 1.10.1 Research Question & Scope

**Can frontier AI technologies be utilized to automate the modeling of transformative AI risks, so as to allow for the prediction of policy impacts?**

Frontier AI Technology: Today's most capable AI systems (e.g. GPT4 level LLMs)

Scaling Up: Automating the previously "manual" cognitive labor

Modeling: Formalizing the world views underlying arguments

Transformative AI: Level of AI capabilities defined by severe impact on the world

Safety & Governance Literature: Publications, reports etc. concerned with risks from AI

Automated Estimation: Non-manual (AI systems + scaffolding), quantified evaluations

Probability Distributions: Formal expressions of the expectations over future worlds

Conditional Trees of Possible Worlds: "If ... then..." reasoning over ways things may play out

Forecasting Policy Impacts: Qualitative & quantitative evaluation of expected outcomes

### 1.10.2 Significance of the Research

## 1.11 Theory of Change — Approach & Structure of the Paper

Multiplicative Benefits:

- Automation × Live Prediction Market Integrations × Policy Impact Evaluations

Explanation:

Automation:

- Increases efficiency and scalability of risk modeling.

Live Prediction Markets:

- Provides up-to-date, collective intelligence to inform models.

Policy Impact Evaluations:

- Improves the accuracy and relevance of policy assessments.

Outcome:

- Enhanced ability to develop effective policies that mitigate AI risks.

Visual Aid:

- A diagram illustrating how each component amplifies the others, leading to greater overall impact.

- 1.11.1 The Coordination Crisis in AI Governance
- 1.11.2 1.2 Research Question and Scope
- 1.11.3 1.3 The Multiplicative Benefits Framework
- 1.11.4 1.4 From Theory to Practice: A Roadmap
- 1.12 Overview / Table of Contents

# Chapter 2

## Context

### 20% of Grade: ~ 29% of text ~ 8700 words ~ 20 pages

- demonstrates understanding of all relevant core concepts
- explains why the question/thesis/problem is relevant in student's own words (support)
- situates it within the debate/course material
- reconstructs selected arguments and identifies relevant assumptions
- describes additional relevant material that has been consulted and integrates it with
  - 1. successively (chunk my chunk) introduce concepts/ideas — and 2. ground each with existing literature

## **2.1 Background Considerations**

## **2.2 Literature, Concepts & Terminology**

### **2.2.1 DAG / BayesNets**

### **2.2.2 State of the art (MTAIR) — Explanation**

Carlsmith Model (Analytica)

## **2.3 Theoretical Foundations**

### **2.3.1 AI Existential Risk: The Carlsmith Model**

### **2.3.2 The Epistemic Challenge of Policy Evaluation**

### **2.3.3 Argument Mapping and Formal Representations**

### **2.3.4 Bayesian Networks as Knowledge Representation**

### **2.3.5 The MTAIR Framework: Achievements and Limitations**

### **2.3.6 “A Narrow Path”: Conditional Policy Proposals in Practice**

### **2.3.7 (Intro) Example — Rain/Sprinkler/Lawn**

/ Rain/Sprinkler/Lawn DAG / BayesNet — Extended Example

...

Own Position/Argument: AMTAIR ... Own Rain/Sprinkler/Lawn DAG / BayesNet Implementation

## 2.4 Methodology

### 2.4.1 From World Models to Computational Representation

Research Design Overview

Formalizing World Models from AI Safety Literature

Directed Acyclic Graphs: Structure and Semantics

Quantification Approaches for Probabilistic Judgments

Inference Techniques for Complex Networks

Integration with Prediction Markets and Forecasting Platforms

## 2.5 Practical Real World Examples

MTAIR / Carlsmith Model (Analytica) — Explanation (— is motivation: should come first)

Kialo

BayeServer

BayesNet — Extended Example

### 2.5.1 Rain-Sprinkler-Grass DAG

Code + documentation

Testing crossreferencing graphics Figure 7.1.




Figure 2.1: AMTAIR Automation Pipeline from CITATION

# Chapter 3

## AMTAIR

### 20% of Grade: ~ 29% of text ~ 8700 words ~ 20 pages

- provides critical or constructive evaluation of positions introduced
- develops strong (plausible) argument in support of author's own position/thesis
- argument draws on relevant course material claim/argument
- demonstrate understanding of the course materials incl. key arguments and core concepts
- claim/argument is original or insightful, possibly even presents an original contribution

### 3.1 Rain-Sprinkler-Grass Example

### 3.2 Software Implementation

#### 3.2.1 System Architecture (and Data Flow) Overview

AMTAIR Prototype Demonstration (Public Colab Notebook)

AMTAIR Prototype: Automating Transformative AI Risk Modeling

Executive Summary

Purpose Within the Master's Thesis

Relevance to AI Governance

Notebook Structure and Workflow

Project Context and Purpose

Notebook Overview and Pipeline

Connection to Master's Thesis

Instructions — How to use this notebook:



Key Concepts:

Example Workflow:

Troubleshooting:

Environment Setup and Data Access

0.1 Prepare Colab/Python Environment — Import Libraries & Packages

0.2 Connect to GitHub Repository

0.3 File Import

### 3.2.2 Automated Extraction Pipeline:

### 3.2.3 The Two-Stage Extraction from Carlsmith

- **Process overview:** Explain the separation of structure and probability extraction
- **Stage 1: Structure extraction**
- **Process details:** Outline the steps for extracting argument structure
- **CODE EXAMPLE:** Show key function for ArgDown parsing
- **Visualization:** Demonstrate structural extraction for Carlsmith model
- **Stage 2: Probability integration**
- **Process details:** Explain how probability information is incorporated
- **Question generation:** Show how appropriate questions are derived from structure
- **CODE EXAMPLE:** Show key function for BayesDown enhancement
- **Visualization:** Demonstrate probability extraction for Carlsmith model

1.0 Sources (PDF's of Papers) to ArgDown (.md file)

Sources to ArgDown: Structured Argument Extraction

Process Overview

What is ArgDown?

1.1 Specify Source Document (e.g. PDF)

1.2 Generate ArgDown Extraction Prompt

1.3	Prepare LLM API Call
1.4	Make ArgDown Extraction LLM API Call
1.5	Save ArgDown Extraction Response
1.6	Review and Check ArgDown.md File
1.6.2	Check the Graph Structure with the ArgDown Sandbox Online
1.7	Extract ArgDown Graph Information as DataFrame
1.8	Store ArgDown Information as ‘ArgDown.csv’ file
2.0	Probability Extractions: ArgDown (.csv) to BayesDown (.md + plugin JSON syntax)
ArgDown to BayesDown: Adding Probability Information	
Process Overview	
What is BayesDown?	
2.1	Probability Extraction Questions — ‘ArgDown.csv’ to ‘ArgDown_WithQuestions.csv’
2.2	‘ArgDown_WithQuestions.csv’ to ‘BayesDownQuestions.md’
2.3	Generate BayesDown Probability Extraction Prompt
2.3.1	BayesDown Format Specification
Core Structure	
Rain-Sprinkler-Lawn Example	
2.4	Prepare 2nd API call
2.5	Make BayesDown Probability Extraction API Call
2.6	Save BayesDown with Probability Estimates (.csv)
2.7	Review & Verify BayesDown Probability Estimates
2.7.2	Check the Graph Structure with the ArgDown Sandbox Online
2.8	Extract BayesDown with Probability Estimates as Dataframe
3.0	Data Extraction: BayesDown (.md) to Database (.csv)
BayesDown to Structured Data: Network Construction	
Extraction Pipeline Overview	
Theoretical Foundation	
Role in Thesis Research	
3.1	ExtractBayesDown-Data_v1
3.1.2	Test BayesDown Extraction
3.1.2.2	Check the Graph Structure with the ArgDown Sandbox Online
3.3	Extraction
3.3	Data-Post-Processing
3.4	Download and save finished data frame as .csv file

### **3.2.4 Network Construction and Visualization**

#### 4.0 Analysis & Inference: Bayesian Network Visualization

Bayesian Network Visualization Approach

Visualization Philosophy

Connection to AMTAIR Goals

Implementation Structure

Phase 1: Dependencies/Functions

Phase 2: Node Classification and Styling Module

Phase 3: HTML Content Generation Module

Phase 4: Main Visualization Function

Quickly check HTML Outputs

Conclusion: From Prototype to Production

Summary of Achievements

Limitations and Future Work

Connection to AMTAIR Project

#### 6.0 Save Outputs

Saving and Exporting Results

Convert .ipynb Notebook to Markdown

## **3.3 Inference & Extensions**

### **3.3.1 Probabilistic Inference Engine**

### **3.3.2 Policy Evaluation Interface**

### **3.3.3 Prediction Market Integration Module**

## **3.4 Results & Analysis: From Theory to Application**

### **3.4.1 Extraction Quality Assessment**

### **3.4.2 Computational Performance Analysis**

### **3.4.3 Case Study: The Carlsmith Model Formalized**

### **3.4.4 Comparative Analysis of AI Governance Worldviews**

### **3.4.5 Policy Impact Evaluation: Proof of Concept**

## **3.5 Insights & Findings**

### **3.5.1 Automated Modeling Pipeline — From Academic Papers to Political Strategy**

Success of Automation:

- Demonstrated feasibility of automated model extraction.

Improved Forecasting:

- Enhanced accuracy with real-time data integration.

Policy Analysis:

- Identified impactful policies through conditional forecasting.

Scalability Achieved:

- Efficient processing of extensive data sets.

Addressed Challenges:

- Overcame limitations of manual modeling.

### **3.5.2 Project Scaling — Workflow Pipeline & Automation**

Scaling Opportunities:

- Horizontal: Incorporate more data sources.
- Vertical: Add detailed variables.

New Capabilities:

- Advanced analytics.
- Real-time data integration.

Requirements:

- Software Setup: Robust infrastructure.
- Financial: Funding for APIs and compute resources.

Impact:

- Broader, more comprehensive models.
- Enhanced policy analysis.

### 3.5.3 Computational Complexity — Computational Tractability

Challenges:

- High computational demands of complex models.

Solutions:

- Clustering Worldviews:
- Group similar perspectives to simplify models.
- Correlation Management:
- Adjust for variable interdependencies.
- Efficient Algorithms:  
Use optimized sampling methods like Monte Carlo.

Outcome:

- Achieved efficiency without sacrificing accuracy.

Link to Theory of Change:

- Scalability amplifies policy impact.

### 3.5.4 External Validation — Manual Extraction & Processing

Purpose:

- Assess accuracy of automated methods.

Comparison:

- Automation Strengths:

- Speed, consistency.

- Human Strengths:

- Nuanced understanding.

Findings:

- Automation excels in data handling.

- Human oversight enhances quality.

Conclusion:

- Optimal results from combining AI with expert input.

# Chapter 4

## Discussion

### 10% of Grade: ~ 14% of text ~ 4200 words ~ 10 pages

- discusses a specific objection to student's own argument
- provides a convincing reply that bolsters or refines the main argument
- relates to or extends beyond materials/arguments covered in class

# Chapter 5

## Discussion — Exchange, Controversy & Influence

### 5.1 Challenges & Problems — Red Teaming Problems, Failures & Downsides

Potential Failures:

- Data Issues: Inaccurate or biased inputs.
- Model Limitations: Oversimplifications.
- Tech Risks: AI misinterpretations.

Red Teaming:

- Stress-testing models to find weaknesses.

Impact on Theory of Change:

- Identifying points of failure strengthens the approach.

### 5.2 Implications & Impact — Uptake, Feedback Loops, Uptake & Success – Green Teaming –

Potential Outcomes:

- First-Order: Reduced AI risks through better policies.
- Second-Order: Enhanced collaboration.
- Third-Order: Framework applied to other global risks.

Feedback Loops:



- Continuous model improvement.
- Adaptive policy-making.  
Green Teaming:
- Strategies to maximize positive impacts.

### **5.3 Known Unknowns & Unknown Unknowns — Input Data Example: Modeling Author Worldviews from Bibliographies Instead of Individual Papers**

Potential Outcomes:

- First-Order: Reduced AI risks through better policies.
- Second-Order: Enhanced collaboration.
- Third-Order: Framework applied to other global risks.  
Feedback Loops:
- Continuous model improvement.
- Adaptive policy-making.  
Green Teaming:
- Strategies to maximize positive impacts.

### **5.4 Discussion: Implications and Limitations**

Red-Teaming Results: Identifying Failure Modes

Enhancing Epistemic Security in AI Governance

Scaling Challenges and Opportunities

Integration with Existing Governance Frameworks

Known Unknowns and Deep Uncertainties

# Chapter 6

## Conclusion

### 6.1 The Current State of Things & How to Continue

### 10% of Grade: ~ 14% of text ~ 4200 words ~ 10 pages

- summarizes thesis and line of argument
- outlines possible implications
- notes outstanding issues / limitations of discussion
- points to avenues for further research
- overall conclusion is in line with introduction

### 6.2 Summary — Key Takeaways & Findings

#### 6.2.1 Assessing Policy Effects:

Evaluating how different policies alter  $P(\text{Doom})$ .

#### 6.2.2 Conditional Probability:

Calculating  $P(\text{Doom} \mid \text{Policy Alpha})$ .

#### 6.2.3 Methodology:

Update model parameters based on policy implementation.  
Recompute probabilities accordingly.

#### 6.2.4 Purpose:

Inform policymakers of potential policy effectiveness.  
Prioritize interventions that significantly reduce risks.

## **6.3 Outlook — Outlook & Next Steps / Further Research**

### **6.3.1 Scaling Up:**

- Include more variables and data sources.

### **6.3.2 Collaboration:**

- Partner with policymakers and researchers.

### **6.3.3 Technological Enhancements:**

- Employ advanced AI techniques.

### **6.3.4 Potential Impact:**

- Influence global AI governance.

### **6.3.5 Limitations of the Analysis**

### **6.3.6 Policy Implications & Recommendations**

### **6.3.7 Areas for Future Research**

### **6.3.8 Open Questions — Central/Remaining Questions & Feedback**

#### **Questions:**

- How can we improve automation accuracy?
- What challenges exist in policy implementation?
- How do we mitigate AI model biases?
- How can interdisciplinary efforts enhance outcomes?

#### **Feedback:**

- Invite thoughts, critiques, and suggestions.

**6.3.9 Outlook — Outlook & Next Steps / Further Research**

## **6.4 Conclusion: Toward an Adaptive AI Governance Framework**

**6.4.1 Key Contributions and Findings**

**6.4.2 Limitations of the Current Implementation**

**6.4.3 Policy Implications and Recommendations**

**6.4.4 Future Research Directions**

**6.4.5 Concluding Reflections**

# Frontmatter

## Acknowledgments

- Academic supervisor (Prof. Timo Speith) and institution (University of Bayreuth)
- Research collaborators, especially those connected to the original MTAIR project
- Technical advisors who provided feedback on implementation aspects
- Funding sources and those who provided computational resources or API access
- Personal supporters who enabled the research through encouragement and feedback

# Prefatory Apparatus: Illustrations and Terminology — Quick References

## List of Tables

Table 1: Table name

Table 2: Table name

Table 3: Table name

- Figure 1.1: The coordination crisis in AI governance - visualization of fragmentation
- Figure 2.1: The Carlsmith model - DAG representation
- Figure 3.1: Research design overview - workflow diagram
- Figure 3.2: From natural language to BayesDown - transformation process
- Figure 4.1: ARPA system architecture - component diagram
- Figure 4.2: Visualization of Rain-Sprinkler-Grass\_Wet Bayesian network - screenshot
- Figure 5.1: Extraction quality metrics - comparative chart
- Figure 5.2: Comparative analysis of AI governance worldviews - network visualization
- Table 2.1: Comparison of approaches to AI risk modeling
- Table 3.1: Probabilistic translation guide for qualitative expressions
- Table 4.1: System component responsibilities and interactions
- Table 5.1: Policy impact evaluation results - summary metrics

# List of Graphics & Figures

## List of Abbreviations

esp. especially

f., ff. following

incl. including

p., pp. page(s)

MAD Mutually Assured Destruction

- AI - Artificial Intelligence
- AGI - Artificial General Intelligence
- ARPA - AI Risk Pathway Analyzer
- DAG - Directed Acyclic Graph
- LLM - Large Language Model
- MTAIR - Modeling Transformative AI Risks
- P(Doom) - Probability of existential catastrophe from misaligned AI
- CPT - Conditional Probability Table

## Glossary

- **Argument mapping:** A method for visually representing the structure of arguments
- **BayesDown:** An extension of ArgDown that incorporates probabilistic information
- **Bayesian network:** A probabilistic graphical model representing variables and their dependencies
- **Conditional probability:** The probability of an event given that another event has occurred
- **Directed Acyclic Graph (DAG):** A graph with directed edges and no cycles
- **Existential risk:** Risk of permanent curtailment of humanity's potential
- **Power-seeking AI:** AI systems with instrumental incentives to acquire resources and power

- **Prediction market:** A market where participants trade contracts that resolve based on future events
- **d-separation:** A criterion for identifying conditional independence relationships in Bayesian networks
- **Monte Carlo sampling:** A computational technique using random sampling to obtain numerical results

## Checklists

### “Usual paper requirements”

- introduce all terminology
  - go through text, make sure all terms are defined, explained (and added to the list of Abbr.) when first mentioned
- readership is intelligent and interested but has no prior knowledge

### (Format:) ~ Anything that makes it easier to understand

- short sentences
- paragraphs (one idea per paragraph)
- simplicity
- !limit use of passive voice!
- use active voice, even prefer I over we!
- minimise use of “zombi nouns” (don’t turn verbs/adjectives to nouns!)
- “find words that can be cut”
  - the paper can **focus on one aspect of the presentation**
  - “open door policy” for (content) questions
  - ~ demonstrate ability for novel research
  - “solve research question with the tools accessible to you”
  - “show something that has not been shown before / should be publishable in principle”
  - new idea (or criticism) “in this field”
  - Outline idea THEN reading with a purpose (answering concrete questions)



- “Only” confirm that nobody has published the exact same idea on the same topic
- pretty much determined by presentation & proposal but narrow down further (& choose supervisor?)

## **Quarto Features Incompatible with LaTeX (Below)**

# Chapter 7

## Quarto Syntax

### Figures

Testing crossreferencing graphics Figure 7.1.

Testing crossreferencing graphics Figure 7.2.

### Citations

Soares and Fallenstein [4]

[4] and [3]

Blah Blah [see 3, pp. 33–35, also 2, chap. 1]

Blah Blah [3, 33–35, 38–39 and passim]

Blah Blah [2, 3].

Growiec says blah [2]

## 7.1 Headings & Potential Headings

verbatim code formatting for notes and ideas to be included (here)

Also code blocks for more extensive notes and ideas to be included and checklists

- test 1.

- test 2.

- test 3.

2. second

3. third

Blockquote formatting for “Suggested Citations (e.g. carlsmith 2024 on ...)”  
and/or claims which require a citation (e.g. claim x should be backed-up by  
a ciation from the literature)

Here is an inline note.<sup>1</sup>

Here is a footnote reference,<sup>2</sup>

Here’s some raw inline HTML:

page 1

---

<sup>1</sup>Inlines notes are easier to write, since you don’t have to pick an identifier and move down to type the note.

<sup>2</sup>Here is the footnote.





Figure 7.1: AMTAIR Automation Pipeline from Bucknall and Dori-Hacohen [1]



Testing crossreferencing graphics Figure 7.1.

# Bibliography (References)

- [1] Benjamin S. Bucknall and Shiri Dori-Hacohen. “Current and Near-Term AI as a Potential Existential Risk Factor”. In: *Proceedings of the 2022 AAAI/ACM Conference on AI, Ethics, and Society*. AIES '22: AAAI/ACM Conference on AI, Ethics, and Society. Oxford United Kingdom: ACM, July 26, 2022, pp. 119–129. ISBN: 978-1-4503-9247-1. DOI: 10.1145/3514094.3534146. URL: <https://dl.acm.org/doi/10.1145/3514094.3534146> (visited on 11/13/2024).
- [2] Jakub Growiec. “Existential Risk from Transformative AI: An Economic Perspective”. In: *Technological and Economic Development of Economy* (2024), pp. 1–27.
- [3] Donald E. Knuth. “Literate Programming”. In: *Computer Journal* 27.2 (May 1984), pp. 97–111. ISSN: 0010-4620. DOI: 10.1093/comjnl/27.2.97. URL: <https://doi.org/10.1093/comjnl/27.2.97>.
- [4] Nate Soares and Benja Fallenstein. “Aligning Superintelligence with Human Interests: A Technical Research Agenda”. In: (2014).

# Appendix A

## Appendices

A.1 Appendix A: Technical Implementation Details

A.2 Appendix B: Model Validation Procedures

A.3 Appendix C: Case Studies

A.4 Appendix D: Ethical Considerations

TestText

# Appendix B

## appendixA

testtext

# List of Figures

2.1	Five-step AMTAIR automation pipeline from PDFs to Bayesian networks .	14
7.1	Five-step AMTAIR automation pipeline from PDFs to Bayesian networks .	34
7.2	Short 2 caption . . . . .	34





## Affidavit

### Declaration of Academic Honesty

Hereby, I attest that I have composed and written the presented thesis

*Automating the Modelling of Transformative Artificial Intelligence Risks*

independently on my own, without the use of other than the stated aids and without any other resources than the ones indicated. All thoughts taken directly or indirectly from external sources are properly denoted as such.

This paper has neither been previously submitted in the same or a similar form to another authority nor has it been published yet.

BAYREUTH on the  
May 21, 2025

---

VALENTIN MEYER