I Call BS - CMS work plan

Checklist and step-by-step instructions in one place. Open this PDF in Edge, Chrome, Adobe Reader, or Preview to check boxes and type notes.

How to use: pick the next OPEN item, follow Why / Done when / Steps under it, type notes as you go, check the box when the Done when test passes. Prefer finishing ops before features that need live data.

If you are overwhelmed - do these first

1. BJ-01 Deploy production (unblocks tools + APIs)
2. BJ-02 Auth signup off + leaked-password on
3. BJ-03 Turnstile + newsletter webhook + Stripe env
4. ADV-F01 Privacy + Terms
5. ADV-F05 Remove placeholders on the surface you will publish
6. ADV-F03 Decide kit PDF public vs gated
7. ADV-F04 Confirm book download is not a permanent public URL
8. Stripe test purchase + kit subscribe + contact form smokes

---

Part 1 - Launch blockers (adversarial review)

☐ **01 ADV-F01 - Real Privacy and Terms pages** — OPEN

Why: The site asks for email (kit, contact) but Privacy and Terms currently say "This page is being written." That is not safe or honest for launch.

Done when: Visiting /privacy and /terms on the live site shows real policy text (not the placeholder), and kit/contact footers still link to those URLs.

Steps

1. Decide whether Privacy/Terms live as:
A) CMS pages in Studio (preferred if production uses CMS), or
B) Hardcoded copy in src/pages/Legal.tsx (fallback when CMS has no published page).
2. Draft Privacy (what you collect, why, email providers, unsubscribe, contact). Draft Terms (acceptable use, digital goods, no courses claim if you want it explicit).
3. If using CMS: open Studio -> Pages -> create or edit Privacy and Terms -> fill content -> Publish.
4. If using code fallback: edit src/pages/Legal.tsx and replace the "This page is being written." branch with your real paragraphs for privacy and terms. Keep the refunds section as-is unless legal review changes it.
5. Deploy or publish.
6. Test in an incognito window: open /privacy, /terms, and click Privacy from the kit signup fine print.

Notes

☑ **02 ADV-F02 - Lock studio signup (no open admin)** — DONE

Why: If anyone can create a studio account and get auto-approved as author, they may read drafts and purchase-related data.

Done when: (1) Supabase Auth does not allow public self-signup. (2) New studio accounts are not auto-approved until you promote them. (3) You can still create staff via the intended /api/staff-signup + approval path.

Steps

1. Open Supabase Dashboard -> your ICallBS project.
2. Go to Authentication -> Providers -> Email (wording may be "Sign up" / "Allow new users to sign up").
3. Turn OFF "Allow new users to sign up" (or equivalent). Save.
4. In the repo, find the migration or trigger that sets staff_approved = true on new users (see supabase/migrations/ files mentioning auto-approve / handle_new_user). Plan a change so new profiles start with staff_approved = false (or ask a developer to apply that change).
5. Until code is fixed: do not advertise /admin signup publicly; only invite people you trust.
6. Test: try creating a random account from the public internet - it should fail or remain unapproved with no studio access.
7. Check the box in TODO.md under Security and ADV-F02 when both Auth setting and approval behavior are correct.

Notes

03 ADV-F03 - Kit PDF access model

OPEN

Why: The free kit PDF is currently at a public URL. Anyone can download it without signing up, while the page implies signup delivers the PDF.

Done when: You have chosen A or B below and the kit page + email match that choice.

Steps

Option A - Keep PDF public (simplest)

1. Keep file at public/downloads/I-Call-BS-Free-Starter-Kit.pdf.
2. Edit kit page copy so it does not imply the file is email-gated (e.g. "Sign up for updates; the PDF is also available on the thank-you page").
3. Optional: add a direct "Download the PDF" link for people who refuse email.

Option B - Gate the PDF (stricter)

1. Move the PDF out of public web root into a private Supabase Storage bucket (or similar).
2. After successful /api/subscribe, generate a signed short-lived download URL for email + thanks page.
3. Remove or block the old public /downloads/I-Call-BS-Free-Starter-Kit.pdf path.
4. Smoke-test: subscribe with a test email -> get link -> confirm link expires or cannot be guessed. Pick A or B; do not leave the current mismatch.

Notes

04 ADV-F04 - Paid book download must not be a forever-public link

OPEN

Why: If BOOK_DOWNLOAD_URL is one permanent public URL emailed to every buyer, the link can be shared and the $17 product leaks.

Done when: Buyers get a private or time-limited URL; the raw file is not guessable on the open web.

Steps

1. Open production env (Vercel/hosting -> Environment Variables).
2. Find BOOK_DOWNLOAD_URL.
3. If it points to a public CDN/Drive link anyone can open without buying -> replace the process:

Upload the paid PDF to a private Storage bucket.

At Stripe webhook fulfillment, create a signed URL (hours/days TTL) and put that in the purchase email.

4. Buy once with a real card in test mode (or a controlled live test), confirm email link works, confirm a random stranger URL does not.
5. Check ADV-F04 in TODO.md.

Notes

05 ADV-F05 - Remove Home/About placeholders before publish

OPEN

Why: "Project placeholder," "YOUR PHOTO," and "YOUR INTRODUCTION VIDEO" make the site look unfinished and contradict a receipts-driven brand.

Done when: Live Home and About show real media/projects or those sections are removed/hidden.

Steps

1. Run the site locally (npm install once if needed, then npm run dev).
2. Open / and /about. Note placeholder text.
3. In Studio (or brand draft editor used by /api/dev-brand-draft), replace placeholders with real titles/text/images, or delete the empty project cards and media pieces.
4. Hard-refresh the browser. Confirm placeholders are gone. Steps (production CMS homepage)

1. In Studio, open the page assigned as homepage (settings.homepage_content_id / Public site hub).
2. Edit the same placeholder blocks -> Publish.
3. Open the live domain in incognito and confirm.

Notes

☐ **06 ADV-F06 - Newsletter stays closed until prefs exist** OPEN

Why: Homepage honestly says "Not open yet." Opening it without unsubscribe/preferences creates support pain.
Done when: Either newsletter stays closed, or preference center + confirm/unsubscribe work (see Newsletter section below).

Steps

1. Leave the disabled "Not open yet" UI until Part 3 Newsletter items are done.
2. When ready to open: complete Preference center + Resend webhook + a test subscribe/unsubscribe, then enable the form.

Notes

☐ **07 ADV-F07 - Kit thanks page when email fails** OPEN

Why: Code can accept signup even if Resend fails; visitors may wait forever for an email.
Done when: Thanks page (or email failure path) clearly says to use the on-page download if the email does not arrive.

Steps

1. Open kit thank-you UI (FreeThanks.tsx and/or brand thanks blocks in pages.ts).
2. Add clear copy: "If the email does not arrive in a few minutes, use the download button on this page and check spam."
3. Optionally log/alert yourself when kit email failed in api/subscribe.ts.
4. Deploy and read the thanks page as a visitor.

Notes

☐ **08 ADV-F08 - One canonical book title** OPEN

Why: Marketing brief and on-site title disagree ("Vibe Coding" vs "AI Vibe Coding").
Done when: Cover, homepage, kit, product page, checkout metadata, and Stripe product name use the same title string you approve.

Steps

1. Write the final title on one line (example from brief: I Call BS: Vibe Coding Myths Dispelled).
2. Search the repo and Studio content for AI Vibe Coding / Vibe Coding / I Call BS.
3. Update brand seed (src/brand/pages.ts), cover alt text, kit graphics text if needed, and any CMS blocks.
4. Update Stripe product name in Stripe Dashboard if it differs.
5. Spot-check Home, Kit, Book page.

Notes

☐ **09 ADV-F09 - Legal breadcrumb "<- The book"** OPEN

Why: On Privacy, "<- The book" feels like you came from checkout even when you came from the footer.
Done when: Legal pages link back to Home or Resources (or use the site Back button only).

Steps

1. Open src/pages/Legal.tsx.
2. Change the link labeled <- The book to <- Home (href="/") or <- Resources.
3. Deploy; open /privacy and confirm.

Notes

☑ **10 ADV-F10 - Newsletter webhook security** DONE

Why: A shared Bearer secret (especially reusing CRON_SECRET) can let an attacker forge bounce events and suppress contacts.
Done when: Resend signs webhooks; the API verifies that signature; a dedicated secret is used.

Steps

1. In Resend Dashboard -> Webhooks -> add endpoint https://YOUR_DOMAIN/api/newsletter-webhook.
2. Create a dedicated secret in env: NEWSLETTER_WEBHOOK_SECRET=... (long random string). Do not reuse cron secrets long-term.
3. Have a developer (or follow Resend docs) verify Svix/Resend signatures on the raw body in api/newsletter-webhook.ts.
4. Enable events: delivered, opened, clicked, bounced (and complaint if available).
5. Send a test newsletter; confirm Analytics -> Newsletters shows events.

Notes

☑ **11 ADV-F11 - Turnstile required in production for staff signup** DONE

Why: If CAPTCHA secret is missing, bots can hammer signup.
Done when: Production /api/staff-signup rejects requests when Turnstile is not configured/verified.

Steps

1. Create a Cloudflare Turnstile site; copy Site Key + Secret Key.
2. Set VITE_TURNSTILE_SITE_KEY (frontend) and TURNSTILE_SECRET_KEY (server) in production env.
3. Redeploy.
4. Ask a developer to make production fail closed if the secret is missing (no skip).
5. Test staff signup UI shows the widget and rejects empty tokens.

Notes

☐ **12 ADV-F12 - DEV vs production surfaces** OPEN

Why: Local DEV often shows BrandPage seeds; production may show CMS (HomeOrKit). Fixing only local seed does not fix live.
Done when: You have a short written list of "what URL serves what" and launch QA uses the production URLs.

Steps

1. Read src/App.tsx: note routes inside if (import.meta.env.DEV) vs the production branches.
2. Write a one-page checklist: Home, About, Contact, Kit, Book, Privacy, Resources - for each, "DEV = ... / PROD = ...".
3. Run launch QA on the production (or staging) domain, not only localhost.

Notes

☐ **13 ADV-F13 - Contact honeypot accessibility** OPEN

Why: A field named "COMPANY" can confuse screen-reader users; honeypots should be hidden from everyone except bots.
Done when: Sighted users and screen readers do not treat the honeypot as a real field.

Steps

1. Find the honeypot in the contact form (brand contact block / Contact.tsx / BrandBlocks.tsx).
2. Ensure it is visually hidden and marked aria-hidden="true" / tabIndex={-1} (or autocomplete="off" + not in tab order). Do not put a visible "Company" label for humans if it is the trap field.
3. Tab through the form with a keyboard; honeypot must not receive focus.

Notes

☐ **14 ADV-F14 - Header current page state** OPEN

Why: Homepage incorrectly announced "The book" as the current nav item.
Done when: Only the real current route has aria-current="page".

Steps

1. Open src/brand/BrandChrome.tsx (and any other header that sets aria-current).
2. Fix active() so / does not mark The book/Starter Kit current unless you are on that path.
3. Load /, /about, /free-kit; confirm the underline/current state matches.

Notes

15 Staging smokes (still Unverified) OPEN

Steps

1. Use a real inbox you control.
2. Submit Contact with topic + message.
3. Confirm you receive the message (or your configured destination).
4. Confirm a second spammy submit is rate-limited. Kit subscribe -> unsubscribe
1. Subscribe with a test email.
2. Confirm thanks page download and/or email.
3. Click unsubscribe in the email; confirm you are not marketed again. Book checkout
1. Use Stripe test mode keys first.
2. Complete checkout -> land on /buy/thanks.
3. Confirm webhook row in /admin/sales and purchase email.
4. Only then use live keys with a tiny real purchase if needed. Responsive
1. Chrome DevTools -> device toolbar.
2. Check 320, 390, 768, 1440 widths on Home, Kit, Tools, Templates form.
3. Note clipped CTAs, horizontal scroll, tiny buttons; fix or file follow-ups.

Notes

Part 2 - Ops / environment

16 Resend webhook -> newsletter events OPEN

Steps

1. Complete ADV-F10 steps above.
2. In Resend, point the webhook at https://YOUR_DOMAIN/api/newsletter-webhook.
3. Send a test issue; open and click a link in the test email.
4. In Studio -> Analytics -> Newsletters, confirm delivered/opened/clicked appear within a few minutes.

Notes

17 Cloudflare Turnstile (production) OPEN

Steps

1. Complete ADV-F11 steps.
2. Confirm kit/staff/forms that use Turnstile show the widget in production.

Notes

18 Disable Supabase public signup OPEN

Steps

1. Complete ADV-F02 step 1-3 (Auth setting).
2. Recheck after any Supabase project restore - settings can reset.

Notes

19 Stripe keys + smoke-test OPEN

Steps

1. In Stripe Dashboard, create/get Secret key, Publishable key (if used), Webhook signing secret.
2. Set env vars listed in .env.example (STRIPE_*, price id, BOOK_DOWNLOAD_URL / signed flow).
3. Add webhook endpoint to /api/stripe-webhook for checkout.session.completed (and whatever the code expects).
4. Run test-mode purchase -> /buy/thanks -> /admin/sales.
5. Then go live carefully.

Notes

☐ **20 Confirm cron jobs** OPEN

Steps

1. In your host (Vercel cron, GitHub Action, or external cron), ensure scheduled HTTP calls hit:
/api/newsletter-send
/api/lead-magnet-deliver
/api/cms-publish-due
2. Each call must send the auth header/secret your code expects (often CRON_SECRET / Authorization: Bearer ...).
3. Check function logs after a scheduled window; fix 401/500s before relying on them.

Notes

Part 3 - Contacts (CRM)

☐ **21 Filter (marketing OK, suppressed, tag, newsletter list)** OPEN

Steps

1. Open Studio -> Contacts.
2. If filters are missing, this is a development task: add UI filters that query contacts by consent, suppressed, tags, and list membership.
3. As owner: write acceptance tests - "show only marketing-OK," "show suppressed," "show tag X," "show list Y."
4. Check the box when those filters work on staging data.

Notes

☐ **22 Bulk tag / bulk subscribe** OPEN

Steps

1. Select multiple contacts in the list UI (after multi-select exists).
2. Apply tag or subscribe to a newsletter list in one action.
3. Confirm each contact updated; confirm consent rules still respected (no marketing without consent).

Notes

☐ **23 Merge duplicate contacts** OPEN

Steps

1. Export or search for the same email twice.
2. Prefer a built-in merge tool when available; otherwise manually keep one contact, move tags/subscriptions, delete the duplicate.
3. Backup before bulk merges on production.

Notes

Part 4 - Newsletter

☐ **24 Staging smoke (create -> design -> test -> schedule -> cron)** OPEN

Steps

1. Studio -> Newsletter -> create issue.
2. Design body; attach list/segment.
3. Test send to yourself.
4. Schedule for a few minutes ahead.
5. Confirm cron/send job runs; you receive the issue.
6. Check no duplicate sends.

Notes

25 Open/click stats after webhook

OPEN

Steps

1. Finish Resend webhook (Part 2).
2. Open/click the test email.
3. Analytics -> Newsletters shows counts.

Notes

26 Default forms -> newsletterListIds

OPEN

Steps

1. Studio -> Forms -> open the public signup form(s) you care about (e.g. /updates).
2. Set newsletter list IDs to the correct list(s).
3. Submit a test signup; confirm the contact appears on that list.

Notes

27 Preference center (public)

OPEN

Steps

1. Build or enable a public page where contacts can change list interests / unsubscribe (ties to ADV-F06).
2. Link it from newsletter footer.
3. Test tokenized unsubscribe still works.

Notes

Part 5 - Analytics / growth

28 Author breakdown on Site analytics

OPEN

Steps

1. Development task: group page views / conversions by content author.
2. Verify with two authors' posts on staging.
3. Check box when the chart/table is accurate.

Notes

29 Coarse geo (country)

OPEN

Steps

1. Ensure hosting forwards country headers (e.g. Cloudflare CF-IPCountry).
2. Store country on analytics events if product wants it.
3. Display country breakdown without storing precise location you do not need.

Notes

30 Welcome / nurture emails 2-6

OPEN

Steps

1. Write the sequence copy (welcome is often email 1 already).
2. Implement as campaign steps or Resend automations - only after Contacts + consent + unsubscribe work.
3. Test with a seed contact; confirm delays and stop-on-unsubscribe.

Notes

31 Social auto-post on publish

OPEN

Steps

1. Decide networks (Facebook / LinkedIn / X).
2. Connect Make/Zapier or native API with an approval step if possible (avoid surprise posts).
3. Publish a staging post; confirm one post per network, no duplicates.
4. Do not enable on production until approval path exists.

Notes

Part 6 - Campaigns

32 Campaign step auto-send

OPEN

Steps

1. Today blueprints exist without automatic execution - treat as a feature build.
2. Requirements: respect consent, suppression, quiet hours, idempotency (no double send).
3. Staging: enroll a test contact; confirm only intended steps fire.

Notes

33 Campaign readiness smoke

OPEN

Steps

1. Open a campaign in Studio.
2. Confirm readiness checklist flags missing form / newsletter / lead magnet.
3. Fix blockers; re-run checklist until green; do a dry send.

Notes

Part 7 - Content & site

34 Studio editors for resource prose

OPEN

Steps

1. Today Builder Quick Reference, Templates, Tools body are largely code layouts.
2. Product decision: which fields become CMS-editable.
3. Developer implements studio fields; you edit copy in Studio afterward.
4. Check box when you can change that prose without a code deploy.

Notes

35 Studio editor for Literacy Check questions

OPEN

Steps

1. Questions live in src/literacy/quiz-content.json.
2. Developer builds an admin UI or you edit JSON carefully and redeploy.
3. Run the quiz end-to-end after edits.

Notes

36 Studio editor for Tools catalog

OPEN

Steps

1. Data lives in tools-content.json / related model files.
2. Same pattern: CMS UI later, or careful JSON edits + review of experience labels and official URLs.
3. Re-read ADV tools rules: do not invent "Used by VJ"; keep docs links official.

Notes

☐ **37 Book Updates card on Resources library (optional)** OPEN

Steps

1. Add the first real Book Update (Part 8).
2. Only then add a library card linking to /book/updates.

Notes

☐ **38 Push/deploy growth-track commit** OPEN

Steps

1. Ensure resource + literacy routes are on the branch you deploy.
2. git status / PR / merge per your workflow.
3. Deploy production; open /resources/templates, /resources/tools-and-updates, literacy URL on the live domain.

Notes

☐ **39 Sitewide WCAG 2.2 AA audit** OPEN

Steps

1. Use axe DevTools or Lighthouse accessibility on key pages.
2. Fix contrast, focus, labels, headings systematically.
3. Recheck after major UI changes.

Notes

☐ **40 Kit funnel replacement** OPEN

Steps

1. Do not replace /api/subscribe until Contacts + forms path is proven on staging.
2. When ready: migrate with dual-run or feature flag; keep unsubscribe working.

Notes

Part 8 - Resources package gaps

☐ **41 First real Book Update** OPEN

Steps

1. Studio -> Public site -> Book updates (/admin/public-site/book-updates).
2. Add one real Correction / Link update / Tool change with edition + chapter/page.
3. Publish; open /book/updates publicly.
4. Until you have a real entry, leave the public list empty (do not fake updates).

Notes

☐ **42 Email gate on templates** OPEN

Steps

1. Default: leave templates free (current design).
2. Only if you want leads: add a form, marketing consent, and optional lead-magnet delivery - then test unsubscribe.

Notes

43 Owner editorial pass

OPEN

Steps

1. Read as a stranger:
/resources/builder-quick-reference
/resources/templates (+ one form)
/resources/tools-and-updates
Literacy Check
2. Fix unclear jargon; keep beginner-friendly tone.
3. If publishing after Oct 5, 2026, refresh tool documentation review dates / SOURCE_NOTES.
4. Check editorial-review-before-publication notes inside quiz-content.json.

Notes

Part 9 - Imports

44 Kit subscribers -> Contacts

OPEN

Steps

1. Backup production data first (Supabase backup or export).
2. Studio -> Imports -> Kit subscribers -> dry-run.
3. Read the dry-run report (creates/updates/skips).
4. Only then commit.
5. Spot-check contacts; confirm kit subscribers table was not corrupted (import should not destroy the legacy list).

Notes

45 Document CSV column map

OPEN

Steps

1. Write a short doc (in docs/cms/ or IMPORTS section) listing CSV headers -> contact fields.
2. Include required columns, optional tags, and an example row.
3. Link that doc from the Imports UI help text if possible.

Notes

Part 10 - Security / access (ongoing)

46 Owner Disable kill switch

OPEN

Steps

1. Studio -> Users.
2. Practice disabling a test account; confirm they cannot use /admin.
3. Keep this as your emergency response for a compromised editor.

Notes

47 Periodic review of roles

OPEN

Steps

1. Calendar reminder monthly: open Users list.
2. Remove unused accounts; confirm roles match reality (owner / admin / author).
3. Confirm nobody is approved who should not be (ties to ADV-F02).

Notes

Part 11 - Docs hygiene

48 GATES.md

OPEN

Steps

1. Open docs/cms/GATES.md.
2. Mark a module Complete only after that module's staging smoke passes - not when UI merely exists.
3. Keep Status column honest.

Notes

49 IMPLEMENTATION.md changelog

OPEN

Steps

1. When a slice ships, add a dated note (what shipped, migrations, env vars).
2. Keep it short; link PRs if you use them.

Notes

Part 12 - From browser journey pass (2026-10-07)

50 BJ-01 - Deploy current site to production (required)

OPEN

Why: Production 404s /resources/tools-and-updates, /api/checkout, /api/form-schema. Local DEV has tools; live does not.

Steps

1. Commit (or confirm) the branch you want live includes resource routes + api/checkout.ts + api/form-schema.ts.
2. Push to the branch Vercel uses for production (usually main).
3. Open Vercel Dashboard -> this project -> Deployments -> confirm a new Production deploy is Ready.
4. Visit https://vettajimale.tech/resources/tools-and-updates - expect Tools page, not "Page not found".
5. Visit https://vettajimale.tech/api/checkout - expect redirect/JSON from Stripe config, not Vercel NOT_FOUND.
6. Check off when tools + checkout entry respond.

Notes

51 BJ-02 - Supabase Auth Dashboard (security leftovers)

OPEN

Why: Code no longer auto-approves; Dashboard can still allow open signup / weak passwords.

Steps

1. Open Supabase -> ICallBS.
2. Authentication -> Providers -> Email -> turn OFF "Allow new users to sign up" (staff use /api/staff-signup only).
3. Authentication -> Attack Protection (or Password settings) -> enable Leaked password protection (HaveIBeenPwned).
4. Save. Optional: try signup via Supabase client signUp in a private window - it should fail; /admin login page should still load.
5. Check ADV-F02 / SUP-007 items in TODO.md.

Notes

52 BJ-03 - Production env vars after deploy

OPEN

Why: Staff signup fails closed without Turnstile; newsletter webhook needs its own secret; Stripe needs keys.

Steps

1. Vercel -> Project -> Settings -> Environment Variables -> Production.
2. Set VITE_TURNSTILE_SITE_KEY + TURNSTILE_SECRET_KEY (Cloudflare Turnstile widget).
3. Set NEWSLETTER_WEBHOOK_SECRET to the Resend webhook signing secret (whsec_...). Do not reuse CRON_SECRET.
4. Set STRIPE_SECRET_KEY, STRIPE_WEBHOOK_SECRET, STRIPE_BOOK_PRICE_ID, BOOK_DOWNLOAD_URL.
5. Redeploy Production so Vite public env vars bake in.
6. Resend -> Webhooks -> endpoint https://vettajimale.tech/api/newsletter-webhook with events delivered/opened/clicked/bounced/complained.

Notes

☐ **53 BJ-04 - Phone overflow check after deploy** OPEN

Why: Journey pass flagged horizontal overflow at 390px / 320px.

Steps

1. After BJ-01 deploy, open Chrome DevTools -> device toolbar -> 390 and 320 widths.
2. Check / and /resources/tools-and-updates for sideways scroll.
3. If still broken, file a fix task (CSS) - do not ignore on launch surfaces.

Notes

☐ **54 BJ-05 - Admin authorized-access smoke (needs a test account)** OPEN

Steps

1. Create or pick a staging/test staff user (not a personal password in chat).
2. Owner approves them on /admin -> Users (staff_approved).
3. Sign out -> sign in -> confirm shell (Analytics / content) loads.
4. Optional automation: set JOURNEY_ADMIN_EMAIL + JOURNEY_ADMIN_PASSWORD and re-run scripts/browser-journey-pass.mjs.

Notes