




# COMPANY PROFILE

# **TECOMACO**

**EMPOWERING AUTOMOTIVE, MECHANICAL,  
HEAVY MACHINERY  
WITH MADE-TO-ORDER FASTENERS**


[WWW.TECOMACO.COM](http://WWW.TECOMACO.COM)



# Table of Contents

|                   |    |
|-------------------|----|
| COMPANY OVERVIEW  | 3  |
| PRODUCTS OVERVIEW | 7  |
| HOW WE WORK       | 11 |
| WHY CHOOSE US     | 21 |

# Development History



# Factory Overview – Phase I

## Factory address:

- Lot CN05, Cam Khe Industrial Park, Phu Tho Province, Vietnam
- 2 hours driving from Haiphong SeaPort

**Year of Establishment:** 2022

**Area:** 30.000 SM

**Products:** Hardware Accessories + Fasteners

**Employees:** 250 employees

| Human Resources | Administration | Production | Quality | Import/Export |
|-----------------|----------------|------------|---------|---------------|
| Employee        | 35             | 168        | 23      | 4             |
| Executives      | 5              | 12         | 2       | 1             |
| Total           | 40             | 180        | 25      | 5             |



# Factory Expansion – Phase II

## Fasteners

**Location:** new land nearby DrillMaco Factory

**Time finish construction:** August 2025

**Area:** 18.000 SQM

**Certificates/Standards on process:**

BSCI, CBAM, IATF 16949, MATHREAD Certificate,...

**Designed Monthly Capacity:** total 7700 tons – 385\*20ft containers

| Product         | Jan 2025 | June 2025 | Dec 2025 |
|-----------------|----------|-----------|----------|
| Bolts/nuts      | 600      | 1200      | 2000     |
| Thread rods     | 200      | 300       | 400      |
| Washers/Springs | 200      | 200       | 200      |




# Export Markets & Certifications

**Export Market:** USA (80%), Canada (20%)

**Certificates:** ISO 9001, ISO 14001, ISO 2660, API Q1 2527

**Current capacity:** 3400 tons (170\*20ft containers / month)

## Yearly Turnover (million USD)



# Phase I Factory - Facility

**Workshop C + D: Fasteners (bolt, nut, rivet, threaded rod, washer screw,...)**



# Phase I Factory – Facility

**Workshop A + B: Hardware Accessories (Casing Centralizers, Float Shoe/Collar, Coupling, Striker Plate,...)**



# Phase I Factory - Facility

## Heat treatment Furnace

### Heat Treatment Process:



- Different procedures are used for different materials.
- A system monitors and controls the temperature and time during the process.
- Hardness testing is done to check the results after the heat treatment.

### Designed Capacity:

| Timeline   | Number of Furnace                       | Monthly capacity |
|------------|-----------------------------------------|------------------|
| Jan 2025   | 2 Batch Furnace                         | 600 tons         |
| April 2025 | 2 Batch Furnace<br>1 Continuous Furnace | 1200 tons        |
| Aug 2025   | 2 Batch Furnace<br>1 Continuous Furnace | 3200 tons        |



Hardness measurement machine



Actual temperature chart of heat-treating furnace from control panel

# Phase I Factory – Facility

## Surface treatment lines

### Surface Treatment Process:

- Coating method: Hot-dip galvanizing, Electro-galvanizing
- Coating Material: Zinc, Nickel, Phosphate
- Coating Thickness: 0-1.5mm



“Torque Wrench” equipment.  
Torque range: 20-100N.m

4



- Magnetic Principle Gavanizing  
Thickness Gauges – PosiTector 6000

### Designed Capacity:

| No. | Coating Method      | Capacity (Tons/day) |          |          |
|-----|---------------------|---------------------|----------|----------|
|     |                     | Jan-2025            | Jun-2025 | Dec-2025 |
| 1   | Electro-galvanizing | 10                  | 30       | 100      |
| 2   | Hot-dip Galvanizing | 15                  | 30       | 80       |



# Factory Phase II – Upcoming Facility

| No. | Equipment name                                | Function and purpose                            | Product             | March 2025               |                       | June 2025                |                       | Dec 2025                 |                       |
|-----|-----------------------------------------------|-------------------------------------------------|---------------------|--------------------------|-----------------------|--------------------------|-----------------------|--------------------------|-----------------------|
|     |                                               |                                                 |                     | No. of machine available | Capacity (tons/month) | No. of machine available | Capacity (tons/month) | No. of machine available | Capacity (tons/month) |
| 1   | Cold pierring machine                         | Cold forming the head/body                      | Bolts/nuts          | 16                       | 600                   | 32                       | 1200                  | 50                       | 2000                  |
| 2   | Thread Rolling Machine/Thread tapping machine | Making the thread                               |                     | 12                       |                       | 24                       |                       | 40                       |                       |
| 3   | Heat Treatment equipment                      | Heat treatment                                  |                     | 2                        |                       | 5                        |                       | 8                        |                       |
| 4   | Coating equipment                             | Protective coating                              |                     | 1                        |                       | 2                        |                       | 3                        |                       |
| 5   | Straightening and cutting machine             | Rod preparation                                 | Thread rods         | 1                        | 200                   | 10                       | 400                   | 20                       | 800                   |
| 6   | Thread Rolling Machine                        | Thread formation                                |                     | 5                        |                       | 15                       |                       | 30                       |                       |
| 7   | Turning machine                               | Machine the two end                             |                     | 20                       |                       | 3                        |                       | 6                        |                       |
| 8   | Coating equipment                             | Protective coating                              |                     | 1                        |                       | 1                        |                       | 2                        |                       |
| 9   | Stamping machine                              | Cut out Washers                                 | Washers/<br>Springs | 30                       | 200                   | 30                       | 200                   | 30                       | 200                   |
| 10  | Lase cutting machine                          | Cut out Washers                                 |                     | 4                        |                       | 4                        |                       | 4                        |                       |
| 11  | Spring machine                                | Making the springs                              |                     | 2                        |                       | 2                        |                       | 2                        |                       |
| 12  | Heat Treatment equipment                      | Heat treatment                                  |                     | 20                       |                       | 2                        |                       | 3                        |                       |
| 13  | Coating equipment                             | Protective coating                              |                     | 1                        |                       | 1                        |                       | 1                        |                       |
| 14  | Packaging machine                             | Packaging                                       |                     | 5                        |                       | 10                       |                       | 20                       |                       |
| 15  | Salt-spraying machine                         | Test coating quality<br>Metallographic analyzer | Fasteners           | 1                        | /                     |                          | /                     |                          | /                     |
| 16  | Spectrometer                                  | Test material after heat treatment              | Fasteners           | 1                        | /                     |                          | /                     |                          | /                     |
| 17  | Electro Plating Thickness Gauge               | Test coating thickness                          | Fasteners           | 1                        | /                     |                          | /                     |                          | /                     |
| 18  | Spectrometer                                  | Test chemical composition of material           | Fasteners           | 1                        | /                     |                          | /                     |                          | /                     |

# Quality Control Process

## Raw Materials Quality Control:

- Quantity check
- Visual & Physical Check
- Composition & Mechanical Testing
- Report & Record

**Online inspection:** Surface checking is conducted at the start of production, at tooling changes and at regular time intervals during production run.

**Final inspection :** Dimensions, Gauge Ability, Hardness, Tensile

**Defective handling process:** 8D-procedure



| Action              | Due Date  |
|---------------------|-----------|
| Containment         | < 1 day   |
| Root Cause Analysis | < 3 days  |
| Corrective Action   | < 10 days |

# Packing and Delivery

**Packing method:** Wooden pallet + Plastic band + Plastic wrapping + Shipping Label

**Weight and Dimensions:** size can be customized according to customer requests, 500-700 kg per pallet

**Pallet's quality:** comply with ISPM 15 standard

**Label Information:** contain barcode or QR code and other details according to customer request

Schlumberger Item No.:

103384753

CENTRALIZER, BOWSPRING, SLIP ON,  
ONE-PIECE, 9-5/8 IN x 12-1/4 IN

Country of Origin: Made in Vietnam

Manufacture Date: Dec 25, 2024



# Product Overview

TecoMaco delivers reliable, high-performance fasteners tailored for automotive assembly, industrial machinery, and mechanical applications.

## Durable

Corrosion-resistant fasteners for long-term performance.

## Customizable

Made-to-order solutions tailored to construction needs.

## Certified Quality

Meets international standards like BS, DIN, ASTM, ANSI and ISO.




**BOLTS & NUTS**



**THREAD RODS**



**RIVETS & WASHERS**



**SPRINGS**

# Bolts

**Hex Head Bolt**

Length 5mm - 500mm  
Diameter M3 - M64



**Carriage Bolt**

Length 5mm - 500mm  
Diameter M3 - M64



**Flange Bolt**

Length 5mm - 500mm  
Diameter M3 - M64



**Anchor Bolt**

Length 20mm - 600mm  
Diameter M3 - M64



**Lag Bolt**

Length 5mm - 500mm  
Diameter M3 - M64



**Socket Head Bolt**

Length 5mm - 500mm  
Diameter M3 - M64



**T-Bolt**

Length 5mm - 500mm  
Diameter M3 - M64



**Hexagon Bolt**

Length 5mm - 500mm  
Diameter M3 - M64



# Nuts

**Jam Nut**

Diameter: M2.5 to M24



**Knurled Nut**

Diameter: M2.5 to M24



**Coupling Nut**

Diameter: M2.5 to M24



**T-Nut**

Diameter: M2.5 to M24



**Hex Nut**

Diameter: M2.5 to M24



**Lock Nut**

Diameter: M2.5 to M24



**Flange Nut**

Diameter: M2.5 to M24



**Square Nut**

Diameter: M2.5 to M24



# Rivets

**Semi-Tubular Rivet**

Length: 2 - 60mm  
Diameter: 1 - 4mm



**Large Flange Rivet**

Length: 2 - 60mm  
Diameter: 1 - 4mm



**Countersunk Rivet**

Length: 4 - 50mm  
Diameter: 3 - 6mm



**Blind Rivet**

Length: 4 - 50mm  
Diameter: 3 - 6mm



**Solid Rivet**

Length: 6 - 50mm  
Diameter: 3 - 8mm



**Tubular Rivet**

Length: 3 - 74mm  
Diameter: 1 - 4mm



**Self-Piercing Rivet**

Length: 3 to 12mm  
Diameter: 3.3 - 5.3mm



# Thread Rods

**Double-End Threaded Rod**

Length: 50mm - 3000mm  
Diameter: M3 to M64



**Hollow Threaded Rod**

Length: 50mm - 3000mm  
Diameter: M3 to M64



**Fine Threaded Rod**

Length: 50mm - 3000mm  
Diameter: M3 to M64



**Fully Threaded Rod**

Length: 50mm - 3000mm  
Diameter: M3 to M64



**Tap-End Studding**

Length: 50mm - 3000mm  
Diameter: M3 to M64



# Washers


|                                                                                     |                                                                                     |                                                                                        |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Retaining Ring (External)</b><br><br>Nominal size: 3-300mm<br>Thickness: 1 - 5mm |    | <b>Retaining Ring (Internal)</b><br><br>Bolt size: M3 - M36<br>Thickness: 0.8 - 11.6mm |    |
| <b>Square Washer</b><br><br>Nominal size: M11 - M56<br>Thickness: 3 - 10mm          |   | <b>Wave Washer</b><br><br>Nominal Diameter: M2 - M100<br>Thickness: 0.5 - 8mm          |   |
| <b>Flat Washer</b><br><br>Nominal size: M3 - M72<br>Thickness: 1 - 5mm              |  | <b>Spring Washer</b><br><br>Nominal Diameter: M2 - M100<br>Thickness: 0.5 - 8mm        |  |

# Springs

|                                                                                       |                                                                                      |                                                                                      |                                                                                      |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>Coil Spring</b><br><br>Outer Diameter: 6 - 70mm<br>Free Length: 15 - 350mm         |   | <b>Compression Spring</b><br><br>Outer Diameter: 4 - 55mm<br>Free Length: 8 - 260mm  |   |
| <b>Extension Spring</b><br><br>Wire Diameter: 2.5 - 5.5mm<br>Free Length: 7.9 - 290mm |  | <b>Torsion Spring</b><br><br>Wire Diameter: 0.07 - 20mm<br>Free Length: Customizable |  |

# HOW WE WORK

From concept to completion, TecoMaco ensures every step of the process is **seamless, efficient, and focused on delivering excellence.**



# WHY CHOOSE TECOMACO



## COMPETITIVE PRICING

Our manufacturing operations in Vietnam allow you to gain access to quality fasteners and machining solutions at a fraction of the cost compared to other markets.



## REDUCED TARIFF BENEFITS

Manufacturing in Vietnam offers a strategic advantage by reducing tariffs and providing favorable trade benefits when exporting to major markets such as the USA and Europe.



## CUSTOM SOLUTIONS

We offer tailored fasteners to meet unique client needs across industries, ensuring international standards (BS, DIN, ANSI, ASTM, ISO) and precision.



## ADVANCED FACILITIES

TecoMaco is committed to delivering durable, high-quality products, making us a trusted partner in U.S., European, and Asian markets.





**Technology obviously makes a creative opportunity**

[www.tecomaco.com](http://www.tecomaco.com)