




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0372_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0372_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0373_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0373_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0374_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0374_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0375_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0375_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0376_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0376_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0377_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0377_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0378_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0378_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0379_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0379_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0380_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0380_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0381_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0381_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0382_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0382_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0384_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0385_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0385_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0386_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0386_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0387_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0387_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0388_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0388_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0389_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0389_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0390_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0392_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0392_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0393_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0395_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0395_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0396_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0396_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0397_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0397_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0398_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0398_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0399_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0399_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0400_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0400_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0401_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0401_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0402_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0402_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0403_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0403_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0404_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0404_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0405_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0405_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0406_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0406_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0407_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0407_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0408_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0408_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0409_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0409_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0410_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0410_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0411_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0411_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0412_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0412_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0413_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0413_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0414_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0414_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0415_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0415_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0416_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0416_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0417_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0417_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0418_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0418_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0419_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0419_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0420_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0420_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0421_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0421_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0422_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0422_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0423_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0423_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0424_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0424_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0425_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0425_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0426_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0426_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0427_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0427_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0428_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0428_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0429_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0429_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0430_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0430_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0431_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0431_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0432_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0432_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0433_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0433_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0434_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0434_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0435_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0435_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0436_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0436_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0437_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0437_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0438_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0438_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0439_0_100.csv




Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0439_0_100.csv




Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0440_0_100.csv



Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0440_0_100.csv



Current vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0441_0_100.csv



Voltage vs Absolute Time — PR_LFP_DCIR_REPT_UL1974_150_0441_0_100.csv

