

Student x22223487

## Pre-test validation of Index.html

1. Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 9, column 5; to line 9, column 78

```
title><link rel="shortcut icon" type="image/x-icon" href="../images/Logo.ico" /><
```

2. Bad value `../Project folder/Services/index.html` for attribute `href` on element `a`: Illegal character in path segment: space is not allowed.

In lines 40, 43, 46, 77, 95, 121, 133, 145, 158, 195, 198, 201, 213

```
<a class="nav-link" href="../Project folder/Services/index.html">Servic
```

3. No `li` element in scope but a `li` end tag seen.

From line 58, column 25; to line 58, column 29

```
</li><
```

4. Bad value `images/pexels-rostislav-uzunov-9629254 (1080p).mp4` for attribute `src` on element `video`: Illegal character in path segment: space is not allowed.

From line 65, column 9; to line 66, column 86

```
<video class="videoPlayer object-fit-contain" autoplay muted loop  
id="myVideo" src="images/pexels-rostislav-uzunov-9629254 (1080p).mp4"  
type="video/mp4"><<<
```

5. Attribute `type` not allowed on element `video` at this point.

From line 65, column 9; to line 66, column 86

```
<video class="videoPlayer object-fit-contain" autoplay muted loop  
id="myVideo" src="images/pexels-rostislav-uzunov-9629254 (1080p).mp4"  
type="video/mp4"><<<
```

6. The element `button` must not appear as a descendant of the `a` element.

From line 77, column 62; to line 77, column 84

```
out.html"><button class="button">About<
```

7. Stray end tag `a`.

From line 95, column 99; to line 95, column 102

```
t</button></a><
```

8. Bad value `100%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 103, column 29; to line 103, column 120

```
<
```

9. Stray end tag `div`.

From line 176, column 5; to line 176, column 10

```
/div>↵ </div>↵ <
```

10. Stray end tag `div`.

From line 177, column 5; to line 177, column 10

```
/div>↵ </div>↵ <
```

11. Duplicate ID `navbarNav`.

From line 189, column 13; to line 189, column 74

```
<div class="collapse navbar-collapse flex-row" id="navbarNav">↵
```

12. Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 26, column 17; to line 26, column 39

```
<h1 class="text-start">E&V</h
```

## Post-test index.html

1. Attribute `type` not allowed on element `video` at this point.

From line 55, column 9; to line 56, column 62

```
↵↵ <video class="videoPlayer object-fit-contain"
src="images/pexels-rostislav-uzunov-9629254%20(1080p).mp4" type="video/mp4"
autoplay muted loop id="myVideo">↵↵
```

2. Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 26, column 17; to line 26, column 39

```
<h1 class="text-start">E&V</h
```

## Pre-test about.html

1. Attribute `;` is not serializable as XML 1.0.

From line 45, column 29; to line 46, column 94

```
<a class="nav-link active" style="color:#FFD700" ;↵
href="../../../GitHubFiles/Project%20folder/about/about.html">About<
```

2. Attribute `;` not allowed on element `a` at this point.

From line 45, column 29; to line 46, column 94

```
<a class="nav-link active" style="color:#FFD700" ;↵
href="../../../GitHubFiles/Project%20folder/about/about.html">About<
```

3. No `li` element in scope but a `li` end tag seen.

From line 58, column 25; to line 58, column 29

```
</li>↵
```

4. Duplicate ID `navbarNav`.

From line 140, column 13; to line 140, column 74

```
<div class="collapse navbar-collapse flex-row" id="navbarNav">↵
```

5. Attribute `;` is not serializable as XML 1.0.

From line 153, column 25; to line 154, column 90

```
<a class="nav-link active" style="color:#FFD700" ;↵  
href="../../../GitHubFiles/Project%20folder/about/about.html">About<
```

**6. Attribute `;` not allowed on element `a` at this point.**

From line 153, column 25; to line 154, column 90

```
<a class="nav-link active" style="color:#FFD700" ;↵  
href="../../../GitHubFiles/Project%20folder/about/about.html">About<
```

**7. Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).**

From line 25, column 17; to line 25, column 39

```
<h1 class="text-start">E&V</h
```

## Post-test about.html

**1. Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).**

From line 25, column 17; to line 25, column 39

```
<h1 class="text-start">E&V</h
```