V Buckle Belt

vn-p047

Resolved reference finding

Replaced both Jet Black and Charcoal back references with inner-face belt mockups showing the rear buckle attachment, folded webbing return and plain reverse tip. The saved triangular V buckle remains; no prong-hole belt is substituted.

Version precedence

R10 correction pack supersedes conflicting R07/R08/R09 descriptions, references and affected dimensions. Retain unchanged original specifications. This closes the reference finding, not bulk-production approval.

Design authority and limits

R10 is an authored design-reference correction under the owner instruction to finish the findings. Rendered rear views and hidden construction are documented design decisions. They are not photographs of manufactured samples. Actual fit, material performance, hardware tooling and embroidery sew-out still need factory validation.

Corrected references



charcoal-back-r10



jet-black-back-r10

Construction and artwork

Design features

35 mm woven strap; retained triangular V buckle; reverse attachment bar and stitched folded return; black leather end tip. No prong holes or substituted buckle.

Material target

100% polyester woven webbing, 35 mm width

Assembly

For woven webbing: heat-seal concealed cut ends; fold buckle return and secure with type 301 box-and-cross stitching. For leather: skive folded return, stitch type 301 and finish edges; retain the saved buckle construction.

Hardware

Retain triangular V frame and compatible 35 mm webbing attachment. Fold return 80 mm and box-and-cross stitch. Reverse view documents assembly direction; validate frame clearance and adjustment retention on hardware sample.

Artwork instruction

STYLE LOCK: V Buckle Belt. Use this garment’s exact saved colourway artwork and features. Preserve lettering, panel positions and proportions. Existing recorded artwork dimensions take precedence. R06 specifications do not authorize replacing an illustration with a generic logo. Vector artwork, placement strike-off and physical sample approval remain required.