Winged-Spire Leather Belt

vn-vd-p04-2-25

Resolved reference finding

Replaced inconsistent buckle artwork in front/left/right references using unchanged path geometry from the supplied Gold_Source_Outline.svg. Replaced the wrongly labelled back image with an actual rear-strap view; the decorative face is hidden on the opposite side. Corrected generic webbing/zip copy to this leather belt construction.

Version precedence

R10 correction pack supersedes conflicting R07/R08/R09 descriptions, references and affected dimensions. Retain unchanged original specifications. This closes the reference finding, not bulk-production approval.

Design authority and limits

R10 is an authored design-reference correction under the owner instruction to finish the findings. Rendered rear views and hidden construction are documented design decisions. They are not photographs of manufactured samples. Actual fit, material performance, hardware tooling and embroidery sew-out still need factory validation.

Corrected references



black-left-r10



black-right-r10



black-front-r10



black-back-r10

Construction and artwork

Design features

Black smooth-leather strap, 35 mm wide
Fine edge stitching and keeper
Adjustment holes
Gold-tone exact-master winged-spire buckle

Material target

Smooth black leather face with smooth lining; proposed finished strap thickness 3 mm. Supplier must confirm hide grade, lining and composition.

Assembly

Skive folded leather return; secure attachment with bonded-thread lockstitch and suitable leather-point needle. Edge stitch 2 mm from edge; finish edges smoothly. No generic zip or webbing heat-sealing operation.

Hardware

Front emblem 62.00 x 42.26 mm, exact supplied contour; gold-tone finish. Proposed 2.5 mm metal face thickness on a concealed supporting carrier: the separated wing pieces must be mechanically joined behind the face. Rear attachment accepts 35 mm strap; retain adjustment-hole fastening. Hardware maker must validate carrier, pin and load clearance on CAD/sample without changing visible master geometry.

Artwork instruction

R10 exact supplied Gold_Source_Outline.svg contour. Finished face width 62.00 mm and proportional height 42.26 mm. No smoothing, redraw, extra wings or substitution. Three mockup angles derive from the same path strings. Separate 1:1 SVG controls tooling silhouette; finish shading is illustrative.