

```
-- =====
-- NEW MOCK DATASET — KCEI / Pumwani Maternal Health Interoperability Thesis
-- Designed to satisfy every join condition in CombinedOntology-2-mapping.ttl
-- Run TRUNCATE on all 16 tables before loading, or DELETE existing rows first.
-- =====
```

```
-- COMMUNITY_HEALTH_UNIT (1 CHU — KCEI, Kamukunji Sub-County)
```

```
INSERT INTO COMMUNITY_HEALTH_UNIT (CHU_ID, CHU_NAME, LINKED_FACILITY,
WARD, SUB_COUNTY, COUNTY) VALUES ('CHU001', 'KCEI - Majengo', 'Pumwani
Maternity Hospital', 'Pumwani', 'Kamukunji', 'Nairobi');
```

```
-- FACILITY_REGISTER (Pumwani Maternity Hospital + Kamukunji Health Centre — both
real sites from the field visit; NOTE: not currently linked to Patient/Visit in the mapping,
see chat)
```

```
INSERT INTO FACILITY_REGISTER (MFL_CODE, HEALTH_FACILITY, COUNTY,
SUB_COUNTY, SERVICE_DELIVERY_POINT, START_DATE, END_DATE) VALUES ('13232',
'Pumwani Maternity Hospital', 'Nairobi', 'Kamukunji', 'ANC Clinic', DATE '2024-01-01',
NULL);
```

```
INSERT INTO FACILITY_REGISTER (MFL_CODE, HEALTH_FACILITY, COUNTY,
SUB_COUNTY, SERVICE_DELIVERY_POINT, START_DATE, END_DATE) VALUES ('13877',
'Kamukunji Health Centre', 'Nairobi', 'Kamukunji', 'ANC Clinic', DATE '2024-01-01',
NULL);
```

```
-- HOUSEHOLD_REGISTRATION (18 households, all under the single KCEI CHU)
```

```
INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY,
SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER,
GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH001',
'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 1', 'Household Head 1',
'0710000001', '-1.2801,36.8301', 4, DATE '2025-11-02');
```

```
INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY,
SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER,
GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH002',
'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 2', 'Household Head 2',
'0710000002', '-1.2802,36.8302', 5, DATE '2025-11-03');
```

```
INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY,
SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER,
GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH003',
'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 3', 'Household Head 3',
'0710000003', '-1.2803,36.8303', 3, DATE '2025-11-04');
```

```
INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY,
SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER,
GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH004',
'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 4', 'Household Head 4',
'0710000004', '-1.2804,36.8304', 4, DATE '2025-11-05');
```

```
INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY,
SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER,
```

GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH005', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 5', 'Household Head 5', '0710000005', '-1.2805,36.8305', 5, DATE '2025-11-06');

INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY, SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER, GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH006', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 6', 'Household Head 6', '0710000006', '-1.2806,36.8306', 3, DATE '2025-11-07');

INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY, SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER, GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH007', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 7', 'Household Head 7', '0710000007', '-1.2807,36.8307', 4, DATE '2025-11-08');

INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY, SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER, GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH008', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 8', 'Household Head 8', '0710000008', '-1.2808,36.8308', 5, DATE '2025-11-09');

INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY, SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER, GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH009', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 9', 'Household Head 9', '0710000009', '-1.2809,36.8309', 3, DATE '2025-11-10');

INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY, SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER, GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH010', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 10', 'Household Head 10', '0710000010', '-1.2810,36.8310', 4, DATE '2025-11-11');

INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY, SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER, GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH011', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 11', 'Household Head 11', '0710000011', '-1.2811,36.8311', 5, DATE '2025-11-12');

INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY, SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER, GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH012', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 12', 'Household Head 12', '0710000012', '-1.2812,36.8312', 3, DATE '2025-11-13');

INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY, SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER, GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH013', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 13', 'Household Head 13', '0710000013', '-1.2813,36.8313', 4, DATE '2025-11-14');

INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY, SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER, GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH014', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 14', 'Household Head 14', '0710000014', '-1.2814,36.8314', 5, DATE '2025-11-15');

INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY, SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER, GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH015', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 15', 'Household Head 15',

'0710000015', '-1.2815,36.8315', 3, DATE '2025-11-16');

INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY, SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER, GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH016', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 16', 'Household Head 16', '0710000016', '-1.2816,36.8316', 4, DATE '2025-11-17');

INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY, SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER, GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH017', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 17', 'Household Head 17', '0710000017', '-1.2817,36.8317', 5, DATE '2025-11-18');

INSERT INTO HOUSEHOLD_REGISTRATION (HOUSEHOLD_ID, CHU_ID, COUNTY, SUB_COUNTY, WARD, VILLAGE, HOUSEHOLD_HEAD_NAME, PHONE_NUMBER, GPS_LOCATION, NUMBER_OF_MEMBERS, DATE_REGISTERED) VALUES ('HH018', 'CHU001', 'Nairobi', 'Kamukunji', 'Pumwani', 'Village 18', 'Household Head 18', '0710000018', '-1.2818,36.8318', 3, DATE '2025-11-19');

-- CLIENT (20 clients: 17 hospital-matched, 3 CHU-only)

INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX, DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD) VALUES ('CL001', 'HH001', 'Mary Wanjiru', 'F', DATE '1995-01-01', 31, FALSE, '310000000', 'Head');

INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX, DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD) VALUES ('CL002', 'HH002', 'Grace Achieng', 'F', DATE '1995-05-18', 31, FALSE, '310000001', 'Head');

INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX, DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD) VALUES ('CL003', 'HH003', 'Faith Njeri', 'F', DATE '1995-10-02', 31, FALSE, '310000002', 'Head');

INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX, DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD) VALUES ('CL004', 'HH004', 'Joyce Auma', 'F', DATE '1996-02-16', 30, FALSE, '310000003', 'Head');

INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX, DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD) VALUES ('CL005', 'HH005', 'Nancy Wambui', 'F', DATE '1996-07-02', 30, FALSE, '310000004', 'Head');

INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX, DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD) VALUES ('CL006', 'HH006', 'Esther Adhiambo', 'F', DATE '1996-11-16', 30, FALSE, '310000005', 'Head');

INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX, DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD) VALUES ('CL007', 'HH007', 'Agnes Nyambura', 'F', DATE '1997-04-02', 29, FALSE, '310000006', 'Head');

INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX, DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD) VALUES ('CL008', 'HH008', 'Rose Akinyi', 'F', DATE '1997-08-17', 29, FALSE, '310000007', 'Head');

```
INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX,
DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD)
VALUES ('CL009', 'HH009', 'Alice Muthoni', 'F', DATE '1998-01-01', 28, FALSE,
'310000008', 'Head');
```

```
INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX,
DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD)
VALUES ('CL010', 'HH010', 'Beatrice Otieno', 'F', DATE '1998-05-18', 28, FALSE,
'310000009', 'Head');
```

```
INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX,
DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD)
VALUES ('CL011', 'HH011', 'Caroline Wanjiru', 'F', DATE '1998-10-02', 28, FALSE,
'310000010', 'Head');
```

```
INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX,
DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD)
VALUES ('CL012', 'HH012', 'Diana Achieng', 'F', DATE '1999-02-16', 27, FALSE,
'310000011', 'Head');
```

```
INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX,
DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD)
VALUES ('CL013', 'HH013', 'Eunice Njeri', 'F', DATE '1999-07-03', 27, FALSE,
'310000012', 'Head');
```

```
INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX,
DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD)
VALUES ('CL014', 'HH014', 'Florence Auma', 'F', DATE '1999-11-17', 27, FALSE,
'310000013', 'Head');
```

```
INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX,
DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD)
VALUES ('CL015', 'HH015', 'Gladys Wambui', 'F', DATE '2000-04-02', 26, FALSE,
'310000014', 'Head');
```

```
INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX,
DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD)
VALUES ('CL016', 'HH016', 'Hellen Adhiambo', 'F', DATE '2000-08-17', 26, FALSE,
'310000015', 'Head');
```

```
INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX,
DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD)
VALUES ('CL017', 'HH017', 'Irene Nyambura', 'F', DATE '2001-01-01', 25, FALSE,
'310000016', 'Head');
```

```
INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX,
DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD)
VALUES ('CL018', 'HH018', 'Jane Akinyi', 'F', DATE '2001-05-18', 25, FALSE,
'310000017', 'Head');
```

```
INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX,
DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD)
VALUES ('CL019', 'HH001', 'Lucy Muthoni', 'F', DATE '2001-10-02', 25, FALSE,
'310000018', 'Spouse');
```

```
INSERT INTO CLIENT (INDIVIDUAL_ID, HOUSEHOLD_ID, FULL_NAME, SEX,
DATE_OF_BIRTH, AGE, DISABILITY_STATUS, NATIONAL_ID, RELATIONSHIP_TO_HEAD)
VALUES ('CL020', 'HH002', 'Margaret Otieno', 'F', DATE '2002-02-16', 24, FALSE,
'310000019', 'Spouse');
```

-- SERVICE_DELIVERY (20 records)

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV001', 'CL001', DATE '2026-01-15', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV002', 'CL002', DATE '2026-01-16', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV003', 'CL003', DATE '2026-01-17', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV004', 'CL004', DATE '2026-01-18', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV005', 'CL005', DATE '2026-01-19', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV006', 'CL006', DATE '2026-01-20', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV007', 'CL007', DATE '2026-01-21', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV008', 'CL008', DATE '2026-01-22', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV009', 'CL009', DATE '2026-01-23', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV010', 'CL010', DATE '2026-01-24', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV011', 'CL011', DATE '2026-01-25', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV012', 'CL012', DATE '2026-01-26', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV013', 'CL013', DATE '2026-01-27', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV014', 'CL014', DATE '2026-01-28', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV015', 'CL015', DATE '2026-01-29', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV016', 'CL016', DATE '2026-01-30', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV017', 'CL017', DATE '2026-01-31', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV018', 'CL018', DATE '2026-02-01', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV019', 'CL019', DATE '2026-02-02', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

INSERT INTO SERVICE_DELIVERY (SERVICE_ID, INDIVIDUAL_ID, VISIT_DATE, SERVICE_TYPE, PROGRAM_AREA, OUTCOME, FOLLOW_UP_REQUIRED) VALUES ('SV020', 'CL020', DATE '2026-02-03', 'Health education', 'Maternal health', 'Counselled on ANC attendance', FALSE);

-- HEALTH_SURVEILLANCE (10 records — 4 GBV-disclosure danger signs, 6 generic)

INSERT INTO HEALTH_SURVEILLANCE (RECORD_ID, INDIVIDUAL_ID, SYMPTOM, DIAGNOSIS, CHRONIC_CONDITION, PREGNANCY_STATUS, IMMUNIZATION_STATUS, NUTRITION_STATUS, DANGER_SIGNS, DATE_RECORDED) VALUES ('HS001', 'CL001', 'None reported', 'NA - referred, not diagnosed by CHW', 'None', TRUE, 'Up to date', 'Normal', 'Client disclosed recent sexual assault; referred for comprehensive medical care and STI screening', DATE '2026-02-09');

INSERT INTO HEALTH_SURVEILLANCE (RECORD_ID, INDIVIDUAL_ID, SYMPTOM, DIAGNOSIS, CHRONIC_CONDITION, PREGNANCY_STATUS, IMMUNIZATION_STATUS, NUTRITION_STATUS, DANGER_SIGNS, DATE_RECORDED) VALUES ('HS002', 'CL002', 'None reported', 'NA - referred, not diagnosed by CHW', 'None', TRUE, 'Up to date', 'Normal', 'Client disclosed recent sexual assault; referred for comprehensive medical care and STI screening', DATE '2026-02-12');

INSERT INTO HEALTH_SURVEILLANCE (RECORD_ID, INDIVIDUAL_ID, SYMPTOM, DIAGNOSIS, CHRONIC_CONDITION, PREGNANCY_STATUS, IMMUNIZATION_STATUS, NUTRITION_STATUS, DANGER_SIGNS, DATE_RECORDED) VALUES ('HS003', 'CL003', 'None reported', 'NA - referred, not diagnosed by CHW', 'None', TRUE, 'Up to date', 'Normal', 'Client disclosed recent sexual assault; referred for comprehensive medical care and STI screening', DATE '2026-02-15');

```
INSERT INTO HEALTH_SURVEILLANCE (RECORD_ID, INDIVIDUAL_ID, SYMPTOM,
DIAGNOSIS, CHRONIC_CONDITION, PREGNANCY_STATUS, IMMUNIZATION_STATUS,
NUTRITION_STATUS, DANGER_SIGNS, DATE_RECORDED) VALUES ('HS004', 'CL004',
'None reported', 'NA - referred, not diagnosed by CHW', 'None', TRUE, 'Up to date',
'Normal', 'Client disclosed recent sexual assault; referred for comprehensive medical
care and STI screening', DATE '2026-02-18');
```

```
INSERT INTO HEALTH_SURVEILLANCE (RECORD_ID, INDIVIDUAL_ID, SYMPTOM,
DIAGNOSIS, CHRONIC_CONDITION, PREGNANCY_STATUS, IMMUNIZATION_STATUS,
NUTRITION_STATUS, DANGER_SIGNS, DATE_RECORDED) VALUES ('HS005', 'CL010',
'Mild swelling of feet', 'NA', 'None', TRUE, 'Up to date', 'Normal', 'None', DATE
'2026-03-08');
```

```
INSERT INTO HEALTH_SURVEILLANCE (RECORD_ID, INDIVIDUAL_ID, SYMPTOM,
DIAGNOSIS, CHRONIC_CONDITION, PREGNANCY_STATUS, IMMUNIZATION_STATUS,
NUTRITION_STATUS, DANGER_SIGNS, DATE_RECORDED) VALUES ('HS006', 'CL011',
'Reported occasional headache', 'NA', 'None', TRUE, 'Up to date', 'Normal', 'None', DATE
'2026-03-11');
```

```
INSERT INTO HEALTH_SURVEILLANCE (RECORD_ID, INDIVIDUAL_ID, SYMPTOM,
DIAGNOSIS, CHRONIC_CONDITION, PREGNANCY_STATUS, IMMUNIZATION_STATUS,
NUTRITION_STATUS, DANGER_SIGNS, DATE_RECORDED) VALUES ('HS007', 'CL012',
'None reported', 'NA', 'None', TRUE, 'Up to date', 'Normal', 'None', DATE '2026-03-14');
```

```
INSERT INTO HEALTH_SURVEILLANCE (RECORD_ID, INDIVIDUAL_ID, SYMPTOM,
DIAGNOSIS, CHRONIC_CONDITION, PREGNANCY_STATUS, IMMUNIZATION_STATUS,
NUTRITION_STATUS, DANGER_SIGNS, DATE_RECORDED) VALUES ('HS008', 'CL013',
'Reported fatigue', 'NA', 'None', TRUE, 'Up to date', 'Normal', 'None', DATE
'2026-03-17');
```

```
INSERT INTO HEALTH_SURVEILLANCE (RECORD_ID, INDIVIDUAL_ID, SYMPTOM,
DIAGNOSIS, CHRONIC_CONDITION, PREGNANCY_STATUS, IMMUNIZATION_STATUS,
NUTRITION_STATUS, DANGER_SIGNS, DATE_RECORDED) VALUES ('HS009', 'CL007',
'Mild swelling of feet', 'NA', 'None', TRUE, 'Up to date', 'Normal', 'None', DATE
'2026-02-27');
```

```
INSERT INTO HEALTH_SURVEILLANCE (RECORD_ID, INDIVIDUAL_ID, SYMPTOM,
DIAGNOSIS, CHRONIC_CONDITION, PREGNANCY_STATUS, IMMUNIZATION_STATUS,
NUTRITION_STATUS, DANGER_SIGNS, DATE_RECORDED) VALUES ('HS010', 'CL008',
'Reported occasional headache', 'NA', 'None', TRUE, 'Up to date', 'Normal', 'None', DATE
'2026-03-02');
```

-- REFERRAL (CHU side, 7 records — 4 GBV-linked, 2 other-reason linked, 1 unmatched)

```
INSERT INTO REFERRAL (REFERRAL_ID, INDIVIDUAL_ID, REFERRAL_DATE,
REASON_FOR_REFERRAL, FACILITY_REFERRED_TO, REFERRAL_TYPE) VALUES ('REF001',
'CL001', DATE '2026-02-09', 'Suspected sexual violence - referred for medical
assessment and comprehensive care', 'Pumwani Maternity Hospital', 'CHU to Facility');
```

```
INSERT INTO REFERRAL (REFERRAL_ID, INDIVIDUAL_ID, REFERRAL_DATE,
REASON_FOR_REFERRAL, FACILITY_REFERRED_TO, REFERRAL_TYPE) VALUES ('REF002',
'CL002', DATE '2026-02-12', 'Suspected sexual violence - referred for medical
assessment and comprehensive care', 'Pumwani Maternity Hospital', 'CHU to Facility');
```

```
INSERT INTO REFERRAL (REFERRAL_ID, INDIVIDUAL_ID, REFERRAL_DATE,
REASON_FOR_REFERRAL, FACILITY_REFERRED_TO, REFERRAL_TYPE) VALUES ('REF003',
'CL003', DATE '2026-02-15', 'Suspected sexual violence - referred for medical
assessment and comprehensive care', 'Pumwani Maternity Hospital', 'CHU to Facility');
```

```
INSERT INTO REFERRAL (REFERRAL_ID, INDIVIDUAL_ID, REFERRAL_DATE,
REASON_FOR_REFERRAL, FACILITY_REFERRED_TO, REFERRAL_TYPE) VALUES ('REF004',
```

'CL004', DATE '2026-02-18', 'Suspected sexual violence - referred for medical assessment and comprehensive care', 'Pumwani Maternity Hospital', 'CHU to Facility');

INSERT INTO REFERRAL (REFERRAL_ID, INDIVIDUAL_ID, REFERRAL_DATE, REASON_FOR_REFERRAL, FACILITY_REFERRED_TO, REFERRAL_TYPE) VALUES ('REF005', 'CL007', DATE '2026-02-27', 'Severe headache - possible pre-eclampsia', 'Pumwani Maternity Hospital', 'CHU to Facility');

INSERT INTO REFERRAL (REFERRAL_ID, INDIVIDUAL_ID, REFERRAL_DATE, REASON_FOR_REFERRAL, FACILITY_REFERRED_TO, REFERRAL_TYPE) VALUES ('REF006', 'CL008', DATE '2026-03-02', 'Prolonged labour signs', 'Pumwani Maternity Hospital', 'CHU to Facility');

INSERT INTO REFERRAL (REFERRAL_ID, INDIVIDUAL_ID, REFERRAL_DATE, REASON_FOR_REFERRAL, FACILITY_REFERRED_TO, REFERRAL_TYPE) VALUES ('REF007', 'CL009', DATE '2026-03-08', 'Suspected malaria in pregnancy', 'Pumwani Maternity Hospital', 'CHU to Facility');

-- MATERNAL_CHILD_HEALTH (20 records)

INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID, PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE, POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES ('MCH001', 'CL001', TRUE, 3, DATE '2026-08-26', 'Pumwani Maternity Hospital', 0, 'NA', 'NA');

INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID, PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE, POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES ('MCH002', 'CL002', TRUE, 3, DATE '2026-08-28', 'Pumwani Maternity Hospital', 0, 'NA', 'NA');

INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID, PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE, POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES ('MCH003', 'CL003', TRUE, 2, DATE '2026-08-30', 'Pumwani Maternity Hospital', 0, 'NA', 'NA');

INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID, PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE, POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES ('MCH004', 'CL004', TRUE, 1, DATE '2026-09-01', 'Pumwani Maternity Hospital', 0, 'NA', 'NA');

INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID, PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE, POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES ('MCH005', 'CL005', TRUE, 2, DATE '2026-09-03', 'Pumwani Maternity Hospital', 0, 'NA', 'NA');

INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID, PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE, POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES ('MCH006', 'CL006', TRUE, 1, DATE '2026-09-05', 'Pumwani Maternity Hospital', 0, 'NA', 'NA');

INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID, PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE, POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES ('MCH007', 'CL007', TRUE, 2, DATE '2026-09-07', 'Pumwani Maternity Hospital', 0, 'NA', 'NA');

```
INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID,  
PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE,  
POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES  
('MCH008', 'CL008', TRUE, 1, DATE '2026-09-09', 'Pumwani Maternity Hospital', 0, 'NA',  
'NA');
```

```
INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID,  
PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE,  
POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES  
('MCH009', 'CL009', TRUE, 1, DATE '2026-09-11', 'Pumwani Maternity Hospital', 0, 'NA',  
'NA');
```

```
INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID,  
PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE,  
POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES  
('MCH010', 'CL010', TRUE, 1, DATE '2026-09-13', 'Pumwani Maternity Hospital', 0, 'NA',  
'NA');
```

```
INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID,  
PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE,  
POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES  
('MCH011', 'CL011', TRUE, 1, DATE '2026-09-15', 'Pumwani Maternity Hospital', 0, 'NA',  
'NA');
```

```
INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID,  
PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE,  
POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES  
('MCH012', 'CL012', TRUE, 1, DATE '2026-09-17', 'Pumwani Maternity Hospital', 0, 'NA',  
'NA');
```

```
INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID,  
PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE,  
POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES  
('MCH013', 'CL013', TRUE, 1, DATE '2026-09-19', 'Pumwani Maternity Hospital', 0, 'NA',  
'NA');
```

```
INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID,  
PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE,  
POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES  
('MCH014', 'CL014', TRUE, 1, DATE '2026-09-21', 'Pumwani Maternity Hospital', 0, 'NA',  
'NA');
```

```
INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID,  
PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE,  
POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES  
('MCH015', 'CL015', TRUE, 1, DATE '2026-09-23', 'Pumwani Maternity Hospital', 0, 'NA',  
'NA');
```

```
INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID,  
PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE,  
POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES  
('MCH016', 'CL016', TRUE, 1, DATE '2026-09-28', 'Pumwani Maternity Hospital', 0, 'NA',  
'NA');
```

```
INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID,  
PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE,  
POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES  
('MCH017', 'CL017', TRUE, 1, DATE '2026-09-30', 'Pumwani Maternity Hospital', 0, 'NA',  
'NA');
```

```
INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID,  
PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE,
```

POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES ('MCH018', 'CL018', TRUE, 1, DATE '2026-09-18', 'Pumwani Maternity Hospital', 0, 'NA', 'NA');

INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID, PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE, POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES ('MCH019', 'CL019', TRUE, 1, DATE '2026-09-19', 'Pumwani Maternity Hospital', 0, 'NA', 'NA');

INSERT INTO MATERNAL_CHILD_HEALTH (MCH_ID, INDIVIDUAL_ID, PREGNANCY_STATUS, ANC_VISITS, EXPECTED_DELIVERY_DATE, DELIVERY_PLACE, POSTNATAL_VISITS, CHILD_IMMUNIZATION_STATUS, GROWTH_MONITORING) VALUES ('MCH020', 'CL020', TRUE, 1, DATE '2026-09-20', 'Pumwani Maternity Hospital', 0, 'NA', 'NA');

-- ENVIRONMENTAL_WASH (18 records)

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE, SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY, WASTE_DISPOSAL_METHOD) VALUES ('WASH001', 'HH001', 'Piped water', 'Flush toilet', TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE, SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY, WASTE_DISPOSAL_METHOD) VALUES ('WASH002', 'HH002', 'Piped water', 'Flush toilet', TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE, SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY, WASTE_DISPOSAL_METHOD) VALUES ('WASH003', 'HH003', 'Piped water', 'Flush toilet', TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE, SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY, WASTE_DISPOSAL_METHOD) VALUES ('WASH004', 'HH004', 'Piped water', 'Flush toilet', TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE, SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY, WASTE_DISPOSAL_METHOD) VALUES ('WASH005', 'HH005', 'Piped water', 'Flush toilet', TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE, SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY, WASTE_DISPOSAL_METHOD) VALUES ('WASH006', 'HH006', 'Piped water', 'Flush toilet', TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE, SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY, WASTE_DISPOSAL_METHOD) VALUES ('WASH007', 'HH007', 'Piped water', 'Flush toilet', TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE, SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY, WASTE_DISPOSAL_METHOD) VALUES ('WASH008', 'HH008', 'Piped water', 'Flush toilet', TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE, SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY, WASTE_DISPOSAL_METHOD) VALUES ('WASH009', 'HH009', 'Piped water', 'Flush toilet',

```

TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE,
SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY,
WASTE_DISPOSAL_METHOD) VALUES ('WASH010', 'HH010', 'Piped water', 'Flush toilet',
TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE,
SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY,
WASTE_DISPOSAL_METHOD) VALUES ('WASH011', 'HH011', 'Piped water', 'Flush toilet',
TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE,
SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY,
WASTE_DISPOSAL_METHOD) VALUES ('WASH012', 'HH012', 'Piped water', 'Flush toilet',
TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE,
SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY,
WASTE_DISPOSAL_METHOD) VALUES ('WASH013', 'HH013', 'Piped water', 'Flush toilet',
TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE,
SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY,
WASTE_DISPOSAL_METHOD) VALUES ('WASH014', 'HH014', 'Piped water', 'Flush toilet',
TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE,
SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY,
WASTE_DISPOSAL_METHOD) VALUES ('WASH015', 'HH015', 'Piped water', 'Flush toilet',
TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE,
SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY,
WASTE_DISPOSAL_METHOD) VALUES ('WASH016', 'HH016', 'Piped water', 'Flush toilet',
TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE,
SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY,
WASTE_DISPOSAL_METHOD) VALUES ('WASH017', 'HH017', 'Piped water', 'Flush toilet',
TRUE, TRUE, 'Municipal collection');

INSERT INTO ENVIRONMENTAL_WASH (WASH_ID, HOUSEHOLD_ID, WATER_SOURCE,
SANITATION_TYPE, LATRINE_AVAILABLE, HANDWASHING_FACILITY,
WASTE_DISPOSAL_METHOD) VALUES ('WASH018', 'HH018', 'Piped water', 'Flush toilet',
TRUE, TRUE, 'Municipal collection');

```

```
-- ===== HOSPITAL SIDE =====
```

```
-- ANC_CLIENT (17 records)
```

```

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE,
SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER,
MARITAL_STATUS) VALUES ('NP-500001', '2026-02-0001', 'Mary Wanjiru', DATE
'1995-01-01', 31, 'Kamukunji', 'Village 1', '0720000000', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE,
SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER,
MARITAL_STATUS) VALUES ('NP-500002', '2026-02-0002', 'Grace Achieng', DATE
'1995-05-18', 31, 'Kamukunji', 'Village 2', '0720000001', 'MM');

```

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500003', '2026-02-0003', 'Faith Njeri', DATE '1995-10-02', 31, 'Kamukunji', 'Village 3', '0720000002', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500004', '2026-02-0004', 'Joyce Auma', DATE '1996-02-16', 30, 'Kamukunji', 'Village 4', '0720000003', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500005', '2026-02-0005', 'Nancy Wambui', DATE '1996-07-02', 30, 'Kamukunji', 'Village 5', '0720000004', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500006', '2026-02-0006', 'Esther Adhiambo', DATE '1996-11-16', 30, 'Kamukunji', 'Village 6', '0720000005', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500007', '2026-02-0007', 'Agnes Nyambura', DATE '1997-04-02', 29, 'Kamukunji', 'Village 7', '0720000006', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500008', '2026-02-0008', 'Rose Akinyi', DATE '1997-08-17', 29, 'Kamukunji', 'Village 8', '0720000007', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500009', '2026-02-0009', 'Alice Muthoni', DATE '1998-01-01', 28, 'Kamukunji', 'Village 9', '0720000008', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500010', '2026-02-0010', 'Beatrice Otieno', DATE '1998-05-18', 28, 'Kamukunji', 'Village 10', '0720000009', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500011', '2026-02-0011', 'Caroline Wanjiru', DATE '1998-10-02', 28, 'Kamukunji', 'Village 11', '0720000010', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500012', '2026-02-0012', 'Diana Achieng', DATE '1999-02-16', 27, 'Kamukunji', 'Village 12', '0720000011', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500013', '2026-02-0013', 'Eunice Njeri', DATE '1999-07-03', 27, 'Kamukunji', 'Village 13', '0720000012', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500014', '2026-02-0014', 'Florence Auma', DATE '1999-11-17', 27, 'Kamukunji', 'Village 14', '0720000013', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500015', '2026-02-0015', 'Gladys Wambui', DATE

'2000-04-02', 26, 'Kamukunji', 'Village 15', '0720000014', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500016', '2026-02-0016', 'Hellen Adhiambo', DATE '2000-08-17', 26, 'Kamukunji', 'Village 16', '0720000015', 'MM');

INSERT INTO ANC_CLIENT (NUPI, ANC_NUMBER, FULL_NAME, DATE_OF_BIRTH, AGE, SUBCOUNTY_COUNTY, VILLAGE_ESTATE_LANDMARK, PHONE_NUMBER, MARITAL_STATUS) VALUES ('NP-500017', '2026-02-0017', 'Irene Nyambura', DATE '2001-01-01', 25, 'Kamukunji', 'Village 17', '0720000016', 'MM');

-- ANC_VISIT (24 records — multiple visits for some clients, preserves the syphilis-query fan-out behaviour)

INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT, ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0001', '2026-02-0001', 'NP-500001', DATE '2026-02-10', NULL, 1);

INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT, ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0002', '2026-02-0001', 'NP-500001', DATE '2026-03-03', '2026-02-0001', 2);

INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT, ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0003', '2026-02-0001', 'NP-500001', DATE '2026-03-24', '2026-02-0001', 3);

INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT, ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0004', '2026-02-0002', 'NP-500002', DATE '2026-02-13', NULL, 1);

INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT, ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0005', '2026-02-0002', 'NP-500002', DATE '2026-03-06', '2026-02-0002', 2);

INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT, ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0006', '2026-02-0002', 'NP-500002', DATE '2026-03-27', '2026-02-0002', 3);

INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT, ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0007', '2026-02-0003', 'NP-500003', DATE '2026-02-16', NULL, 1);

INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT, ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0008', '2026-02-0003', 'NP-500003', DATE '2026-03-09', '2026-02-0003', 2);

INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT, ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0009', '2026-02-0004', 'NP-500004', DATE '2026-02-19', NULL, 1);

INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT, ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0010', '2026-02-0005', 'NP-500005', DATE '2026-02-22', NULL, 1);

INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT, ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0011', '2026-02-0005', 'NP-500005', DATE '2026-03-15', '2026-02-0005', 2);

INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT, ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0012', '2026-02-0006', 'NP-500006', DATE '2026-02-25', NULL, 1);

```
INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT,  
ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0013', '2026-02-0007',  
'NP-500007', DATE '2026-02-28', NULL, 1);
```

```
INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT,  
ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0014', '2026-02-0007',  
'NP-500007', DATE '2026-03-21', '2026-02-0007', 2);
```

```
INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT,  
ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0015', '2026-02-0008',  
'NP-500008', DATE '2026-03-03', NULL, 1);
```

```
INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT,  
ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0016', '2026-02-0009',  
'NP-500009', DATE '2026-03-06', NULL, 1);
```

```
INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT,  
ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0017', '2026-02-0010',  
'NP-500010', DATE '2026-03-09', NULL, 1);
```

```
INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT,  
ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0018', '2026-02-0011',  
'NP-500011', DATE '2026-03-12', NULL, 1);
```

```
INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT,  
ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0019', '2026-02-0012',  
'NP-500012', DATE '2026-03-15', NULL, 1);
```

```
INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT,  
ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0020', '2026-02-0013',  
'NP-500013', DATE '2026-03-18', NULL, 1);
```

```
INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT,  
ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0021', '2026-02-0014',  
'NP-500014', DATE '2026-03-21', NULL, 1);
```

```
INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT,  
ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0022', '2026-02-0015',  
'NP-500015', DATE '2026-03-24', NULL, 1);
```

```
INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT,  
ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0023', '2026-02-0016',  
'NP-500016', DATE '2026-03-27', NULL, 1);
```

```
INSERT INTO ANC_VISIT (VISIT_ID, ANC_NUMBER, NUPI, DATE_OF_VISIT,  
ANC_NUMBER_REVISIT, NUMBER_OF_VISITS) VALUES ('V0024', '2026-02-0017',  
'NP-500017', DATE '2026-03-30', NULL, 1);
```

-- PREGNANCY_DETAILS (17 records — 15 within 14-day EDD window of CHU record, 2
deliberately outside it)

```
INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD,  
GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)  
VALUES ('2026-02-0001', '1+0', 2, DATE '2025-11-22', DATE '2026-08-29', 20, 1, 158.0,  
62.0, '110/70');
```

```
INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD,  
GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)  
VALUES ('2026-02-0002', '1+0', 2, DATE '2025-11-24', DATE '2026-08-31', 21, 1, 159.0,  
63.0, '110/70');
```

```
INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD,  
GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
```

VALUES ('2026-02-0003', '1+0', 2, DATE '2025-11-26', DATE '2026-09-02', 22, 1, 160.0, 64.0, '110/70');

INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD, GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0004', '1+0', 2, DATE '2025-11-28', DATE '2026-09-04', 23, 1, 161.0, 65.0, '110/70');

INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD, GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0005', '1+0', 2, DATE '2025-11-30', DATE '2026-09-06', 24, 1, 162.0, 66.0, '110/70');

INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD, GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0006', '1+0', 2, DATE '2025-12-02', DATE '2026-09-08', 25, 1, 163.0, 67.0, '110/70');

INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD, GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0007', '1+0', 2, DATE '2025-12-04', DATE '2026-09-10', 26, 1, 164.0, 68.0, '110/70');

INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD, GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0008', '1+0', 2, DATE '2025-12-06', DATE '2026-09-12', 27, 1, 165.0, 69.0, '110/70');

INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD, GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0009', '1+0', 2, DATE '2025-12-08', DATE '2026-09-14', 28, 1, 166.0, 70.0, '110/70');

INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD, GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0010', '1+0', 2, DATE '2025-12-10', DATE '2026-09-16', 29, 1, 167.0, 71.0, '110/70');

INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD, GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0011', '1+0', 2, DATE '2025-12-12', DATE '2026-09-18', 20, 1, 168.0, 72.0, '110/70');

INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD, GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0012', '1+0', 2, DATE '2025-12-14', DATE '2026-09-20', 21, 1, 169.0, 73.0, '110/70');

INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD, GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0013', '1+0', 2, DATE '2025-12-16', DATE '2026-09-22', 22, 1, 170.0, 74.0, '110/70');

INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD, GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0014', '1+0', 2, DATE '2025-12-18', DATE '2026-09-24', 23, 1, 171.0, 75.0, '110/70');

INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD, GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0015', '1+0', 2, DATE '2025-12-20', DATE '2026-09-26', 24, 1, 172.0, 76.0, '110/70');

```
INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD,
GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0016', '1+0', 2, DATE '2025-12-22', DATE '2026-11-07', 25, 1, 173.0,
77.0, '110/70');
```

```
INSERT INTO PREGNANCY_DETAILS (ANC_NUMBER, PARITY, GRAVIDAE, LMP, EDD,
GESTATION_WEEKS, MUAC_CODE, HEIGHT_CM, WEIGHT_KG, BLOOD_PRESSURE)
VALUES ('2026-02-0017', '1+0', 2, DATE '2025-12-24', DATE '2026-11-09', 26, 1, 174.0,
78.0, '110/70');
```

-- LABORATORY_RESULTS (17 records — 6 VDRL positive [4 GBV-triggered, 2 routine-screening], 11 negative)

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0001', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Positive', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0002', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Positive', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0003', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Positive', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0004', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Positive', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0005', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Positive', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0006', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Positive', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0007', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Negative', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0008', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Negative', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0009', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Negative', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0010', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Negative', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0011', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Negative', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0012', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Negative', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0013', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Negative', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0014', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Negative', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0015', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Negative', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0016', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Negative', 'Negative', 'NA', 2);
```

```
INSERT INTO LABORATORY_RESULTS (ANC_NUMBER, HAEMOGLOBIN,
BLOOD_SUGAR_TESTING, BLOOD_GROUP_RHESUS, URINALYSIS,
RPR_VDRL_DUO_TEST_TYPE, RPR_VDRL_DUO_TEST_RESULT, HEPATITIS_B_RESULT,
HEPATITIS_B_TREATMENT, TB_SCREENING_CODE) VALUES ('2026-02-0017', '12.1', '1',
'O+', 'Y', 'RPR/VDRL/Duo Test', 'Negative', 'Negative', 'NA', 2);
```

-- HIV_SCREENING (17 records — table has no Ontop mapping; populated for schema completeness only, see chat)

```
INSERT INTO HIV_SCREENING (ANC_NUMBER, HIV_TESTING_TYPE, HIV_TEST1_RESULT,
HIV_TEST2_RESULT, HIV_TEST3_RESULT, HIV_FINAL_RESULT, MATERNAL_HAART,
INFANT_PROPHYLAXIS, PARTNER_HIV_STATUS) VALUES ('2026-02-0001', 'Initial', 'N',
```

```
INSERT INTO HIV_SCREENING (ANC_NUMBER, HIV_TESTING_TYPE, HIV_TEST1_RESULT,
HIV_TEST2_RESULT, HIV_TEST3_RESULT, HIV_FINAL_RESULT, MATERNAL_HAART,
INFANT_PROPHYLAXIS, PARTNER_HIV_STATUS) VALUES ('2026-02-0002', 'Initial', 'N',
'NA', 'NA', 'N', 'NA', 'NA', 'N');
```

```
INSERT INTO HIV_SCREENING (ANC_NUMBER, HIV_TESTING_TYPE, HIV_TEST1_RESULT,
HIV_TEST2_RESULT, HIV_TEST3_RESULT, HIV_FINAL_RESULT, MATERNAL_HAART,
INFANT_PROPHYLAXIS, PARTNER_HIV_STATUS) VALUES ('2026-02-0004', 'Initial', 'N',
'NA', 'NA', 'N', 'NA', 'NA', 'NA', 'N');
```

```
INSERT INTO HIV_SCREENING (ANC_NUMBER, HIV_TESTING_TYPE, HIV_TEST1_RESULT,
HIV_TEST2_RESULT, HIV_TEST3_RESULT, HIV_FINAL_RESULT, MATERNAL_HAART,
INFANT_PROPHYLAXIS, PARTNER_HIV_STATUS) VALUES ('2026-02-0006', 'Initial', 'N',
'NA', 'NA', 'N', 'NA', 'NA', 'NA', 'N');
```

```
INSERT INTO HIV_SCREENING (ANC_NUMBER, HIV_TESTING_TYPE, HIV_TEST1_RESULT,
HIV_TEST2_RESULT, HIV_TEST3_RESULT, HIV_FINAL_RESULT, MATERNAL_HAART,
INFANT_PROPHYLAXIS, PARTNER_HIV_STATUS) VALUES ('2026-02-0008', 'Initial', 'N',
'NA', 'NA', 'N', 'NA', 'NA', 'NA', 'N');
```

```
INSERT INTO HIV_SCREENING (ANC_NUMBER, HIV_TESTING_TYPE, HIV_TEST1_RESULT,
HIV_TEST2_RESULT, HIV_TEST3_RESULT, HIV_FINAL_RESULT, MATERNAL_HAART,
INFANT_PROPHYLAXIS, PARTNER_HIV_STATUS) VALUES ('2026-02-0010', 'Initial', 'N',
'NA', 'NA', 'N', 'NA', 'NA', 'NA', 'N');
```

```
INSERT INTO HIV_SCREENING (ANC_NUMBER, HIV_TESTING_TYPE, HIV_TEST1_RESULT,
HIV_TEST2_RESULT, HIV_TEST3_RESULT, HIV_FINAL_RESULT, MATERNAL_HAART,
INFANT_PROPHYLAXIS, PARTNER_HIV_STATUS) VALUES ('2026-02-0012', 'Initial', 'N',
'NA', 'NA', 'N', 'NA', 'NA', 'NA', 'N');
```

```
INSERT INTO HIV_SCREENING (ANC_NUMBER, HIV_TESTING_TYPE, HIV_TEST1_RESULT,
HIV_TEST2_RESULT, HIV_TEST3_RESULT, HIV_FINAL_RESULT, MATERNAL_HAART,
INFANT_PROPHYLAXIS, PARTNER_HIV_STATUS) VALUES ('2026-02-0013', 'Initial', 'N',
'NA', 'NA', 'N', 'NA', 'NA', 'N');
```

```
INSERT INTO HIV_SCREENING (ANC_NUMBER, HIV_TESTING_TYPE, HIV_TEST1_RESULT,
HIV_TEST2_RESULT, HIV_TEST3_RESULT, HIV_FINAL_RESULT, MATERNAL_HAART,
INFANT_PROPHYLAXIS, PARTNER_HIV_STATUS) VALUES ('2026-02-0014', 'Initial', 'N',
'NA', 'NA', 'N', 'NA', 'NA', 'N');
```

```
INSERT INTO HIV_SCREENING (ANC_NUMBER, HIV_TESTING_TYPE, HIV_TEST1_RESULT,
HIV_TEST2_RESULT, HIV_TEST3_RESULT, HIV_FINAL_RESULT, MATERNAL_HAART,
INFANT_PROPHYLAXIS, PARTNER_HIV_STATUS) VALUES ('2026-02-0015', 'Initial', 'N',
'NA', 'NA', 'N', 'NA', 'NA', 'N');
```

```
INSERT INTO HIV_SCREENING (ANC_NUMBER, HIV_TESTING_TYPE, HIV_TEST1_RESULT,
HIV_TEST2_RESULT, HIV_TEST3_RESULT, HIV_FINAL_RESULT, MATERNAL_HAART,
INFANT_PROPHYLAXIS, PARTNER_HIV_STATUS) VALUES ('2026-02-0016', 'Initial', 'N',
'NA', 'NA', 'N', 'NA', 'NA', 'N');
```

```
INSERT INTO HIV_SCREENING (ANC_NUMBER, HIV_TESTING_TYPE, HIV_TEST1_RESULT,
HIV_TEST2_RESULT, HIV_TEST3_RESULT, HIV_FINAL_RESULT, MATERNAL_HAART,
INFANT_PROPHYLAXIS, PARTNER_HIV_STATUS) VALUES ('2026-02-0017', 'Initial', 'N',
'NA', 'NA', 'N', 'NA', 'NA', 'N');
```

-- TREATMENT_AND_PREVENTION (17 records — table has no Ontop mapping;
populated for schema completeness only, see chat)

```
INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS,
OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE,
SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0001', 'STI/RTI screening',
'Y', 'Y', '1', '2', 'Iron+Folate', 'Y');
```

```
INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS,
OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE,
SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0002', 'STI/RTI screening',
'Y', 'Y', '1', '2', 'Iron+Folate', 'Y');
```

```
INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS,
OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE,
SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0003', 'STI/RTI screening',
'Y', 'Y', '1', '2', 'Iron+Folate', 'Y');
```

```
INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS,
OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE,
SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0004', 'STI/RTI screening',
'Y', 'Y', '1', '2', 'Iron+Folate', 'Y');
```

```
INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS,
OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE,
SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0005', 'None', 'NA', 'Y', '1',
'2', 'Iron+Folate', 'Y');
```

```
INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS,
OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE,
SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0006', 'None', 'NA', 'Y', '1',
'2', 'Iron+Folate', 'Y');
```

```
INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS,
OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE,
SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0007', 'None', 'NA', 'Y', '1',
'2', 'Iron+Folate', 'Y');
```

```
INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS,
OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE,
SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0008', 'None', 'NA', 'Y', '1',
```

'2', 'Iron+Folate', 'Y');

INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS, OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE, SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0009', 'None', 'NA', 'Y', '1', '2', 'Iron+Folate', 'Y');

INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS, OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE, SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0010', 'None', 'NA', 'Y', '1', '2', 'Iron+Folate', 'Y');

INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS, OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE, SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0011', 'None', 'NA', 'Y', '1', '2', 'Iron+Folate', 'Y');

INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS, OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE, SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0012', 'None', 'NA', 'Y', '1', '2', 'Iron+Folate', 'Y');

INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS, OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE, SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0013', 'None', 'NA', 'Y', '1', '2', 'Iron+Folate', 'Y');

INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS, OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE, SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0014', 'None', 'NA', 'Y', '1', '2', 'Iron+Folate', 'Y');

INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS, OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE, SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0015', 'None', 'NA', 'Y', '1', '2', 'Iron+Folate', 'Y');

INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS, OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE, SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0016', 'None', 'NA', 'Y', '1', '2', 'Iron+Folate', 'Y');

INSERT INTO TREATMENT_AND_PREVENTION (ANC_NUMBER, OTHER_CONDITIONS, OTHER_CONDITIONS_TREATMENT, DEWORMING, IPT_DOSE, TT_DOSE, SUPPLEMENTATION_GIVEN, LLITN_GIVEN) VALUES ('2026-02-0017', 'None', 'NA', 'Y', '1', '2', 'Iron+Folate', 'Y');

-- HOSPITAL_REFERRAL (6 records — matches the 6 CHU referrals with a genuine hospital-side log)

INSERT INTO HOSPITAL_REFERRAL (ANC_NUMBER, REFERRAL_FROM, REFERRAL_TO, REASON_FOR_REFERRAL, REMARKS) VALUES ('2026-02-0001', 'Community Unit', 'ANC Clinic', 'GBV survivor referred from community unit - comprehensive STI screening including syphilis performed', 'Received and assessed');

INSERT INTO HOSPITAL_REFERRAL (ANC_NUMBER, REFERRAL_FROM, REFERRAL_TO, REASON_FOR_REFERRAL, REMARKS) VALUES ('2026-02-0002', 'Community Unit', 'ANC Clinic', 'GBV survivor referred from community unit - comprehensive STI screening including syphilis performed', 'Received and assessed');

INSERT INTO HOSPITAL_REFERRAL (ANC_NUMBER, REFERRAL_FROM, REFERRAL_TO, REASON_FOR_REFERRAL, REMARKS) VALUES ('2026-02-0003', 'Community Unit', 'ANC

Clinic', 'GBV survivor referred from community unit - comprehensive STI screening including syphilis performed', 'Received and assessed');

```
INSERT INTO HOSPITAL_REFERRAL (ANC_NUMBER, REFERRAL_FROM, REFERRAL_TO, REASON_FOR_REFERRAL, REMARKS) VALUES ('2026-02-0004', 'Community Unit', 'ANC Clinic', 'GBV survivor referred from community unit - comprehensive STI screening including syphilis performed', 'Received and assessed');
```

```
INSERT INTO HOSPITAL_REFERRAL (ANC_NUMBER, REFERRAL_FROM, REFERRAL_TO, REASON_FOR_REFERRAL, REMARKS) VALUES ('2026-02-0007', 'Community Unit', 'ANC Clinic', 'Referred from community unit for further assessment', 'Received and assessed');
```

```
INSERT INTO HOSPITAL_REFERRAL (ANC_NUMBER, REFERRAL_FROM, REFERRAL_TO, REASON_FOR_REFERRAL, REMARKS) VALUES ('2026-02-0008', 'Community Unit', 'ANC Clinic', 'Referred from community unit for further assessment', 'Received and assessed');
```