BISO JICA JAPAN - VIETNAM CO., LTD.

Address: 16 D4 Street, Cat Lai Ward, Thu Duc City, Ho Chi Minh City, Vietnam. Phone: 0928899939

BIOLOGICAL STANDARD TCCS 01:2024/BISOJICA PRODUCT
DESIGNATION: MITAKA1000

PREFACE

Standard Publisher: BISO JICA JAPAN - VIETNAM CO., LTD. Address: No. 16, D4 Street, Cat Lai Ward, Thu Duc City, Ho Chi Minh City, Vietnam. Phone: 0928899939. The company has developed the foundational standard TCCS 01:2024/BISOJICA for the application to the product: MITAKA1000. This standard is published under Decision No.: 01/QD/BISOJICA.

1. Application Scope

- This standard delineates the requirements for quality, labeling, usage instructions, storage, and transportation.

  Applicable to the product: MITAKA1000, as announced by the Company.

2. Document

2.1 References

- Law on Product Quality No. 05/2007/QH12, enacted on November 21, 2007, by the 12th National Assembly.
- Law on Technical Standards and Regulations No. 68/2006/QH11, dated June 29, 2006, of the 11th National Assembly.
- Circular No. 21/2007.TT-BKHCN, issued on September 28, 2007, offers guidance on the development and application of standards.

2.2 Referenced Documents

3. and Technical Requirements

3.1 Sensory Specifications

- The criteria for sensory evaluation of the product are detailed in Table 1.

Table 1. Criteria for Sensory Evaluation of the Product.

STT	*Metric designation*	*Liquid form*	*Testing methodology*
1	External form	*is required.*	Sensory perception
2	Color	Light brown to dark brown	
3	Smell	It possesses the distinctive aroma of the product.	
4	Sharp-edged external object	Do not possess	

3.2 Quality Standards

- The specifications for product quality are detailed in Table 2.

Table 2. Indicators of Product Quality

STT	*Target*	*Measurement unit*	*Quality standard*	*Testing methodology*
1	Energy Protein	Kcal/100g	46,8	
2	(Minimum) Lipid	g/100g	0,5	
3	(Minimum)	g/100g	2,8	

STT	Target	Unit of measurement	Quality level 4.9	Testing methodology
4	Carbohydrate (Minimum)	g per 100g,	4 89 6,000 3,000	
5	Ash (Maximum)	g per 100g,		
6	Sodium (Minimum)	mg per 100g,		
7	Protease (Minimum)	Unit per g,		
8	Lipase (Minimum)	Unit per g		

3.3 Hygiene and Safety Requirements

- The product safety standards are outlined in Table 3.

Table 3. Standards for Product Safety

STT	Target	Unit of measurement	Quality standard	Testing methodology
Microorganism				
1	E. coli (maximum)	CFU per gram	1.1×10^3	
2	Salmonella (maximum)	CFU per 25 grams	None	
Heavy metals				
3	Arsenic (As) (maximum)	mg/kg mg/kg	10 5	
4	Cadmium (Cd) (maximum)	mg/kg mg/kg	200	
5	Lead (Pb) (maximum)		2	
6	Mercury (Hg) (maximum)			

4. Ingredients

- Ingredients consist of: Water and enzymatic components derived from plants and animals in their natural habitats.

5. Packaging, labeling, storage, and transportation.

5.1 Packaging

- The product is presented in plastic bottles and containers. Available packaging
- sizes include: 1L, 2L, 5L, 10L, and 20L (or as per customer specifications).

5.2 Labeling

- Product labeling is conducted in compliance with Government Decree 43/2017/ND-CP, dated April 14, 2017, regarding product labeling, as well as Decree 111/2021/ND-CP, which amends and supplements Decree 43/2017/ND-CP.

5.3 Storage

- The product is kept in a clean, cool, and well-ventilated warehouse, shielded from prolonged exposure to direct sunlight.

5.4 Expiration Date

- Two years from the date of manufacture.

5.5 Transportation

- Vehicles utilized for the transportation of products must be clean, dry, covered, devoid of hazardous substances, and free from pathogens that may lead to cross-contamination of the products.

6. Usage Guidelines

- For soil and irrigation, dilute 150ml or 250ml per 1,000m² of soil with a minimum of 500 times that volume of water, applying it to the base of the plant to ensure complete contact with the roots. Water the base of the plant sufficiently to reach the roots.

- When the irrigation pump operates for 10 minutes in a 1,000m2 greenhouse, water the plant roots after 5 minutes (50%) of the irrigation duration has passed. During the 10 minutes that the irrigation pump is running in a 1,000m2 greenhouse, dissolve this product in water and apply it using a chemical mixer after the remaining 5 minutes (50%) of the irrigation duration has passed.
  This product does not qualify as a fertilizer.
- The standard frequency is one to two times per month.
- It can be applied as a mist; when spraying on leaves, ensure that both sides of the leaf, as well as the stem and roots, are
- uniformly coated.
- Refrain from utilizing hot water sprayers at elevated temperatures.

Kindly consult the product label or the technical documentation provided with the product for further details.

Ho Chi Minh City, March 16, 2024